



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

BUILDER'S
AND
CONTRACTOR'S
PRICE BOOK
FOR
1865

ADVERTISEMENTS.

REVOLVING SHUTTERS.

**CLARK'S PATENT REVOLVING SHUTTERS,
IN IRON, WOOD, AND STEEL,**

Adapted to every Description of Window at very reduced Prices.

**Clark's Patent Self-Coiling Revolving Shutters, at 2s. 6d.
per foot, complete.**



The Woodcut represents these Shutters opened and closed without the aid of Machinery.

BRASS SASH BARS, STALL BOARD AND NAME PLATES, MOULDINGS, & .

For Shop Fronts, Skylights, &c., on Reduced Terms.

SINGLE AND DOUBLE ACTING SPRING HINGES,

On the most approved Construction.

ENGRAVING in EVERY VARIETY. DESIGNS & ESTIMATES FORWARDED.

Shop Fronts Completed on the most Moderate Terms.

**CASTINGS AND EVERY DESCRIPTION OF METAL WORK CON-
NECTED WITH BUILDINGS.**


Illustrated Prospectuses and Estimates forwarded.

**CLARK AND CO.,
ENGINEERS,**

15, GATE STREET, LINCOLN'S INN FIELDS, LONDON.

ADVERTISEMENTS.

HART AND SON,



WHOLESALE IRONMONGERS,

AND MANUFACTURERS OF

**MACHINE-MADE, CABINET, RIM, AND MORTICE
LEVER LOCKS;**

PITT'S AND CLARK'S PATENT SPINDLED DOOR FURNITURE;

Robinson's Patent Floor Centres for Swing Doors;

Stays, Fastenings, & Espagnolette Bolts for French Casements, &c.;

ARNOTT'S, SHERRINGHAM'S, & SLIDING VENTILATORS;

M'Haffie's Patent Self-acting Ventilators;

AND OF

SPRATT'S PATENT BATTERY LIGHTNING CONDUCTORS.

**ECCLESIASTICAL AND DOMESTIC METAL WORKERS,
And Engravers of Memorial Brasses and Heraldic Devices.**

Illustrated Catalogues, Price Lists, Designs, and Estimates Supplied.

Press Medals.—London, 1851; Paris, 1855; Amsterdam 1858; London, 1862.

WORKS, WAREHOUSES, AND SHOW ROOMS—

53 TO 58, WYCH STREET, STRAND, LONDON, W.C.

Show Rooms also, 20, Cockspur Street, Pall Mall, S.W.

ADVERTISEMENTS.

H O B B S'
CHANGEABLE KEY BANK LOCK.

Price £10 and upwards.

H O B B S'
PATENT PROTECTOR LOCKS.


8s. and upwards.

H O B B S'
MACHINE-MADE LEVER LOCKS.

2s. and upwards.

Prize Medal Awarded

For "EXCELLENCE OF WORKMANSHIP IN LOCKS AND SAFES."



*The Machine-made Locks are adapted for every purpose for which
Locks are required, at prices that defy competition.*

May be had of all respectable Ironmongers in Town and Country.

**Illustrated Lists of Locks, Iron Safes, and Doors,
Cash Boxes, &c., sent free on application to**

HOBBS & CO.,
76, CHEAPSIDE, LONDON, E.C.

THE
BUILDER'S AND CONTRACTOR'S
PRICE - BOOK
FOR 1865.

CONTAINING THE
LATEST PRICES FOR WORK IN ALL BRANCHES OF
THE BUILDING TRADE,

WITH
THE ITEMS NUMBERED FOR EASY REFERENCE,

AND
AN APPENDIX

OF TABLES, NOTES, AND MEMORANDA,

ARRANGED TO AFFORD DETAILED INFORMATION COMMONLY REQUIRED IN
PREPARING ESTIMATES, ETC.

REVISED BY GEORGE R. BURNELL,
CIVIL ENGINEER AND ARCHITECT.

LONDON :
LOCKWOOD & CO., 7, STATIONERS' HALL COURT.
[By Assignment from JOHN WEALE, 59, High Holborn.]

1865.

36

LONDON :

BRADBURY AND EVANS, PRINTERS, WHITEFRIARS.

INTRODUCTION TO THE EARLIER EDITIONS.

A BUILDER'S PRICE BOOK is, or should be, recognised as an accredited authority to be referred to with equal confidence by two parties—the employer and the employed, the proprietor and the builder, the master and the workman. For the basis of agreements, equally with the settlement of disputes, the Price-Book should be the mutually acknowledged arbitrator, and fairness in the rates is, thus, one of the most essential features of such a book.

It must be admitted, however, that the determination of the prices is a work of no little difficulty. The comparison of schedules almost *ad infinitum*, and of lists of prices as actually paid and fully agreed to and approved by both parties, shows the great variety of rates which have been adopted, and reveals the great difficulty of arranging a scale of rates which may be *generally* applicable, and likely to become an admitted standard.

In the following work an immense amount of labour has been incurred with the view of endeavouring to educe, from a multitude of actually paid rates, such an *average* scale of prices as, without any wide departure

from the commonly received rates (where such can be quoted), shall provide a fair return for labour, materials, and capital; and satisfy, as far as practicable, all parties concerned, without injury to any of the interests involved directly or remotely.

Another aim kept in view in the preparation of this work,—and, it is submitted, one of no mean importance,—has been to define and to observe such an arrangement of the many items to be included as should avoid confusion and facilitate reference in the use of the book. A repetition of items for preserving distinctness of *labour* prices from *completed* prices, has not been deemed advisable, inasmuch as this repetition frequently imposes a double reference to the book, and needlessly occupies space which may be better devoted to additional items and to larger type. In cases where distinct *labour* prices are commonly recognised, the columnar or tabular arrangement has been adopted, and it is hoped with advantage to the reader.

The numbering of the items consecutively through each trade is another feature in which improvement has been attempted on similar works. The means thus afforded of immediately identifying every item throughout the book will be duly appreciated by all who have to refer to and quote items from it. It may be mentioned, that in order to avoid running to inconveniently high numbers, the items combined in the departments of Carpenter's and Joiner's work have been divided, and a new set of numbers adopted for those items which appear to belong more exclusively to the Joiner's

department of the work. It must be confessed, however, that in the present advanced state of those trades, there is a considerable difficulty in defining any such distinction as this, and it is therefore requested that the arrangement here adopted may be accepted rather as an attempt to obviate a difficulty, than as a conceited aim to surmount one.

The separation of notes and memoranda as to weights, measuring, &c., from the Price-Book proper, has been considered a desirable object in a work of which one great value consists in its providing for easy reference. The indiscriminate collection of facts and instructions, however valuable, with figures required to be selected on the instant, leads to a most discouraging turning over of leaves, and to an utterly unprofitable consumption of time. Every particular, however apparently trivial, in which a Price-Book, or any other book of reference, can be made easy and inviting of such reference, is of importance to the value of the book and to the convenience of its owner; and many an occasion for consulting its pages is allowed to pass if an uncertainty is felt as to where the required information is to be found. A full and well-arranged index is certainly a great acquisition, and this has accordingly been provided; beyond which a striking type has been adopted for the page-headings, in order to make each of them serve the purpose of a general index to the contents of the page above which it is placed.

The Price-Book has been scrupulously examined before the printing of it by one of the most practical

men of the day, who has reported as follows :—" My attention has been more particularly directed to preserve an equality of prices throughout, than to express an opinion of the actual values, as that must of necessity depend on circumstances, but bearing in mind that you would wish the tradesman to allow a liberal per centage for prompt payment or short credit, whichever may be required by the employer." The desire has been to give prices that shall in all things be consistent, and to give the Builder and Contractor a margin for the casualties of risk and length of credit. The employer will find his advantage in short reckonings, and the employed in rendering a fair equivalent for the prompt payment of his account.

PREFACE TO THE PRESENT EDITION.

THE principles which were avowed and acted upon in the most conscientious manner, by the Author of the earlier editions of this Price-Book, are so true, that it would be a mere work of supererogation for me to express my concurrence in them. It has, therefore, been my object solely to revise the detailed prices in such a manner as to render them a fair exponent of the value of the various items in the present state of the trade of Building. There have been of late many changes in the rates of wages, and in the values of materials; new applications of machinery have been introduced, and new methods of putting work together have prevailed: so that it has become advisable to revise the whole list of prices in such a spirit as to bring them fairly into concordance with the circumstances of the time. In so doing, however, I have striven always to avoid unnecessary alterations in the original work I was asked to revise, because in the main it was singularly correct; and also to retain in view, whilst making any alterations, the principle so well propounded by my predecessor, of establishing a series of prices which should equally protect the interests both of employer and of employed.

The principal alterations I have felt it incumbent on

me to make from the original edition consist :—1, in the revisal of the day-work prices throughout ; 2, in the omission of the prices for terro-metallic goods, which are not used often enough to warrant their special notice ; 3, in the partial revisal and alteration of the detailed prices of Carpenter's and Joiner's work ; 4, in the revisal of the prices for ironmongery ; 5, in a similar revisal of the prices for Mason's work ; 6, in the introduction of a new series of prices for Gasfitter's work ; and generally, in the condensation of the text. Wherever an alteration has been made, it has been my earnest effort to support that proceeding by the best authority, or by the widest possible range of practical experience : and I hope that an intimate acquaintance with the professions of architecture and civil engineering, as well as with the trade of building (which acquaintance has spread over more than thirty years), will justify my pretension to express an opinion on the subject. As no one can be more painfully convinced than I am of the difficulty and of the extreme complication of the duty thus undertaken, I beg earnestly that my professional brethren would favour me with their criticisms or corrections. All parties must gain by the publication of a generally received series of Builder's Prices ; and I appeal with confidence to all connected with building for future assistance and advice.

GEO. R. BURNELL.

CONTENTS.

	PAGE
EXCAVATOR AND WELL-DIGGER'S WORK	1
BRICKLAYER'S WORK	3
CARPENTER AND JOINER'S WORK	15
JOINER'S WORK	54
IRONMONGER'S PRICES	123
MASON'S WORK	134
SLATER'S WORK	140
PLASTERER'S WORK	159
GLAZIER'S WORK	173
PAINTER'S WORK	186
PLUMBER'S WORK	192
SMITH AND FOUNDER'S WORK	200
BELL-HANGER'S WORK	210
ZINC-WORKER'S PRICES	213
GAS-FITTER'S WORK	215
PAPER-HANGER'S PRICES	221

	PAGE
PAVIOR'S WORK	224
ASPHALTE AND LAVA WORK	226
POZZOLANA WORK	228
FELT, ETC.	228
LEATHER STRAPS AND HOSE.	229
WROUGHT IRON SCREWED TUBES	229
WIRE ROPES, ETC.	230
COPPER CORDS, ETC.	232
INDIA RUBBER ARTICLES	233
CONTRACTOR'S TOOLS, ETC.	236
GWYNNE'S CENTRIFUGAL PUMPS	238
STEAM ENGINES	240
APPENDIX	241

THE BUILDER'S PRICE BOOK.

I.—EXCAVATOR'S AND WELL-DIGGER'S WORK.

Including the providing, fixing, use, maintaining, and removing
from the premises of all tools, implements, and plant
required.

Per cubic yard measured in excavation.

Items.	£	s.	d.
1. Excavating or digging, throwing upon bank, or into barrows, not exceeding 6 feet in depth .	0	0	6
2. Ditto and ditto, above 6 feet and not exceeding 10 feet in depth	0	0	7
3. Ditto and ditto, above 10 feet and not exceeding 14 feet in depth	0	0	8
4. If in stiff clay or gravel, add to items 1, 2, and 3	0	0	1
5. Filling into carts	0	0	1
6. Moving ground, clay, or gravel, in which barrows are used, 20 yards' run, or less	0	0	2
7. Ditto for every run of 20 yards, or part of a run, beyond the first run of 20 yards	0	0	1
8. Carting and shooting, or delivering ground, clay, or gravel, as ordered, not exceeding one mile	0	2	0
9. Add to item 8, for every additional mile, or part of mile, tolls not included	0	0	9
10. Wheeling, filling in, and ramming ground round foundations, walls, &c.	0	0	2

Per yard super.

11. Levelling from the heap, not exceeding 1 foot deep	0	0	3
12. Dressing, and soiling slopes of embankments and cuttings	0	0	2

Concrete.—Well-digging.*Per cubic yard.*

Items.	£	s.	d.
13. Concrete, composed of one part of stone lime, quality equal to Dorking, and six parts of screened river ballast, including wheeling, scaffolding, and throwing in	0	7	6
14. Add to item 13 if blue lias lime	0	1	0

Per foot in depth.

15. Well-digging for wells not exceeding 7 feet in depth, including steining in half a brick, stock bricks, 4 feet clear diameter, exclusive of pumping if required	0	5	4
16. Ditto and ditto, for labour only	0	2	0
17. Add to item 15 for every 6 inches additional clear diameter up to 6 feet	0	1	0
18. Add to item 16 for every 6 inches additional clear diameter up to 6 feet	0	0	4
19. Add to item 16, if more than 7, and not exceeding 30 feet in depth	0	0	6
20. Well-digging for wells more than 7 feet and not exceeding 30 feet in depth and 6 feet in clear diameter, including steining in one brick rim, exclusive of pumping if required	0	9	6
21. Add to item 20 for every 6 inches additional clear diameter up to 9 feet	0	1	6
22. Add to item 20 for every 6 inches additional clear diameter, if more than 9 and not exceeding 12 feet	0	2	0
23. Boring in ordinary soils, including tools and tackle, but not pipes, not exceeding 10 feet from surface, with 3½ inch auger	0	0	4
24. Add to item 23 for every foot below 10 and not exceeding 20 feet	0	0	4
25. Add to item 24 for every foot below 20 and not exceeding 30 feet	0	0	4
26. Add to item 25 for every foot below 30 and not exceeding 40 feet	0	0	4
27. Add to item 26 for every foot below 40 and not exceeding 50 feet	0	0	4

(For Notes and Memoranda see APPENDIX.)

II.—BRICKLAYER'S WORK.

The following calculations for Brickwork are based on the prime cost of place bricks, delivered 28s. per thousand, and of stocks, 36s. per thousand. An allowance of 5s. per rod to be made for every shilling per thousand, either in addition or deduction.

Per rod reduced.

Items.	£	s.	d.
1. Place bricks, laid dry in wells, cesspools, &c.	9	5	0
2. Half place, and half stock ditto	10	5	0
3. All stocks ditto	10	15	0
4. Brickwork, with place bricks and mortar, composed of stone or chalk lime and river sand, including all materials, labour, and scaffolding	11	10	0
5. Ditto three-quarters place, and one quarter stock ditto	11	15	0
6. Ditto half stocks, half place ditto	12	0	0
7. Ditto all stocks ditto	13	0	0
8. Ditto both sides worked fair and jointed ditto	13	10	0
9. Extra for mortar composed of blue lias lime and river sand	0	10	0
10. Extra for mortar composed of Roman cement and clear sharp sand	2	15	0
11. Extra for mortar composed of Portland cement, and clear sharp sand	3	5	0
12. Labour, mortar, and scaffolding, to party and external walls (mortar of chalk or stone lime)	4	5	0
13. Ditto with half old bricks	4	8	0
14. Ditto with all old bricks	4	12	0
15. Pulling down old brickwork, cleaning and stacking bricks	1	0	0
16. Scaffolding, including erection and removal	0	16	0

Per yard cube.

17. Labour and mortar to brickwork in solid work, as copper settings, ovens, &c.	0	7	6
18. Solid brickwork, with stock bricks in mortar, as above, all materials	1	3	0

FACINGS.—*Per foot super, in addition to price of brickwork.*

19. Facing with selected stock bricks, all materials	0	0	1
20. Ditto with seconds malms ditto	0	0	3

Brickwork.—Rough Arches.

Items.	£	s.	d.
21. Facing with best malms, all materials . . .	0	0	6
22. Ditto with best kiln-burnt red bricks ditto . . .	0	0	6
23. Ditto with Suffolk white bricks ditto . . .	0	0	7
24. Deduct from items 20 to 23, if left for pointing . . .	0	0	1
25. Stock facings to old walls, in chalk or stone lime mortar, all materials	0	0	5
26. Malm facings to ditto	0	0	6
27. Add to any of the items for brickwork, circular on plan, worked to template	0	0	1

POINTING.—Per foot super.

28. Flat-joint pointing with blue or coal-ash mortar including raking out, washing, and scaffolding . . .	0	0	3
29. Add to item 28, if in cement	0	0	0½
30. Tuck pointing to new work, exclusive of scaffolding . . .	0	0	3
31. Tuck pointing to old work, including raking out, cleaning, staining, and scaffolding	0	0	4½
32. Add to item 30, if scaffolding has to be erected . . .	0	0	1
33. Add to item 30 for chimney shafts	0	0	1

BRICK NOGGING.—Per yard super.

34. Labour only, bricks set in mortar	0	0	6
35. Add to item 34, if set flat	0	0	2
36. Bricks set on edge in mortar, all materials . . .	0	2	0
37. Add to item 36, if set flat	0	1	0
38. Bricks set on edge in cement, all materials . . .	0	2	6
39. Add to item 38, if set flat	0	1	3

ROUGH ARCHES.—Per foot super.

40. Labour only, in cambered or semicircular arches . . .	0	0	5
41. Add to item 40 for mortar and scaffolding . . .	0	0	1
42. Cambered or semicircular arches, with stock bricks, all materials	0	0	7
43. Add to items 40 and 42, if Gothic, elliptical, or many centred arches	0	0	2
44. Add to item 42, if with seconds malms	0	0	9
45. If circular on plan, add to item 40	0	0	7
46. Ditto add to item 42	0	1	0
47. White joint pointing—labour only	0	0	2
48. Ditto all materials	0	0	3
49. Tuck pointing—labour only	0	0	3
50. Ditto all materials	0	0	5

Drains and Culverts.

5

GAUGED AND RUBBED ARCHES AND NICHES.—

Items.	<i>Per foot super.</i>	£	s.	d.
51. Cambered and semicircular arches, and niches, cut only		0	0	8
52. Ditto Ditto cut and set		0	1	3
53. Ditto Ditto cut and set in putty, except bricks		0	1	6
54. Cambered and semicircular arches, and niches, cut and set in putty, with best malms or bricks of equal quality—all materials		0	2	9
55. If Gothic, elliptical, or many centred, add		0	0	3
56. If circular on plan, add		0	1	6
57. Heads of semicircular niches, labour only, cut		0	3	3
58. Ditto, cut and set		0	4	2
59. Heads of semicircular niches, all except bricks		0	5	3
60. Ditto, all materials		0	8	6
61. Mouldings and cornices, labour only, cut		0	0	8
62. Ditto ditto, cut and set		0	1	0
63. Ditto ditto, all except bricks		0	1	4
64. Ditto ditto, all materials		0	2	9
65. Old gauged arches removed, cleaned, and re-set in putty		0	1	4

DRAINS AND CULVERTS, EXCLUSIVE OF DIGGING.—*Per foot run.*

66. Small drains, two courses, or about six inches high in the clear, half brick thick, brick on flat for top and bottom of pantiles, labour only	0	0	2
67. Ditto, add to item 66, for mortar	0	0	1
68. Ditto ditto, all materials	0	0	8
69. Ditto, if in cement, add to items 67 and 68	0	0	2½
70. Drains, three courses, or about 9 inches high, 9 inches wide, bottom paved, and crown arched, labour only	0	0	3
71. Ditto, add to item 70 for mortar	0	0	2
72. Ditto, all materials	0	1	3
73. Ditto, if in cement, add to items 71 and 72	0	0	4
74. Drains, four courses, or about 12 inches high, 12 inches wide, bottom paved, and crown arched, labour only	0	0	4
75. Ditto, add to item 74 for mortar	0	0	2½
76. Ditto, all materials	0	1	7
77. Ditto, if in cement, add to items 75 and 76	0	0	5

Brickwork—Drains.

Items.	£	s.	d.
78. 9 inch barrel drains, half brick rim, labour only	0	0	3½
79. Ditto ditto, all except bricks	0	0	5
80. Ditto ditto, all materials	0	1	2
81. Ditto, if in cement, add to items 79 and 80	0	0	4
82. 12 inch barrel drains half brick rim, labour only	0	0	4
83. Ditto ditto, all except bricks	0	0	5½
84. Ditto ditto, all materials	0	1	4
85. Ditto ditto, if in cement, add to items 83 and 84	0	0	6
86. 15 inch ditto, half brick rim, labour only	0	0	4½
87. Ditto ditto, all except bricks	0	0	6½
88. Ditto ditto, all materials	0	1	10
89. Ditto ditto, if in cement, add to items 87 and 88	0	0	7
90. 18 inch ditto, half brick rim, labour only	0	0	5
91. Ditto ditto, all except bricks	0	0	8
92. Ditto ditto, all materials	0	2	4
93. Ditto ditto, if in cement, add to items 91 and 92	0	0	8
94. 18 inch ditto, one brick rim, labour only	0	0	9
95. Ditto ditto, all except bricks	0	1	3
96. Ditto ditto, all materials	0	4	8
97. Ditto ditto, if in cement, add to items 95 and 96	0	1	4
98. 2 feet ditto, one brick rim, labour only	0	0	11
99. Ditto ditto, all except bricks	0	1	6
100. Ditto ditto, all materials	0	5	6
101. Ditto ditto, if in cement, add to items 99 and 100	0	1	9
102. 2 feet 6 in. ditto, one brick rim, labour only	0	1	2
103. Ditto ditto, all except bricks	0	2	0
104. Ditto ditto, all materials	0	7	3
105. Ditto ditto, if in cement, add to items 103 and 104	0	2	3
106. 3 feet ditto, one brick rim, labour only	0	1	6
107. Ditto ditto, all except bricks	0	2	6
108. Ditto ditto, all materials	0	9	0
109. Ditto ditto, if in cement, add to items 107 and 108	0	3	0

(For larger drains or sewers, and for those of elliptical or egg shape, take the brickwork, either per foot cube, or reduced, or per rod reduced. Centres, moulds, templates, and digging, to be allowed extra.)

110. Rendering to drains in cement, <i>per foot super.</i>	0	0	2½
--	---	---	----

BRICK PAVING.—*Per yard super.*

111. With bricks of ordinary dimensions, labour only, bricks laid flat in sand	0	0	4
--	---	---	---

Brick Paving.

7

		£	s.	d.
3.	With bricks of ordinary dimensions, labour only, bricks laid flat in mortar	0	0	6
	Ditto ditto in cement	0	0	8
	Ditto bricks on edge in sand	0	0	5
	Ditto ditto in mortar	0	0	7
	Ditto ditto in cement	0	0	10
	All except bricks, laid flat in sand	0	0	6
	Ditto ditto in mortar	0	0	10
	Ditto ditto in cement	0	1	6
	Ditto bricks on edge in sand	0	0	8
	Ditto ditto in mortar	0	1	0
	Ditto ditto in cement	0	1	8
	Hard gray stock bricks, all materials, laid flat in sand	0	2	4
	Ditto laid flat in mortar	0	2	8
	Ditto ditto in cement	0	3	4
	Ditto on edge in sand	0	3	4
	Ditto ditto in mortar	0	3	8
	Ditto ditto in cement	0	4	4
	Malm paviors, all materials, laid flat in sand	0	3	2
	Ditto ditto in mortar	0	3	6
	Ditto ditto in cement	0	4	2
	Ditto on edge in sand	0	4	6
	Ditto ditto in mortar	0	4	10
	Ditto ditto in cement	0	5	6
	Suffolk bricks, all materials, laid flat in sand	0	5	0
	Ditto ditto in mortar	0	5	4
	Ditto ditto in cement	0	6	0
	Ditto on edge in sand	0	6	6
	Ditto ditto in mortar	0	6	10
	Ditto ditto in cement	0	7	6
	Paving bricks, all materials, laid flat in sand	0	3	0
	Ditto ditto in mortar	0	3	4
	Ditto ditto in cement	0	4	0
	Ditto on edge in sand	0	5	6
	Ditto ditto in mortar	0	6	6
	Ditto ditto in cement	0	7	0
	Ware paviors, all materials, laid flat in sand	0	2	9
	Ditto ditto in mortar	0	3	3
	Ditto ditto in cement	0	4	0
0.	Add for laying herring-bone in sand, mortar, or cement	0	0	2

Items.	£	s.	d.
151. Dutch clinkers, all materials, in sand . . .	0	10	0
152. Add to item 151 for laying herring bone . .	0	0	0
153. Labour only, to tile paving, 9, 10, or 12 inch, in sand	0	0	0
154. Ditto ditto in mortar	0	0	0
155. Ditto ditto in cement	0	0	1
156. All except tiles, to tile paving, 9, 10, or 12 inch, in sand	0	0	1
157. Ditto ditto in mortar	0	1	0
158. Ditto ditto in cement	0	2	0
159. All materials to tile paving, 9, 10, or 12 inch, in sand	0	3	0
160. Ditto ditto in mortar	0	4	0
161. Ditto ditto in cement	0	4	0
162. Extra labour to rubbing and close joints, add .	0	1	0
163. Cutting to splays, <i>per foot run</i>	0	0	0

CUTTINGS, SPLAYS, BEDDING FRAMES, &c.

	Labour only.			All Materials		
	£	s.	d.	£	s.	d.
164. Cuttings to rakes or ramps, <i>per foot super</i>	0	0	4			
165. Cutting and pargetting $4\frac{1}{2}$ -in. chase . . . <i>per foot run</i>	0	0	2	0	0	0
166. Ditto ditto 9in. do.	0	0	4	0	0	0
167. Cutting to 4in. splay . do.	0	0	$1\frac{1}{2}$			
168. Do. to birdsmouth splays . do.	0	0	2			
169. Points to groins, common stocks do.	0	0	3	0	0	0
170. Do. do. malm stocks do.	0	0	3	0	0	0
171. Double plain tile creasing, in mortar do.	0	0	1	0	0	0
172. Do. do. in cement do.	0	0	1	0	0	0
173. Brick on edge, in cement, 1 brick wide do.	0	0	$1\frac{1}{2}$	0	0	0
174. Do. do. $1\frac{1}{2}$ brick do. . do.	0	0	2	0	0	0
175. Lime and hair filletting . do.	0	0	$0\frac{3}{4}$	0	0	0
176. Cement do. do.	0	0	1	0	0	0
177. Rough rendering from the trowel, in Roman cement, <i>per yard super</i>	0	0	$2\frac{3}{4}$	0	1	0
178. Do. do. in Portland do. do.	0	0	3	0	1	0
179. Half-brick trimmers, in cement <i>per foot super</i>	0	0	3	0	1	0

Cuttings, Splays, Bedding-Frames, &c.

9

ms.		Labour only.			All Materials.		
		£	s.	d.	£	s.	d.
0.	Cutting inverts to moulds . do.	0	0	2	0	0	3
1.	Bedding and pointing sash and door frames each	0	0	8	0	1	4
2.	Do. do. large or Venetian do. . . . do.	0	1	0	0	2	0
3.	Making good brickwork to sills or steps do.	0	0	6	0	1	4
4.	Do. do. large or Venetian do. . . . do.	0	0	9	0	1	10

CHIMNEY POTS.

5.	Red earthenware pots, first size, each	0	0	9	0	5	6
6.	Do. do. second do. . do.	0	0	8	0	4	6
7.	Do. do. third do. . do.	0	0	7	0	3	6
8.	Terra-cotta pots, 2 ft. 0 in. high, round do.				0	3	6
9.	Do. do. 2 ft. 6 in. do.				0	5	0
0.	Do. do. 4 ft. 0 in. do.				0	8	0
1.	If set in cement, any size, add .	0	0	4	0	0	9
2.	If set with plain tiles and cement, any size, add	0	0	6	0	1	0

PLAIN TILING, per square.

3.	Plain tiling, on double fir laths, and wrought nails to show 4 inches on the face . . .	0	5	6	1	18	0
4.	Do. do. if on oak laths, add	0	0	6	0	2	0
5.	Do. to show 3½ inches, add to item 193	0	0	6	0	5	0
3.	Do. to show 3 inches, do. do.	0	1	0	0	10	0
7.	Old plain tiling stripped, and re-laid on double fir laths and wrought nails	0	6	6	1	0	0
3.	Do. do. and allow 100 new tiles per square	0	6	6	1	5	0

PANTILING, per square.

0.	Pantiling, laid dry to 10-in. gauge	0	3	0	1	3	0
1.	Do. bedded in lime and hair, do.	0	4	6	1	7	0

Brickwork—Cuttings, &c.

Items.	Labour on ly.			All Materials		
	£	s.	d.	£	s.	d.
201. Pantiling, pointed outside, including fillets and heading .	0	5	6	1	9	0
202. Do. pointed inside do. do.	0	6	0	1	10	0
203. Do. pointed both sides do. do.	0	7	6	1	13	0
204. Stripping old pantiling, new lathing, and retiling	0	4	6	0	11	0
205. Do. do. and allow 20 new tiles per square	0	4	6	0	13	0
206. Stripping only	0	1	3			
207. Pointing old pantiling outside .	0	2	6			
208. Do. do. inside	0	3	6			
209. Heading <i>per foot run</i>	0	0	1½	0	0	0
210. Filleting do.	0	0	0½	0	0	0
211. Do. in cement do.	0	0	0½	0	0	0
212. Cuttings to hips and splays .	0	0	2			
213. Do. to hips and ridges . . .	0	0	4			
214. Thrice-painted hip hooks . <i>each</i>				0	1	0
215. Painted T nails do.				0	0	0
216. Ridges and hips <i>per foot run</i>	0	0	1½	0	0	0
217. Valleys do.	0	0	1½	0	0	0
218. Barge or verge do.	0	0	1	0	0	0
219. Plain tiling flat roofs in cement, three courses of tiles bedded solid in neat cement, <i>per square</i>	0	11	0	3	4	0
220. Rendering surface with cement	0	3	8	0	16	0

TUBULAR DRAIN PIPES OF GLAZED STONE WARE

—at the depot.—*Per foot run.*

221. Pipes, 2 ins. diameter	0	0	0
222. Ditto 3 ditto	0	0	0
223. Ditto 4 ditto	0	0	0
224. Ditto 6 ditto	0	0	0
225. Ditto 9 ditto	0	1	0
226. Ditto 12 ditto	0	1	0
227. Ditto 15 ditto	0	2	1
228. Ditto 18 ditto	0	3	0
229. Bends, elbows, and junctions, each 2 inches, <i>each</i>	0	0	1
230. Ditto ditto 3 ins. <i>each</i>	0	1	0
231. Ditto ditto 4 ins <i>each</i>	0	1	0

Stone-Ware Pipes.

11

Items.		£	s.	d.
232.	Bends, elbows, and junctions, each 6 ins. each	0	2	0
233.	Ditto ditto 9 ins. each	0	3	3
234.	Ditto ditto 12 ins. each	0	5	3
235.	Ditto ditto 15 ins. each	0	7	6
236.	Double junctions, 2 ins. each	0	1	3
237.	Ditto 3 ins. each	0	1	6
238.	Ditto 4 ins. each	0	1	10
239.	Ditto 6 ins. each	0	2	6
240.	Ditto 9 ins. each	0	4	3
241.	Ditto 12 ins. each	0	6	6
242.	Ditto 15 ins. each	0	11	6
243.	Flap-traps, 2 ins. each	0	4	3
244.	Ditto 3 ins. each	0	4	9
245.	Ditto 4 ins. each	0	5	3
246.	Ditto 6 ins. each	0	6	3
247.	Ditto 9 ins. each	0	7	6
248.	Gully-traps, 12 ins. each	0	9	6
249.	Ditto 15 ins. each	0	14	6
250.	Ditto 18 ins. each	0	19	0
251.	Syphon-traps, 2 ins. each	0	1	10
252.	Ditto 3 ins. each	0	2	3
253.	Ditto 4 ins. each	0	3	3
254.	Ditto 6 ins. each	0	4	9
255.	Ditto 9 ins. each	0	7	0
256.	Sink syphon-traps, 2 ins. each	0	2	9
257.	Ditto 3 ins. each	0	3	9
258.	Ditto 4 ins. each	0	4	6
259.	Ditto 6 ins. each	0	8	6
260.	Ditto 9 ins. each	0	13	0

Per foot run.

261.	Egg-shaped pipes, 9 ins. high, 6 ins. wide	0	1	0
262.	Ditto 15 ins. high, 9 ins. wide	0	2	0
263.	Ditto 20 ins. high, 12 ins. wide	0	3	2

BRICKLAYERS' DAY PRICES AND MATERIALS (delivered).

264.	Bricklayer, per day	0	6	8
265.	Do. per hour	0	0	8
266.	Bricklayer on fire-work, per day	0	8	4
267.	Do. do. per hour	0	0	10

Items.	£	s.	d.
268. Labourer, <i>per day</i>	0	4	2
269. Do. <i>per hour</i>	0	0	5
270. Labourer on fire-work, <i>per day</i>	0	4	7
271. Do. do. <i>per hour</i>	0	0	5½
272. Mortar, stone or chalk lime, <i>per load of 30 hods</i>	0	13	9
273. Do. do. <i>per hod</i>	0	0	6
274. Do. blue lias lime, <i>per load of 30 hods</i>	0	15	0
275. Do. do. <i>per hod</i>	0	0	6½
276. Blue pointing mortar, <i>per load</i>	1	1	0
277. Do. do. <i>per hod</i>	0	0	9
278. White do. <i>per load</i>	1	12	0
279. Do. do. <i>per hod</i>	0	1	2
280. Lime and hair, <i>per load</i>	1	0	0
281. Do. <i>per hod</i>	0	0	9
282. Pargetting, <i>per hod</i>	0	0	9
283. Fine stuff, <i>per hod</i>	0	1	0
284. Carting bricks, including loading and unloading, one mile, <i>per 1000</i>	0	3	6
285. Do. add for each mile beyond, <i>per 1000</i>	0	0	9
286. Carting rubbish one mile, <i>per load</i>	0	2	0
287. Do. add for each mile beyond, <i>per load</i>	0	0	9
288. Do. one mile, <i>two horse-load</i>	0	3	0
289. Do. for each mile beyond, <i>two-horse load</i>	0	1	0
290. Lime . . . Chalk, <i>per cubic yard</i>	0	11	6
291. Do. Dorking, Merstham, or equal quality, <i>per cubic yard</i>	0	12	6
292. Do. do. do. ground, <i>per cubic yard</i>	0	14	0
293. Do. Blue Lias, <i>per cubic yard</i>	0	19	6
294. Do. do. ground, <i>per cubic yard</i>	1	2	0
295. Roman cement, <i>per bushel</i>	0	1	8
296. Portland cement, <i>per bushel</i>	0	2	4
297. Windsor loam, <i>per bushel</i>	0	1	9
298. Ground Stourbridge clay, <i>per bushel</i>	0	3	10
299. Do. Newcastle clay, <i>per bushel</i>	0	2	0
300. Do. Alloa clay, <i>per bushel</i>	0	2	6
301. River sand, <i>per cubic yard</i>	0	5	4
302. Do. <i>per bushel</i>	0	0	3½
303. River ballast, <i>per cubic yard</i>	0	4	8
304. Hair, <i>per cwt.</i>	0	15	6
305. Do., <i>per bushel</i>	0	2	3
306. Ashes, <i>per cubic yard</i>	0	10	6

Materials.

13

	£	s.	d.
Nail pins, <i>per bushel</i>	0	1	9
Single fir laths, <i>per bundle</i>	0	2	0
Double do., <i>per bundle</i>	0	4	0
Add for nails, <i>per bundle</i>	0	0	4
Bark laths, <i>per bundle</i>	0	5	0
Antile laths, 10 feet, <i>per bundle</i>	0	4	0
Do. 12 feet, <i>per bundle</i>	0	4	6
Add for nails	0	0	8
Wire of scaffold poles, <i>per week, each</i>	0	0	3
Do. do. boards, <i>per week, each</i>	0	0	1
Do. putlogs, <i>per week, each</i>	0	0	3½
Do. cords, <i>per week, per dozen</i>	0	0	3½
Do. ladders, 2-story, <i>per week, each</i>	0	1	6
Do. do. 3-story, <i>per week, each</i>	0	2	3
Do. tackle, block, and fall, 20 fathoms, <i>per week, each</i>	0	8	0
Do. crab engine, single purchase, <i>per week, each</i>	0	9	0
Do. do. double purchase, <i>per week, each</i>	0	12	0
Emptying and carting soil, <i>per yard or load</i>	0	16	0
Time-white, <i>per pail</i>	0	0	6
Do. colour, <i>per pail</i>	0	0	10

BRICKS, TILES, &c., *per 1000.*

Best Malm cutters	5	5	0
Malm seconds	3	12	0
Do. paviers	3	2	0
Do. pickings	3	2	0
Do. stocks	2	7	0
Do. roughs	1	18	0
Do. place	1	10	0
Common stocks	2	2	0
Do. roughs	1	16	0
Do. place	1	8	0
Red stocks	2	5	0
Red rubbers	3	4	0
Facing bricks	2	10	0
Windsor fire-bricks	5	4	0
Welsh do.	5	4	0
Tourbridge do.	7	0	0

Items.	£	s.	d.
343. Newcastle fire-bricks	5	5	0
344. Alloa do.	5	8	0
345. Dorset do.	4	16	0
346. Dutch clinkers	2	5	0
347. Plain tiles	2	4	0
348. Patent ditto	3	6	0
349. Pan, slip, or ridge tiles	3	5	0
350. Ornamental plain tiles	3	4	0
351. Paving tiles, 9 ins.	9	0	0
352. Ditto, 10 ins.	12	0	0
353. Ditto, 12 ins.	14	10	0
354. Mathematical tiles, red.	3	0	0
355. Ditto, white	3	10	0
356. Oven tiles, each	0	0	9

FIRE LUMPS AND TILES.

	Stourbridge.		Newcastle and Welsh.	
	s.	d.	s.	d.
357. Fire lumps, 12 ins., each	1	10	1	0
358. " 14 "	2	4	1	4
359. " 16 "	2	10	1	7
360. " 18 "	3	4	1	10
361. " 20 "	3	10	2	4
362. " 22 "	4	4	3	0
363. " 24 "	5	3	3	8
364. " 26 "	5	9	4	0
365. " 28 "	6	2	4	8
366. " 30 "	6	10	5	4
367. " 33 "	8	3	6	0
368. " 36 "	9	8	6	8
369. Bricks, per 100	14	6	10	0
370. Tiles, 9 ins. each	1	5	0	6
371. " 12 "	1	8	0	11
372. " 14 "	2	4	1	10
373. " 16 "	3	6	2	1
374. " 18 "	4	3	2	6
375. " 20 "	4	10	3	6
376. " 22 "	6	3	4	8
377. " 24 "	8	4	5	10

CARPENTER'S AND JOINER'S WORK.

TIMBERS, ROUGH—NO LABOUR—*Per foot cube.*

	£	s.	d.
reden and Norway fir	0	2	8
antzie and Riga fir	0	3	0
ancouver's Island fir	0	3	9
ebec pine	0	2	9
ellow do.	0	2	6
m	0	2	8
ech	0	2	10
h	0	3	6
ak, American	0	4	6
ak, English, small scantling	0	6	6
ak, Moulmein	0	5	6
ak, African	0	5	0
rch	0	3	0
ahogany, Honduras, for Carpenter's work	0	7	0
ahogany, Honduras or Spanish, for Joiner's work, <i>per foot super of 1 in slab</i>	0	3	0

FIR IN SCANTLINGS, FRAMED AND WROUGHT.

ond-plates, pole-plates, wall-plates, curbs, lin-			
tels, wood-bricks, &c.	0	3	4
ramed rough	0	3	10
itto, and wrought one side	0	4	2
itto ditto, and rebated	0	4	6
itto ditto ditto, and beaded	0	4	9
itto, and wrought two sides	0	4	4
itto ditto, and rebated	0	4	8
itto, wrought and beaded	0	4	11
itto, and wrought three sides	0	4	6
itto ditto, and rebated	0	4	10
itto ditto ditto, and beaded	0	5	1
itto, and wrought four sides	0	4	8
itto ditto, and rebated	0	5	0
itto ditto ditto, and beaded	0	5	3
Wrought proper door and window frames	0	5	6

Carpenter's Work.*Per foot super.*

Items.	£	s.	d.
31. Planing fir, if sawn	0	0	1 $\frac{1}{4}$
32. Ditto, not sawn	0	0	1 $\frac{1}{2}$

Per foot run.

33. Chamfering edges	0	0	0 $\frac{1}{2}$
34. Ditto, wide	0	0	0 $\frac{1}{2}$
35. Rebating	0	0	1
36. Ditto deep	0	0	1 $\frac{1}{2}$
37. Beading, small	0	0	0 $\frac{1}{2}$
38. Ditto, to $\frac{7}{8}$ in.	0	0	0 $\frac{3}{4}$
39. Ditto, to 1 $\frac{1}{2}$ in.	0	0	1
40. Circular heads to window heads and door cases, framed, rebated, beaded, and glued up, 4 $\frac{1}{2}$ x 3 in.	0	1	10
41. Ditto ditto, 4 $\frac{1}{2}$ x 4 ins.	0	2	5
42. Gothic or Elliptical ditto, 4 $\frac{1}{4}$ x 3 ins.	0	2	4
43. Ditto ditto, 4 $\frac{1}{2}$ x 4 ins.	0	2	10

LABOUR AND NAILS ONLY—*Timber being charged
per foot cube.—Per foot super.*

44. Door frames without stops	0	0	1 $\frac{1}{2}$
45. Ditto with stops	0	0	1 $\frac{3}{4}$
46. Door case, including oak sill	0	0	2 $\frac{1}{4}$
47. Window frames, twolight	0	0	2 $\frac{1}{2}$
48. Ditto ditto, circular head, to be taken as square	0	0	4
49. Ditto ditto, circular on plan, large radius	0	0	4
50. Ditto ditto, small ditto	0	0	6
51. Heads, circular, large radius	0	2	3
52. Ditto ditto, small ditto	0	3	3
53. Ditto ditto, Gothic or other curves, add	0	0	2
54. Door frames, with transom, add	0	0	1 $\frac{1}{4}$
55. Fixing door frames in new walls, <i>each</i>	0	1	4
56. Ditto ditto, in stone steps, no sill, <i>each</i>	0	1	10

DEAL BOARDING.—*Per square.*

Items.	Labour.		Nails, &c.		Timber.		Com- pleted.	
	s.	d.	s.	d.	s.	d.	s.	d.
57. Half in. deal, rough . . .	2	9	1	0	15	0	18	9
58. Ditto ditto, shot edges . .	3	3	1	0	15	0	19	9
59. $\frac{5}{8}$ in. ditto, rough . . .	2	9	1	0	19	0	22	9
60. Ditto ditto, shot edges . .	3	6	1	3	19	0	23	9
61. $\frac{3}{4}$ in. ditto, rough . . .	2	9	1	3	24	0	28	0
62. Ditto ditto, shot edges . .	3	9	1	3	24	0	29	0
63. Ditto ditto, grooved and tongued	5	9	1	6	24	0	31	3
64. 1 in. ditto, rough	3	0	2	0	31	0	36	0
65. Ditto ditto, shot edges . .	4	3	2	3	31	0	37	6
66. Ditto ditto, grooved and tongued	6	6	2	6	31	0	40	0
67. $1\frac{1}{2}$ in. ditto, rough	3	3	2	3	38	0	3	6
68. Ditto ditto, shot edges . .	4	9	2	6	38	0	45	3
69. Ditto ditto, grooved and tongued	7	0	2	6	38	0	47	
70. $1\frac{1}{2}$ in. ditto, rough	3	6	2	6	44	0	50	
71. Ditto ditto, shot edges . .	5	0	2	9	44	0	51	
72. Ditto ditto, grooved and tongued	7	0	3	0	44	0	54	0
73. 2 in. ditto, rough	4	3	2	9	57	0	64	0
74. Ditto ditto, shot edges . .	6	3	2	9	57	0	66	
75. Ditto ditto, grooved and tongued	9	6	3	0	57	0	69	6

SOUND BOARDING.—*Per square.*

76. $\frac{1}{2}$ in. single fillets	4	6	1	9	15	6	21	9
77. Ditto double ditto	5	6	2	0	16	0	23	6
78. $\frac{3}{4}$ in. single ditto	4	9	1	9	19	6	26	0
79. Ditto double ditto	5	9	2	0	20	0	27	9
80. $\frac{3}{4}$ in. single ditto	5	3	1	9	24	6	31	6
81. Ditto double ditto	6	6	2	0	25	0	33	6
82. Add for herring-boning . .	1	0	0	3	0	3	1	6

WEATHER BOARDING, &c.—*Per square.*

Items.	Labour.		Nails.		Timber.		Completed.	
	s.	d.	s.	d.	s.	d.	s.	d.
83. Deals, rough, $\frac{3}{4}$ inch, or six boards to a 3 in. deal . .	3	6	1	4	17	0	21	10
84. Ditto, edges shot . . .	4	0	1	8	17	6	23	2
85. Ditto, wrought . . .	6	0	1	9	18	0	25	9
86. Ditto, beaded . . .	7	0	1	9	18	0	26	9
87. Battens, rough . . .	4	0	1	4	20	0	25	4
88. Ditto, edges shot . . .	5	0	1	9	20	9	27	5
89. Ditto, wrought . . .	7	0	1	8	21	6	30	2
90. Ditto, beaded . . .	7	6	2	0	22	0	31	6
91. Deals, rough, 1 in. or four to a 3 in. deal . . .	4	6	2	6	22	0	29	0
92. Ditto, edges shot . . .	5	0	2	9	22	6	30	3
93. Ditto, wrought . . .	7	0	3	9	23	3	34	0
94. Ditto, beaded . . .	8	0	3	9	23	3	35	0
95. Battens, rough . . .	5	0	2	6	25	0	32	6
96. Ditto, edges shot . . .	6	0	2	10	26	0	34	10
97. Ditto, wrought . . .	8	0	2	10	27	0	37	1
98. Ditto, ditto, beaded . .	8	6	3	3	27	9	39	6

Per foot run.

99. Angle fillets, 1 in. . .	0	1 $\frac{1}{4}$	0	0 $\frac{1}{4}$	0	0 $\frac{3}{4}$	0	2 $\frac{1}{2}$
100. Ditto ditto, 1 $\frac{1}{4}$ in. . .	0	1 $\frac{1}{4}$	0	0 $\frac{1}{4}$	0	1	0	2 $\frac{1}{2}$
101. Ditto ditto, 1 $\frac{1}{2}$ in. . .	0	1 $\frac{1}{4}$	0	0 $\frac{1}{4}$	0	1	0	3

WALL BOARDING, &c.—*Per square.*

102. Deal (white), tongued and beaded, $\frac{1}{2}$ in. . .	8	6	1	8	20	0	30	2
103. Ditto ditto, $\frac{3}{4}$ in. . .	9	6	2	3	24	0	35	9
104. Ditto ditto, 1 in. . .	11	0	2	6	31	6	45	0
105. Ditto ditto, 1 $\frac{1}{4}$ in. . .	12	6	3	0	39	0	54	6
106. Ditto ditto, 1 $\frac{1}{2}$ in. . .	14	0	3	8	48	0	65	8
107. Ditto ditto, add if wrought both sides . . .	3	0	0	3	...		3	3
108. Ditto ditto, add if to ceilings . . .	2	0	0	3	0	3	2	6
109. Ditto ditto, add if with plugs . . .	1	6	0	3	1	3	3	0
110. Ditto (clean yellow), add		2	3	2	3

Bracketing.

19

Items.	Labour.		Nails.		Timber.		Completed.	
	s.	d.	s.	d.	s.	d.	s.	d.
111. Louvre boarding, deal, feather edge, wrought, <i>per foot super.</i> . . .	0	2½	0	0½	0	3½	0	6½
112. Ditto, ditto, inch deal, wrought and splayed both edges, <i>per do.</i> . .	0	5	0	1	0	4	0	10
113. Ditto, ditto, 1½ in. ditto, ditto, ditto, <i>per do.</i> . .	0	6½	0	1	0	4½	1	0
114. Small brackets, wrought, <i>each</i>	0	1½	0	0½	0	1½	0	3½
115. Cross grooves, not exceeding 6 ins., <i>each</i> . .	0	1½	0	0½	0	0½	0	2½
116. Ditto, ditto, exceeding 6 ins., <i>each</i>	0	2½	0	0½	0	0½	0	3½
117. Ends of boards, pins, and shifting lath, <i>each</i> . .	0	4	0	1	0	2	0	7

BRACKETING ; including *Plugging.*—*Per foot super.*

118. Common cornices, or coves, 1½ in. deal . .	0	3	0	1	0	3½	0	
119. Ditto, 1½ „	0	4	0	1½	0	4½	0	10
120. Ditto, in two thicknesses of 1 in. deal	0	4	0	1	0	6	0	1
121. Ditto, circular on plan, 1½ in. deal	0	4½	0	1½	0	5	0	11
122. Ditto, ditto, 1½ ditto . .	0	6	0	2½	0	6½	1	3
123. Ditto, ditto, in two thicknesses of 1 in. deal . .	0	6	0	1½	0	9	1	4½
124. Waggon-headed-ceilings .	0	2½	0	1	0	3½	0	7
125. Semi-ditto	0	3	0	1	0	3½	0	7½
126. Groined ceilings in halls, &c., not exceeding 4 feet wide	0	9	0	3	0	6	1	6
127. Ditto, exceeding 4 feet .	0	8	0	2	0	5	1	3
128. Ditto, if elliptical, add to items 126 and 127 . . .	0	2	0	0½	0	0½	0	3
129. Small circular soffits .	0	6	0	2	0	6	1	2
130. Angle brackets, <i>each</i> . .	0	8	0	1	0	5	1	2

ROOFING.—*Per square ; without timber.*

Items.	Labour.		Nails, &c.		Labour and Nails.	
	s.	d.	s.	d.	s.	d.
131. Common shed, or lean-to roof over ground story	3	0	1	3	4	3
132. Ditto, over first „	3	3	1	6	4	9
133. Ditto, „ second ditto	3	6	1	6	5	0
134. Ditto, „ third ditto	3	9	1	6	5	3
135. Ditto, if higher add	0	6	0	3	0	9
136. Single span or valley roof over ground story	3	9	1	6	5	3
137. Ditto, over first ditto	4	0	1	9	5	9
138. Ditto, „ second ditto	4	3	1	9	6	0
139. Ditto, „ third ditto	4	6	1	9	6	3
140. Ditto, if higher add	0	6	0	3	0	9
141. Ditto, with purlines add	0	9	0	4	1	1
142. Ditto, framed principals, with collars, plates, and ridge	7	9	2	9	10	6
143. Ditto, ditto, with tie-beam, king- post, purlines, braces, and com- mon rafters	11	0	3	0	14	0
144. Ditto ditto, with king and queen posts	13	0	4	0	17	0
145. Common curb roofing, with plates	5	9	2	3	8	0
146. Add to items 142 to 145, if more than three stories	0	9	0	6	1	3
147. Hips and valleys, <i>extra per foot</i> <i>run</i>	0	6	0	1	0	7
148. Rounded ridge-roll, ditto	0	4	0	0 $\frac{3}{4}$	0	4 $\frac{3}{4}$
149. Wall-plates, poll-plates, and lin- tels, charged as bond at <i>per foot</i> <i>cube</i>	0	7	0	1	0	8
150. Binders, tie-beams, struts, gutter- plates, dragging and diagonal ties, charged as framed <i>per foot</i> <i>cube</i>	0	8	0	2	0	10
151. Fixing bolts, <i>each</i>	0	9	0	1	0	10
152. Ditto king-bolts, <i>each</i>	1	9	0	3	2	0
153. Ditto stirrups to kings and queens, <i>each</i>	2	2	0	4	2	6
154. Ditto ties and straps, <i>per lb.</i> . .	0	1	0	0 $\frac{1}{4}$	0	1 $\frac{1}{4}$

Roofing and Battening.

21

GUTTERS AND BEARERS, *Per foot super.*

Items.	Labour.		Nails.		Timber.		Completed.	
	s.	d.	s.	d.	s.	d.	s.	d.
155. Gutters, $\frac{3}{4}$ in. deal and bearers	0	3	0	1	0	4 $\frac{1}{2}$	0	8 $\frac{1}{2}$
156. Ditto, 1 in. ditto and ditto	0	3 $\frac{1}{2}$	0	1 $\frac{1}{2}$	0	5 $\frac{1}{4}$	0	10
157. Ditto, 1 $\frac{1}{4}$ ditto ditto . .	0	4	0	1 $\frac{1}{2}$	0	6 $\frac{1}{2}$	1	0
158. Ditto, to curb roof, add .	0	2	0	0 $\frac{3}{4}$	0	1 $\frac{1}{4}$	0	4
159. Ditto, to curved on plan, add	0	3	0	1	0	1 $\frac{1}{2}$	0	5 $\frac{1}{2}$
160. Framed bearers, 2 in. \times 2 in. for gutters, <i>per foot run</i>	0	1 $\frac{1}{2}$	0	0 $\frac{1}{2}$	0	1 $\frac{1}{2}$	0	3 $\frac{1}{2}$
161. Ditto ditto, 3 in. \times 2 in. <i>per foot run</i>	0	2	0	0 $\frac{3}{4}$	0	2	0	4 $\frac{1}{4}$
162. Cesspools, each	1	0	0	1 $\frac{1}{2}$	0	5 $\frac{1}{2}$	1	7
163. Rebated laps for drips, <i>per foot run</i>	0	3	0	1	...		0	4
164. Eaves-board, $\frac{3}{4}$ in., <i>per foot super</i>	0	1 $\frac{1}{2}$	0	0 $\frac{1}{2}$	0	2 $\frac{1}{2}$	0	4 $\frac{1}{2}$
165. Ditto, 1 in. ditto	0	2	0	0 $\frac{3}{4}$	0	3 $\frac{1}{4}$	0	6

BATTENING FOR WALLS AND FOR SLATING, *Per square.*

166. For slating $2\frac{1}{4} \times \frac{3}{4}$ ins. for ladies	3	9	1	3	6	6	11	6
167. Ditto, $2\frac{1}{4} \times 1$ ditto . .	4	3	1	4	8	0	13	7
168. Ditto, $2\frac{1}{4} \times 1\frac{1}{4}$ ditto . .	4	9	1	6	9	6	15	9
169. Ditto, $3 \times \frac{3}{4}$ ditto . . .	4	0	1	6	8	0	13	6
170. Ditto, 3×1 ditto . . .	4	6	1	8	9	10	16	0
171. Ditto, $3 \times 1\frac{1}{4}$ ditto . .	5	0	1	9	11	8	18	5
172. Ditto, $2\frac{1}{4} \times \frac{3}{4}$ ditto for Countesses	3	3	1	2	5	0	9	5
173. Ditto, $2\frac{1}{4} \times 1$ ditto . . .	3	8	1	3	6	2	11	1
174. Ditto, $2\frac{1}{4} \times 1\frac{1}{4}$ ditto . .	4	0	1	4	7	4	12	8
175. Ditto, $3 \times \frac{3}{4}$ ditto . . .	3	6	1	4	6	8	11	6
176. Ditto, 3×1 ditto . . .	4	0	1	6	8	3	13	9
177. Ditto, $3 \times 1\frac{1}{4}$ ditto . . .	4	6	1	8	9	10	16	0
178. Ditto, $2\frac{1}{4} \times \frac{3}{4}$ ditto for Duchesses	3	0	1	1	4	6	8	7
179. Ditto, $2\frac{1}{4} \times 1$ ditto . .	3	3	1	2	5	6	9	11

Items.	Labour.		Nails.		Timber.		Com- pleted.	
	s.	d.	s.	d.	s.	d.	s.	d.
180. Ditto, $2\frac{1}{2} \times 1\frac{1}{2}$ ditto .	3	6	1	3	6	6	10	9
181. Ditto, $3 \times \frac{3}{4}$ ditto .	3	3	1	3	6	0	10	6
182. Ditto, 3×1 ditto .	3	6	1	4	6	7	11	5
183. Ditto, $3 \times 1\frac{1}{2}$ ditto .	3	9	1	5	7	2	12	4
184. For walls $2\frac{1}{2} \times \frac{3}{4}$ in., 12 ins. apart .	3	3	0	9	5	0	9	0
185. Ditto, $2\frac{1}{2} \times 1$ ditto .	3	6	1	0	6	2	10	8
186. Ditto, $2\frac{1}{2} \times 1\frac{1}{2}$ ditto .	3	9	1	3	7	4	12	4
187. Ditto, $2\frac{1}{2} \times 1\frac{1}{2}$ ditto .	4	0	1	4	9	0	14	4
188. For ceilings, add .	1	0	0	3	0	3	1	6
189. Plugging to walls, bat- tens 9 in. apart, add .	1	4	0	3	0	7	2	2
190. Ditto ditto, 12 ditto .	1	2	0	$2\frac{1}{2}$	0	$5\frac{1}{2}$	1	10
191. Ditto ditto, 15 ditto .	1	0	0	2	0	4	1	6
192. Quarter battening, $2 \times$ 2 ins. and 12 ins. apart	4	3	1	1	9	6	14	10
193. Ditto, 3×2 ditto. .	4	6	1	3	11	6	17	3
194. Ditto, 4×2 ditto. .	4	9	1	6	13	6	19	9
195. Ditto, to window fronts, add .	1	1	0	4	0	4	1	9
196. Fillets, 4×1 nailed to rafters or joists .	4	0	0	10	9	0	13	10
197. Ditto, $4 \times 1\frac{1}{2}$ ditto .	4	3	1	0	10	6	15	9
198. Ditto, $4 \times 1\frac{1}{2}$ ditto .	4	6	1	2	12	0	17	8
198*. Tilting fillets to battens, per foot run .	0	1	0	$0\frac{1}{2}$	0	1	0	$2\frac{1}{2}$

NAKED FLOORS.—Per square.

Without Timber.

Items.	Labour.		Nails.		Labour and Nails.	
	s.	d.	s.	d.	s.	d.
199. Common ceiling floor-joists, notched on plates .	3	9	1	3	5	0
200. Ditto, braced or halved on fillets	4	3	1	6	5	9
201. Ditto, framed to binding joists	4	9	1	6	6	3
202. Single framed floors, trimmed to well-holes and chimneys .	6	0	1	9	7	9
203. Ditto, more than 9 in. deep .	7	3	2	0	9	3
204. Ditto, trimmed to party-walls, tailed to girders, &c. .	8	3	2	9	11	0

Flooring and Partitions.

23

Items.	Labour.		Nails.		Labour and Nails.	
	s.	d.	s.	d.	s.	d.
205. Ditto, if two girders . . .	10	3	3	9	14	0
206. Ditto, if including girders, bridging, binding, and ceiling joists . . .	17	0	4	6	21	6
207. Ditto, if framed to breast-summers, add . . .	2	0	0	4	2	4
208. Ditto, add for cross trimmers, and making good to well-holes, &c., <i>each</i> . . .	2	0	0	6	2	6
209. Ground joists, bedded but not framed, <i>per square</i> . . .	3	6	0	9	4	3
210. Ditto, with sleepers, ditto . . .	4	0	1	0	5	0
211. Ditto and framed to chimneys, ditto . . .	5	3	1	0	6	3
212. Strutting to joists (single), <i>per foot run</i> . . .	0	1½	0	0½	0	2
213. Ditto, ditto, herring-bone, ditto . . .	0	3	0	1½	0	4
213*. Framing and fixing trusses to 4 × 4 girders, &c., ditto . . .	1	4	0	6	0	10
214. Sawing, reversing, and bolting girders, &c.	0	9				
215. Letting bolts and plates into girders, <i>each</i>	0	8				
216. Fixing iron ties and suspension rods, ditto	3	0				
216*. Ditto, ditto, <i>per lb.</i>	0	1				

QUARTER PARTITIONS.—*Per square, without timber.*

217. Common partitions, not framed, 3 in.	2	6	0	6	3	0
218. Ditto ditto, 4 ditto.	3	3	0	9	4	0
219. Ditto ditto, 5 ditto.	4	0	1	0	5	0
220. Ditto ditto, 6 ditto.	4	9	1	3	6	0
221. Ditto, framed and braced, 3 in.	4	0	1	0	5	0
222. Ditto, ditto, 4 do.	4	9	1	3	6	0
223. Ditto, ditto, 5 do.	5	6	1	6	7	0
224. Ditto, ditto, 6 do.	6	3	1	9	8	0
225. Ditto, trussed with two braces, add	1	4	0	3	1	7

Items.	Labour.		Nails.		Labour and Nails.	
	s.	d.	s.	d.	s.	d.
226. Ditto, trussed with king-post, add	1	6	0	4	1	10
227. Ditto, trussed with queen-post, add	1	10	0	6	2	4
228. Ditto, if circular on plan, add .	1	9	0	3	2	0

CENTERING.—*Per square.—Labour, nails, and use and waste only, including setting and striking.*

	Labour.		Nails.		Use of Timber.		Total.	
	s.	d.	s.	d.	s.	d.	s.	d.
229. Common to vaults, on 3 in. ribs and $\frac{3}{4}$ in. battens	9	0	3	0	13	0	25	0
230. Ditto, with 1 in. ditto	10	0	3	6	17	6	31	0
231. Centering to brick trimmers, &c., <i>per</i> <i>foot sup.</i>	0	4 $\frac{1}{2}$	0	1	0	2 $\frac{1}{2}$	0	8
232. Ditto to coach-head trimmers	0	5	0	1	0	3	0	9
233. Ditto to groins . . .	0	6	0	1	0	5	1	0
234. Ditto small ditto . .	0	8	0	2	0	6	1	4
235. Ditto rough arches, <i>per foot run</i>	0	3	0	0 $\frac{3}{4}$	0	3 $\frac{3}{4}$	0	7 $\frac{1}{2}$
236. Ditto gauged arches with struts	0	4 $\frac{1}{2}$	0	1	0	6	0	11 $\frac{1}{2}$
237. Ditto semicircular heads	0	7 $\frac{1}{2}$	0	2	0	10	1	7 $\frac{1}{2}$
238. Ditto $\frac{3}{4}$ in. boarding or in double ribs, <i>per foot sup.</i>	0	3 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	4 $\frac{1}{4}$	0	8 $\frac{1}{2}$
239. Ditto rough, semi- circular heads, <i>per</i> <i>foot run</i>	0	5 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	6 $\frac{3}{4}$	1	1
240. Ditto $\frac{1}{2}$ in. boarding to ditto, <i>per foot sup.</i>	0	2 $\frac{1}{2}$	0	0 $\frac{1}{2}$	0	3	0	6
241. Ditto, if elliptical, add	0	2	0	0 $\frac{1}{2}$	0	2	0	4 $\frac{1}{2}$

POSTS, PALINGS, &c.—Average Prices.

Items.	each	5 feet 0 in.	Posts, Palings, &c.										25	
			Fir.					Ash.						Oak.
			5×4	6×4	6×5	5×4	6×4	6×5	5×4	6×4	6×5	5×4	6×4	6×5
242.	Posts.	5	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
243.	"	5	2 0	2 6	4 0	2 0	3 0	4 0	2 0	3 0	4 6	2 1	3 3	4 9
244.	"	6	2 1	2 9	4 4	2 1	3 4	5 0	2 2	3 8	5 5	2 2	3 6	5 3
245.	"	6	2 3	3 0	4 8	2 3	3 8	5 11	2 3	4 0	6 4	2 3	3 9	5 9
246.	"	7	2 6	3 3	5 4	2 6	4 4	6 9	2 6	4 0	7 11	2 6	4 0	6 3
247.	"	7	2 8	3 6	5 0	2 9	4 4	6 9	2 9	4 4	7 3	2 9	4 3	6 9
248.	"	7	2 10	3 9	5 8	3 0	4 5	7 3	3 0	4 5	8 4	3 3	4 9	7 3
249.	"	8	3 0	4 0	6 0	3 3	4 9	7 8	3 3	4 9	8 1	3 3	5 3	7 9
250.	"	8	3 2	4 3	6 4	3 3	5 2	8 1	3 9	5 2	9 6	4 3	5 9	8 3
251.	"	9	3 4	4 6	6 8	4 4	5 9	8 6	4 4	5 9	9 9	4 9	6 3	9 9
251.	"	9	3 6	4 9	7 0	5 0	6 4	9 0	5 0	6 4	9 9	5 9	7 0	9 6
252.	"	10	3 8	5 0	7 4	5 6	7 0	9 0	6 0	7 0	9 0	6 6	7 9	10 3
<hr/>														
			X					X						
			Fir.					Ash.					Oak.	
			3×3	4×4	5×5	3×3	4×4	5×5	3×3	4×4	5×5	3×3	4×4	5×5
253.	each, out of square stuff	8 feet long	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
254.	"	8	1 4	1 9	2 3	1 5	2 0	2 8	1 7	2 2	3 0	1 9½	2 2	3 10
255.	"	9	1 5	1 10	2 4½	1 7	2 3	3 0	1 9	2 4½	3 3	2 0	2 9	3 3
256.	"	9	1 6	1 11	2 6	1 9	2 6	3 3	2 0	2 6	3 6	2 4	3 2	3 7
257.	"	10	1 7	2 0	2 7½	2 0	2 9	3 6	2 4	2 9	3 9	2 4	3 2	4 0
257.	"	10	1 8	2 1	2 9	2 3	3 0	3 9	2 4	3 0	3 9	2 4	3 8	4 6

Items.	s.	d.	s.	d.
258. Cleft pales per hundred			20	0
<i>Note.</i> —What is here called 100 pales means 500 feet run of cleft oak pales of any length: 66 pales will cover one lineal rod.				
259. 9 feet gravel boards, <i>each</i>	2	0 to	2	6
260. 5-barred oak gates, <i>framed</i>	16	6 to	25	0
261. Large squared posts for gates, <i>per pair</i>	10	0 to	16	0
262. Oak spurs for ditto	1	0 to	2	0
263. Common cleft oak enclosure fence, <i>per rod</i>	5	6 to	9	0
264. Pale—board <i>each</i> 3 feet 6 ins.			0	5
265. " " 4 0 .			0	5½
266. " " 4 6 .			0	6½
267. " " 5 0 .			0	7½
268. " " 5 6 .			0	8½
269. " " 6 0 .			0	10

FENCES, FIXED COMPLETE—*per foot run.*

270. Cleft oak pales, 3 feet 6 inches—with two arris oak rails, out of 3 × 3 stuff, and oak posts, 4 × 4 in. 5 feet 6 in. high, fixed 9 feet apart	2	0
271. Ditto, 4 feet pales, rails out of 4 × 4 arris oak stuff, oak posts 4 × 4 in., 6 feet high, fixed 9 feet apart	2	6
(Other scantlings and heights in proportion.)		

FLOORS—*per square.*

Items.	Labour.		Nails.		Timber.		Completed.	
	s.	d.	s.	d.	s.	d.	s.	d.
272. ¾ in. white deal, rough, edges shot	3	3	1	6	26	0	30	9
273. Ditto best yellow ditto	3	3	1	6	29	6	34	3
274. Ditto white deal, wrought and laid folding	4	3	2	0	27	0	33	3
275. Ditto best yellow	4	3	2	0	30	6	36	9
276. 1 in. white deal, rough, edges shot	3	6	2	3	31	3	37	0
277. Ditto best yellow	3	6	2	3	32	6	38	3
278. Ditto white deal, wrought and laid, folding	5	6	2	3	35	6	43	6
279. Ditto best yellow ditto	5	6	2	6	36	6	44	6
280. Ditto white deal straight joints and splayed headings	6	6	2	9	35	6	43	9
281. Ditto best yellow ditto	6	6	2	9	37	0	45	3

Floors.

27

Items.	Labour.		Nails.		Timber.		Com- pleted.	
	s.	d.	s.	d.	s.	d.	s.	d.
282. Ditto, tongued head-ings . . .	8	3	3	3	40	0	51	6
283. 1½ inch yellow deal rough edges shot .	5	0	2	6	40	0	47	6
284. Ditto wrought and laid folding . . .	7	3	2	6	44	6	54	3
285. Ditto straight joints splayed headings .	8	9	3	3	47	6	59	6
286. Ditto tongued head-ings, edge nailed .	8	9	3	9	48	0	60	6
287. Ditto ploughed and tongued, or rebates and fillets . . .	10	6	4	6	50	0	65	0
288. Ditto feather-tongued	12	9	4	9	51	0	68	6
289. 1½ inch yellow deal rough edges shot .	5	9	3	3	45	6	54	6
290. Ditto wrought and laid folding . . .	7	9	3	3	51	0	62	0
291. Ditto straight joints splayed headings .	9	9	4	3	56	0	70	0
292. Ditto ploughed and tongued, or rebated and filleted . . .	12	6	5	3	58	6	76	3
293. Two inch yellow deal rough edges shot .	7	0	3	9	64	0	74	9
294. Ditto ploughed and tongued edges, or rebated with fillets	11	0	5	0	68	0	84	0
295. Ditto planed to a thickness, add		2	6
296. Tongued with hoop iron, No. 18 gauge, add		6	6
297. Ditto galvanised		8	0

BATTEN FLOORS—per square.

298. ¾ in. or two-cut wrought and laid folding, white	5	3	2	9	26	0	34	0
299. Ditto yellow . . .	5	9	2	9	28	0	36	6
300. One inch, white .	6	3	2	9	34	0	43	0

Items.	Labour.		Nails.		Timber.		Completed.	
	s.	d.	s.	d.	s.	d.	s.	d.
301. Ditto yellow . . .	6	3	3	0	37	0	46	3
302. One in. straight joints and splayed head- ings, white . . .	7	0	3	3	36	0	46	3
303. Ditto ditto, yellow . .	7	0	3	6	37	0	47	6
304. Ditto ditto, tongued and edge nailed . .	10	0	3	6	38	0	51	6
305. 1½ in. wrought and laid folding, white . .	8	3	3	3	40	0	51	6
306. Ditto ditto, yellow . .	8	6	3	6	41	6	53	6
307. Ditto, straight joints and splayed head- ings, white . . .	10	0	3	3	44	0	57	3
308. Ditto ditto, yellow . .	10	3	3	6	46	9	60	6
309. Ditto, edge-nailed and tongued headings, white . . .	10	3	3	9	45	0	59	0
310. Ditto ditto, yellow . .	10	6	4	0	47	0	61	6
311. Ditto ditto, add for oak dowelling . . .	9	0	1	3	1	3	11	6
312. 1½ in. straight joints edge-nailed, tongued headings, white . . .	10	6	4	0	52	0	66	6
313. Ditto ditto, yellow . .	10	9	4	3	54	6	69	6
314. Ditto ditto, add for oak dowellings . . .	9	3	1	6	1	6	12	3
315. 1 in. wainscot straight joints tongued head- ings . . .	21	0	6	6	122	6	150	0
316. 1½ in. do. oak dowelled	33	0	10	6	140	6	184	0
317. If less than 5 inch gauge, add on deal.	3	9	0	9	2	0	6	6
318. Ditto ditto, add on wainscot . . .	5	3	1	3	3	6	10	0
319. If planed to a thick- ness, add . . .	2	6	0	6	1	0	4	0
320. Borders, mitred and glued, <i>per foot run</i> . .	0	8	0	2	0	11	1	9
321. Splayed and raking angles . . .	0	4	0	2	0	5	0	11

SKIRTINGS, including filets and backings, per foot super.

Skirtings.

29

Items.	¾-inch.			1-inch.			1¼-inch.			1½-inch.		
	Labour only.	Complete.	Com- plete.	Labour only.	Complete.	Com- plete.	Labour only.	Complete.	Com- plete.	Labour only.	Complete.	Com- plete.
323. Square deal	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
324. Single moulded or torus .	0 3	0 7	0 8	0 3	0 8	0 9	0 3½	0 9	0 4	0 4	0 10	0 10
325. Square raking and scribed to steps	0 3½	0 8	0 8½	0 3½	0 8½	0 9½	0 4	0 9½	0 4½	0 4½	1 0½	1 0½
326. Torus raking and ditto .	0 4	0 9	0 9½	0 4	0 9½	0 10½	0 5	0 10½	0 5½	0 5½	1 0½	1 0½
327. Rebated plinth to base moulding	0 5	0 10	0 10½	0 5	0 10½	0 11½	0 6	0 11½	0 4½	0 4½	1 2	1 2
328. Raking plinth to steps .	0 3½	0 8	0 8½	0 3½	0 8½	0 9½	0 4	0 9½	0 5½	0 5½	0 11½	0 11½
329. Rebating to form double plinth, add	0 5	0 10	0 10½	0 5	0 10½	0 11½	0 6	0 11½	0 7½	0 7½	1 2	1 2
330. Plugging to stone stairs or walls, add	0 1½	0 2½	0 2½	0 1½	0 2½	0 2½	0 1½	0 2½	0 1½	0 1½	0 2½	0 2½
331. Scribed to moulded nosings, add	0 1½	0 2	0 2	0 1½	0 2	0 2	0 1½	0 2	0 1½	0 1½	0 2	0 2
332. Level circular, plain . .	0 7½	0 10	0 8	0 8	1 0	0 8½	0 8½	1 2	0 9½	0 9½	1 4	1 4
333. Ditto ditto, torus . . .	0 8½	1 0	0 8½	0 8½	1 2	0 9½	0 9½	1 4	0 10½	0 10½	1 6	1 6
334. Raking circular, plain .	0 10	1 4	0 11	0 11	1 7	1 0	1 1	1 10	1 1	1 1	2 1	2 1
335. Ditto ditto, torus . . .	0 10½	1 6	0 11½	0 11½	1 9	1 1	1 1	2 0	1 2	1 2	2 3	2 3
336. Rebated and backed level circular, plain	0 8½	1 0	0 9	0 9	1 2	0 9½	0 9½	1 4	0 11	0 11	1 6	1 6
337. Ditto ditto, torus . . .	0 10	1 2	1 0	1 0	1 5	1 2	1 2	1 9	1 4	1 4	2 0	2 0

SKIRTINGS.—*continued.*

Items.	$\frac{3}{4}$ -inch.		1-inch.		1 $\frac{1}{4}$ -inch.		1 $\frac{1}{2}$ -inch.		Com- plete. s. d.
	Labour only. s. d.	Complete. s. d.	Labour only. s. d.	Complete. s. d.	Labour only. s. d.	Complete. s. d.	Labour only. s. d.	Complete. s. d.	
338. Raking ditto, ditto, plain to steps . . .	1 5	2 2	1 7	2 5	1 8	2 8	1 10	2 11	
339. Ditto ditto, torus, ditto . .	1 8	2 7	1 10	2 10	2 0	3 1	2 3	3 4	
340. Plugging to walls, add . .	0 1 $\frac{1}{2}$	0 2 $\frac{1}{2}$	0 1 $\frac{1}{2}$	0 2 $\frac{1}{2}$	0 1 $\frac{1}{2}$	0 2 $\frac{1}{2}$	0 1 $\frac{1}{2}$	0 2 $\frac{1}{2}$	
341. Skirting grounds, narrow, per foot run	0 1	0 2	
342. Ditto rebated or grooved ditto	0 1 $\frac{1}{2}$	0 2 $\frac{1}{2}$	
343. Ditto circular or ramped ditto	0 2 $\frac{3}{4}$	0 4 $\frac{1}{2}$	
344. Ditto, in thicknesses	0 5	0 7 $\frac{1}{2}$	
345. Add to each angle if dove- tailed	0 1 $\frac{1}{2}$	0 2	
346. Add if plugged to walls	0 0 $\frac{1}{2}$	0 1 $\frac{1}{4}$	
DEAL—per foot super.									
347. Rough, no labour . . .	$\frac{1}{2}$ -in. 0 2 $\frac{1}{2}$	$\frac{3}{4}$ -in. 0 3	1-in. 0 3 $\frac{3}{4}$	1 $\frac{1}{4}$ -in. 0 4 $\frac{1}{2}$	1 $\frac{1}{2}$ -in. 0 5 $\frac{1}{2}$	2-in. 0 7	2 $\frac{1}{2}$ -in. 0 8 $\frac{1}{2}$	3-in. 0 10	
348. Ditto, fitted or fixed, labour only . . .	0 0 $\frac{3}{4}$	0 0 $\frac{3}{4}$	0 1	0 1	0 1 $\frac{1}{4}$	0 1 $\frac{1}{2}$	0 1 $\frac{3}{4}$	0 2 $\frac{1}{4}$	

	Deal.																31
351. Ditto ditto, <i>all</i>	0	4	0	5	0	5½	0	6½	0	8	0	9½	1	0	1	2	
352. Wrought one side, <i>labour only</i>	0	2	0	2	0	2	0	2	0	2½	0	3½	0	4	0	4½	
353. Ditto ditto, <i>all</i>	0	5	0	5½	0	6½	0	8	0	8½	0	11	1	1	1	3	
354. Ditto, grooved and tongued, <i>labour only</i>	0	2½	0	2½	0	2½	0	3	0	3½	0	4	0	4½	0	5½	
355. Ditto ditto, <i>all</i>	0	6	0	6½	0	7½	0	8½	0	9½	0	11½	1	2	1	4	
356. Ditto, matched and beaded, <i>labour only</i>	0	4½	0	4½	0	4¾	0	5	0	5½	0	6½	0	7½	0	8½	
357. Ditto ditto, <i>all</i>	0	8	0	8½	0	9	0	10	0	11½	1	2	1	5	1	8	
358. Ditto, doveetailed or keyed, <i>labour only</i>	0	5	0	5	0	5½	0	5½	0	6	0	7	0	8	0	9	
359. Ditto ditto, <i>all</i>	0	8½	0	9	0	9½	0	10½	1	0	1	2½	1	5½	1	8½	
360. Wrought both sides, <i>labour only</i>	0	2½	0	2½	0	2¾	0	3	0	3½	0	4½	0	4¾	0	5½	
361. Ditto ditto, <i>all</i>	0	6	0	6½	0	7½	0	8½	0	9½	1	0	1	2½	1	5	
362. Ditto framed or clamped, <i>labour only</i>	0	3½	0	3½	0	3¾	0	4	0	4½	0	5	0	6	0	7½	
363. Ditto ditto, <i>all</i>	0	7	0	7½	0	8½	0	9	0	10½	1	1	1	4	1	7	
364. Ditto matched and beaded both sides, <i>labour only</i>	0	4	0	4½	0	4½	0	5	0	5½	0	6	0	6½	0	7½	
365. Ditto ditto, <i>all</i>	0	7½	0	8½	0	9	0	10	0	11½	1	1½	1	4½	1	7½	
366. Doveetailed or keyed, <i>labour only</i>	0	4½	0	4	0	4¾	0	5	0	5½	0	6½	0	7½	0	8½	
367. Ditto ditto, <i>all</i>	0	8	0	8½	0	9	0	10	0	11½	1	2	1	5	1	8	

Per foot super.

Items.	Labour only.		All
	s.	d.	
368. Half-inch deal curved to soffit or frieze .	0	3½	0
369. Ditto, plugged to walls .	0	4	0
370. Ditto, wrought one side and framed, including bearers .	0	4½	0
371. Ditto, cut circular one edge, add .	0	0½	0
372. Ditto ditto, two edges, add .	0	1	0
373. Ditto, wrought two sides, dovetailed, in drawers more than 12 inches long .	0	4½	0
374. Ditto, ditto, 12 inches long, or less .	0	5½	0 1
375. Ditto ditto, beaded one side, add .	0	0½	0
376. Ditto ditto, two sides, add .	0	0½	0
377. Ditto ditto, ledged, add .	0	0¾	0
378. Three-quarter-inch deal, curved to frieze or soffit .	0	4	0
379. Ditto, plugged to walls .	0	4½	0
380. Ditto, wrought one side and framed, including bearers .	0	5½	0 1
381. Ditto, cut circular, one edge, add .	0	0½	0
382. Ditto ditto, two edges, add .	0	1	0
383. Ditto, mortice-clamped .	0	4½	0
384. Ditto, dovetailed, in drawers more than 18 inches long .	0	5	0 1
385. Ditto ditto, from 12 to 18 inches long .	0	6	1
386. Ditto, beaded, for each edge, add .	0	0½	0
387. Ditto, mitred, for each mitre, add .	0	4½	0
388. Ditto, ledged .	0	0¾	0
389. One-inch deal, circular cut, one edge, add .	0	0½	0
390. Ditto ditto, two edges, add .	0	1	0
391. Ditto, plugged to walls, add .	0	0¾	0
392. Ditto, wrought one side and framed, including bearers .	0	5	0 1
393. Ditto, mortice-clamped .	0	4½	0
394. Ditto, dovetailed, in drawers more than 18 inches long .	0	5½	0 1
395. Ditto ditto, in drawer fronts .	0	6½	1
396. Ditto, mitred, for each mitre, add .	0	4½	0
397. Ditto, feather-tongued, add .	0	0½	0
398. Ditto, beaded, one side, add .	0	0½	0
399. Ditto ditto, two sides, add .	0	1	0
400. Ditto, staff-beaded, add .	0	0¾	0

	Labour only.		All.	
	s.	d.	s.	d.
Ditto, ledged, add	0	0 $\frac{1}{4}$	0	1 $\frac{3}{4}$
One-and-quarter inch deal, wrought one side and framed, including bearers	0	5	0	11
Ditto, mortice-clamped	0	5	0	10
Ditto, dovetailed, in drawer fronts	0	6 $\frac{1}{2}$	1	1
Ditto, beaded, one side, add	0	0 $\frac{1}{2}$	0	1
Ditto ditto, two sides, add	0	1	0	2
Ditto, mitred, for each mitre, add	0	5 $\frac{1}{2}$	0	7 $\frac{1}{2}$
Ditto, feather-tongued, add	0	0 $\frac{1}{2}$	0	1
Ditto, plugged to walls, add	0	0 $\frac{3}{4}$	0	1 $\frac{3}{4}$
Ditto, ledged, add	0	1	0	2 $\frac{1}{4}$
One-and-half inch deal, wrought one side and framed, including bearers	0	6	1	1
Ditto, mortice-clamped	0	5 $\frac{1}{2}$	1	0
Ditto, dovetailed in drawer fronts	0	7	1	1 $\frac{1}{2}$
Ditto, beaded one side, add	0	0 $\frac{1}{2}$	0	1
Ditto ditto, two sides, add	0	1	0	2
Ditto, mitred, for each mitre, add	0	6	0	8
Ditto, feather-tongued, add	0	0 $\frac{1}{2}$	0	1
Ditto, clean deal in dresser tops, &c., add	0	...	0	1
Ditto, plugged to walls, add	0	1	0	2
Ditto, ledged, add	0	1 $\frac{1}{4}$	0	2 $\frac{1}{4}$
Two-inch deal, wrought one side and framed, including bearers	0	6 $\frac{1}{2}$	1	3
Ditto, mortice-clamped	0	6	1	1
Ditto, dovetailed in drawer fronts	0	7 $\frac{1}{2}$	1	3
Ditto, beaded one side, add	0	0 $\frac{1}{2}$	0	1
Ditto ditto, two sides, add	0	1	0	2
Ditto, mitred, for each mitre, add	0	6 $\frac{1}{2}$	0	8 $\frac{1}{2}$
Ditto, feather-tongued, add	0	0 $\frac{1}{2}$	0	1
Ditto clean deal in tops, &c., add	0	...	0	1 $\frac{1}{2}$
Ditto, plugged to walls, add	0	1	0	2
Ditto, ledged	0	1 $\frac{1}{2}$	0	3 $\frac{1}{4}$
Two-and-half inch deal, wrought one side and framed, including bearers	0	7 $\frac{1}{2}$	0	6 $\frac{1}{2}$
Ditto, mortice-clamped	0	7	1	4 $\frac{1}{2}$
Ditto, beaded one side, add	0	0 $\frac{3}{4}$	0	1 $\frac{1}{4}$
Ditto, two sides, add	0	1 $\frac{1}{2}$	0	2 $\frac{1}{2}$
Ditto, feather-tongued, add	0	0 $\frac{3}{4}$	0	1 $\frac{1}{4}$
Ditto, ledged, add	0	1 $\frac{1}{2}$	0	3 $\frac{3}{4}$

Items	Labour only.		All
	s.	d.	s.
437. Ditto, mitred, for each mitre, add .	0	7	0
438. Three-inch deal, wrought one side and framed, including bearers .	0	9	1 1
439. Ditto, mortice-clamped .	0	8	1
440. Ditto, beaded one side, add .	0	1	0
441. Ditto ditto, two sides, add .	0	2	0
442. Ditto, mitred, for each mitre, add .	0	7½	0 1
443. Ditto, feather-tongued, add .	0	1	0
444. Ditto, ledged, add .	0	1¼	0

Items.		Labour only.										All.	
		2 in.	2½ in.	3 in.	3½ in.	4 in.	2 in.	2½ in.	3 in.	3½ in.	4 in.	3½ in.	4 in.
		d.	d.	d.	d.	d.	d.	d.	d.	d.	d.	d.	d.
445. Rough framed, 1 inch thick.	.	0 ½	0 ½	0 ½	0 ½	0 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
446. Ditto 1½ ditto.	.	0 ½	0 ½	0 ½	0 ½	0 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
447. Ditto 1½ ditto.	.	0 ½	0 ½	0 ½	0 ½	0 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
448. Ditto 2 ditto.	.	1	1	1	1	1	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
449. Ditto 2½ ditto.	.	1	1	1	1	1	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
450. Ditto 3 ditto.	.	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
451. Ditto 3½ ditto.	.	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
452. Ditto 4 ditto.	.	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
453. Wrought and framed, 1 inch thick.	.	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
454. Ditto 1½ ditto.	.	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
455. Ditto 1½ ditto.	.	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
456. Ditto 2 ditto.	.	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
457. Ditto 2½ ditto.	.	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
458. Ditto 3 ditto.	.	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
459. Ditto 3½ ditto.	.	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½
460. Ditto 4 ditto.	.	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	1 ½	2 ½	2 ½

	s.	d.
461. Chamfered edges, add for each edge, any scantling,	0	0 ½
per foot run	.	.
462. Grooved or beaded, ditto	0	0 ½
463. Rebated or staff beaded, ditto	0	1

OAK BOARDS AND PLANKING.

Per foot super.

Items.	Labour only.		Labour and nails.		All materials.	
	s.	d.	s.	d.	s.	d.
464. Rough, 1 in.	0	1½	0	2	1	1
465. Ditto 1½ ditto	0	1¾	0	2¼	1	4½
466. Ditto 2 ditto	0	2¼	0	2¾	1	9
467. Ditto 2½ ditto	0	2¾	0	3¼	2	2
468. Ditto 3 ditto	0	3½	0	4¼	2	7
469. Ditto 3½ ditto	0	4½	0	5¼	3	0
470. Ditto 4 ditto	0	5	0	6½	3	5½
471. Ditto 4½ ditto	0	6	0	7¾	3	11
472. Ditto 5 ditto	0	7	0	9	4	5
473. Shot edges, 1 in.	0	1½	0	2½	1	2
474. Ditto 1½ ditto	0	2	0	2¾	1	7
475. Ditto 2 ditto	0	2½	0	3½	1	11
476. Ditto 2½ ditto	0	3½	0	4½	2	4½
477. Ditto 3 ditto	0	4¼	0	5½	2	8
478. Ditto 3½ ditto	0	5	0	6	3	1
479. Ditto 4 ditto	0	6	0	7	3	7
480. Ditto 4½ ditto	0	7	0	8	4	2
481. Ditto 5 ditto	0	8½	0	9½	5	1
482. Framed, 1 ditto	0	3½	0	4	1	4½
483. Ditto 1½ ditto	0	3¾	0	5	1	9½
484. Ditto 2 ditto	0	4½	0	6	2	5
485. Ditto 2½ ditto	0	7	0	8	2	10
486. Ditto 3 ditto	0	9	0	10½	3	3
487. Ditto 3½ ditto	0	10½	0	11¾	3	8
488. Ditto 4 ditto	1	0	1	1½	4	3
489. Ditto 4½ ditto	1	2	1	3¾	4	10
490. Ditto 5 ditto	1	4½	1	6½	5	9
491. Framed and wrought, one face, 1 inch	0	4¼	0	5½	1	6
492. Ditto 1½ ditto	0	4	0	6¼	1	11
493. Ditto 2 ditto	0	6½	0	7¼	2	6½
494. Ditto 2½ ditto	0	8	0	9¼	2	11½
495. Ditto 3 ditto	0	10	0	10½	3	3½
496. Ditto 3½ ditto	0	11¾	0	1¼	3	10
497. Ditto 4 ditto	1	1¼	1	3	4	5
498. Ditto 4½ ditto	1	3¼	1	5¼	5	0
499. Ditto 5 ditto	1	6	1	8½	6	0
500. Wrought, two faces, 1 in.	0	5¼	1	7	1	7½

Items.	Labour only.		Labour and nails.		All materials.	
	s.	d.	s.	d.	s.	d.
501. Ditto 1½ ditto	0	5¼	0	7½	2	0½
502. Ditto 2 ditto	0	6½	0	8½	2	8
503. Ditto 2½ ditto	0	9	0	10½	3	1
504. Ditto 3 ditto	0	11	0	11¾	3	5
505. Ditto 3½ ditto	1	1	1	2¼	4	0
506. Ditto 4 ditto	1	2½	1	4½	4	7
507. Ditto 4½ ditto	1	4½	1	6¾	5	2
508. Ditto 5 ditto	1	7½	1	10	6	3
509. Framed, wrought two faces, ploughed and tongued, 1 in. .	0	6¼	0	8½	1	9½
510. Ditto 1½ ditto	0	6¾	0	8¾	2	2½
511. Ditto 2 ditto	0	7½	0	9¾	2	10
512. Ditto 2½ ditto	0	10	0	11¾	3	3
513. Ditto 3 ditto	1	0	1	1	3	7
514. Ditto 3½ ditto	1	2	1	4	4	2
515. Ditto 4 ditto	1	3½	1	5¾	4	9
516. Ditto 4½ ditto	1	5½	1	8	5	4
517. Ditto 5 ditto	1	8½	1	11½	6	5
518. Beaded, for one side, add . .	0	0½	0	0¾	0	1
519. Ditto for two sides, add . .	0	1	0	1½	0	2
520. Lugged, add to the 1. in. .	0	1¼	0	1½	0	5½
521. Ditto ditto 1½ ditto	0	1½	0	1¾	0	6½
522. Ditto ditto 2 ditto	0	1½	0	1¾	0	7½
523. Ditto ditto 2½ ditto	0	1¾	0	2	0	8½
524. Ditto ditto 3 ditto	0	2	0	2¼	0	9½

STAIRCASES.—Per foot super.

525. Rough, 1 in. deal treads, risers, and carriages	0	2½	0	3½	0	11½
526. Ditto 1½ ditto	0	3¼	0	4¾	1	2
527. Ditto 1½ ditto	0	3½	0	6	1	4
528. Wrought 1 in. deal, ditto . .	0	4¾	0	6¼	1	2½
529. Ditto 1½ ditto ditto	0	5¾	0	7½	1	5
530. Ditto 1 ditto ditto, glued, blocked, and bracketed	0	5½	0	7½	1	5
530*. Ditto 1½ ditto ditto	0	6½	0	8½	1	7½
531. Ditto 1 ditto, mitred to string and dovetailed to balusters . .	0	7¼	0	9	1	7
532. Ditto 1½ ditto ditto	0	7½	0	9½	1	10

Items.	Labour only.		Labour and nails.		All materials.	
	s.	d.	s.	d.	s.	d.
533. Ditto 1 ditto, including one circular end . . .	0	9½	0	11½	1	11
534. Ditto 1½ ditto ditto . . .	0	10½	1	0½	2	3
535. Ditto 1 ditto, including two circular ends . . .	1	1½	1	3½	2	4½
536. Ditto 1½ ditto ditto . . .	1	2½	1	4½	2	10
537. Rough 1 inch deal risers, and 1½ inch treads . . .	0	3	0	4½	1	1
538. Wrought, ditto ditto . . .	0	5½	0	7	1	4
539. Ditto ditto, glued, blocked, and bracketed . . .	0	6½	0	8	1	6½
540. Ditto ditto, mitred to string, and dovetailed to balusters .	0	7½	0	9½	1	8½
541. Ditto ditto, including one circular end . . .	0	10	1	0	2	1
542. Ditto ditto, including two circular ends . . .	1	2	1	4	2	7½
543. Tongued riser to step, one edge, add . . .	0	0½	0	1	0	1½
544. Ditto ditto, two edges, add . .	0	1½	0	2	0	2½
545. Clean deal, picked, add	0	4
546. Feather-tongued joints, add . .	0	1	0	1½	0	1½
547. Nosings returned, moulded, and mitred, each . . .	0	4½	0	5½	0	8
548. Tongued, ditto ditto, each . .	0	5½	0	6½	0	11
549. Nosings, moulded, circular, each	0	6½	0	7½	0	11½
550. Ditto, tongued, each . . .	0	8	0	9	1	4½
551. Cut brackets, plain, each . . .	0	6½	0	7½	0	11½
552. Ditto ditto, circular, each . .	0	11	1	1	1	6½
553. Housing steps each end, each .	0	2½
554. Ditto, winders, each . . .	0	4½
555. Ditto, moulded nosings, each . .	0	4½
556. Ditto ditto, winders, each . . .	0	6½
557. Ditto, circular ends, each . . .	0	11
558. Ditto, including gluing and wedging up, each . . .	0	5½
559. Curtain steps and riser, each .	10	0	12	3	15	3
560. Ditto, quarter, glued, each . .	1	9	2	3	3	3
561. Ditto, blocked and veneered . .	3	9	4	9	5	9
562. Square frame spandrills, 1½ inch, per foot super . . .	0	5	0	6	0	11½

String-Boards.

39

	Labour only.		Labour and nails.		All materials.	
	s.	d.	s.	d.	s.	d.
Ditto ditto, moulded or bead butt	0	6	0	7	1	1½
One and half inch deal wrought steps, risers, and strong carriage	0	7	0	9	1	9
Two inch deal rough treads, 1½ inch risers, and plain string	0	5½	0	7	1	10
Ditto, wrought, ditto	0	7½	0	9½	2	0

STRING-BOARDS.—Per foot super.

Plain string, 1 inch	0	3½	0	4½	0	9
Ditto, 1½ inch	0	3½	0	4½	0	11
Ditto, 1½ inch	0	4½	0	5½	1	1½
Ditto, 2 inch	0	5	0	6½	1	4½
Moulded, ditto, add	0	1	0	1½	0	1½
Framed, rebated, and beaded, 1 inch	0	4½	0	5½	0	11½
Ditto ditto, 1½ inch	0	4½	0	5½	1	1
Ditto ditto, 1½ inch	0	5½	0	6½	1	3
Ditto, sunk and beaded, 1 inch	0	4½	0	5½	1	0
Ditto ditto, 1½ inch	0	5	0	6	1	2
Ditto ditto, 1½ inch	0	6	0	7	1	4
Ditto, sunk and moulded, 1 inch	0	5½	0	6½	1	1
Ditto ditto, 1½ inch	0	5½	0	6½	1	3
Ditto ditto, 1½ inch	0	6½	0	7½	1	5
Plain wreathed, 1½ inch	2	2	2	7	4	4
Ditto ditto, 1½ ditto	2	4	5	10	5	0
Ditto ditto, 2 ditto	2	7	3	1	6	3
Moulded, add	0	2½	0	3½	0	4
Ditto 1½ in., mitred to risers.	0	7	0	8½	1	4
Ditto, add, if double sunk	0	0½	0	0½	0	1
1½ inch circular fascia, glued upright	2	4	2	10	4	0
Ditto sunk face	2	7	3	1	4	4
Ditto and moulded	2	10	3	4	4	9
Ditto solid, wreathed, and glued upright	3	2	3	10	5	4
Ditto ditto, sunk	3	5	4	1	5	10

Items.	Labour only.		Labour and nails.		All materials
	s.	d.	s.	d.	
592. Ditto ditto, and moulded . . .	3	8	4	4	6
593. Ditto ditto wreathed in thicknesses and backed . . .	3	10	4	6	7 1
594. Ditto ditto, sunk and moulded . . .	4	1	4	9	8
595. Ditto ditto, add if double sunk . . .	0	4	0	5	0
596. Two inch deal, add to any of the items 587 to 595 . . .	0	1½	0	2	0
597. Cuttings or ramps to wall-strings, &c., plain circular per foot run . . .	0	1½	0	1½	0
598. Ditto ditto, moulded . . .	0	2½	0	3	0
599. Ditto ditto, rebated, add . . .	0	0¾	0	1	0
600. Ditto ditto, rebated circular, add . . .	1	1¼	1	1½	1
601. Ditto ditto, reeded, add . . .	1	1¼	1	1½	1
602. Ditto ditto, reeded circular . . .	1	2¼	1	2¾	1

(Cylinders extra.)

Hand-Rails.—Per foot run.

Items.		Deal.			Mahogany, Spanish.		
		Labour only.	Labour and Nails.	All.	Labour only.	Labour and Nails.	All.
		s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
603. Moulded, 2 ins. thick	.	0 3½	0 4½	0 10½	0 11	1 1	2 3
604. Ditto 2½ ditto	.	0 4	0 5	0 11½	1 0	1 2	2 6
605. Ditto 2½ ditto	.	0 4½	0 5½	1 0½	1 1	1 3½	3 6
606. Ditto, sunk for balusters, 2 ins.	.	0 4½	0 5½	0 11½	1 0	1 2½	2 4½
607. Litto ditto	.	0 5	0 6	1 0½	1 1	1 3½	2 7½
608. Ditto ditto	.	0 5½	0 6½	1 1½	1 2	1 4½	3 7½
609. Ditto, ramped, 2 ins.	.	0 11½	1 2	2 3	2 11	3 4½	5 3
610. Ditto ditto 2½ ditto	.	1 0½	1 2½	2 4	3 1	3 7	6 3
611. Ditto ditto 2½ ditto	.	1 1½	1 3	2 5	3 3	3 9½	7 9
612. Ditto, circular level and swan-neck, 2 ins.	.	1 4	1 6	2 6	3 4	4 2	6 4
613. Ditto ditto	.	1 5	1 7	2 10	3 6	4 4½	7 6
614. Ditto ditto	.	1 6	1 8	3 4	3 8	4 7	9 0
615. Ditto ditto wreathed, solid,	.	3 0	3 5½	4 3	6 9	8 4	11 3
616. Ditto ditto	.	3 2	3 8	5 0	7 0	8 8	13 0
617. Ditto ditto	.	3 4	3 11	6 1	7 3	9 0	15 0

Carpenter and Joiner.

Mahogany, Honduras.

Labour only.	s.	d.	All.	s.	d.	All.
	0	7	0	9	1	8
	0	8	0	10	2	3
	0	9	0	11	2	11
	0	8	0	10	1	9 $\frac{1}{2}$
	0	9	0	11 $\frac{1}{2}$	2	4 $\frac{1}{2}$
	0	10 $\frac{1}{2}$	1	0 $\frac{1}{2}$	3	1
	2	0	2	4	4	0
	2	2	2	6	4	5
	2	4	2	8	5	0
	2	7 $\frac{1}{2}$	3	3 $\frac{1}{2}$	4	6
	2	9	3	6	5	3
	2	10 $\frac{1}{2}$	3	8 $\frac{1}{2}$	6	3
	5	6 $\frac{1}{2}$	6	9	8	0
	5	9	7	0	9	3
	5	11 $\frac{1}{2}$	7	3	10	3
	5	9	7	4 $\frac{1}{2}$	9	4
	6	0	7	8	10	4
	6	3	8	0	11	6

Wainscot.

Labour only.	s.	d.	All.	s.	d.	All.
	0	6 $\frac{1}{2}$	1	7	2	2 $\frac{1}{2}$
	0	7 $\frac{1}{2}$	1	8 $\frac{1}{2}$	2	10
	0	8 $\frac{1}{2}$	1	9 $\frac{1}{2}$	1	8 $\frac{1}{2}$
	0	7 $\frac{1}{2}$	2	3 $\frac{1}{2}$	2	11 $\frac{1}{2}$
	0	8 $\frac{1}{2}$	2	4	3	9
	0	9 $\frac{1}{2}$	2	5	4	0
	1	10	2	6	4	5
	2	0	2	7 $\frac{1}{2}$	4	2
	2	2	3	1	4	2
	2	6	3	3	4	7
	2	7 $\frac{1}{2}$	3	5	5	0
	2	9	3	6	7	4
	5	5	6	7 $\frac{1}{2}$	8	0
	5	5	6	10	8	9
	5	7	6	11	8	3 $\frac{1}{2}$
	5	5	7	1 $\frac{1}{2}$	9	1
	5	7 $\frac{1}{2}$	7	5 $\frac{1}{2}$	9	10 $\frac{1}{2}$
	5	10	7	5 $\frac{1}{2}$	10	1

Items.

618. Moulded, 2 in. thick						
619. Ditto 2 $\frac{1}{2}$ ditto						
620. Ditto 2 $\frac{1}{2}$ ditto						
621. Ditto, sunk for balusters, 2 ins. thick						
622. Ditto ditto 2 $\frac{1}{2}$ ditto						
623. Ditto ditto 2 $\frac{1}{2}$ ditto						
624. Ditto, ramped, 2 ins. thick						
625. Ditto ditto 2 $\frac{1}{2}$ ditto						
626. Ditto ditto 2 $\frac{1}{2}$ ditto						
627. Ditto, circular level and swan-neck, 2 ins.						
628. Ditto ditto 2 $\frac{1}{2}$ ditto						
629. Ditto ditto 2 $\frac{1}{2}$ ditto						
630. Ditto, wreathed, solid, 2 ins.						
631. Ditto ditto 2 $\frac{1}{2}$ ditto						
632. Ditto ditto 2 $\frac{1}{2}$ ditto						
633. Ditto, curtail scroll, 2 ditto						
634. Ditto ditto 2 $\frac{1}{2}$ ditto						
635. Ditto ditto 2 $\frac{1}{2}$ ditto						

HAND-RAILS—continued.

Items.	Labour only.		Labour and Nails.		All.	
	s.	d.	s.	d.	s.	d.
636. Moulded for scroll or twist to curtail, in Spanish mahogany 2 ins.	7	9	9	4	13	6
637. Ditto ditto 2¼ ins.	8	0	9	8	15	0
638. Ditto ditto 2½ ditto	8	3	10	0	16	9
639. Circular sinking for balusters, add to price for sunk, 2 ins.	0	1	0	2¼	0	3
640. Ditto ditto 2¼ ditto	0	1½	0	2½	0	3½
641. Ditto ditto 2½ ditto	0	1½	0	3¼	0	4
642. Sinking iron cores, extra	0	1	0	1¼	0	1½
643. Ditto ditto ramps, wreath or twist, extra	0	2	0	2½	0	3
644. If less than 1 foot opening or well-holes to the wreaths, add for each inch less	0	5½	0	6½	0	7½
645. French polishing rail	0	3	...		0	5
646. Turned and mitred caps in deal, each	0	11	...		1	8
647. Ditto ditto in wainscot, each	1	0	...		2	2
648. Ditto ditto Honduras, each	1	1	...		2	4
649. Ditto ditto Spanish, each	1	8	...		2	10
650. Screw and nut joints, each	0	9	...		1	9
651. For beaded and oval rails add one sixth to the above items						
652. For half rails take two-thirds of the price for whole rails.						

(Cylinders extra.)

BALUSTERS, NEWELS, &c.

653. Balusters, square bar in deal, per foot run	0	1½	0	1½	0	2
654. Ditto ditto, wainscot ditto	0	1½	0	2	0	2½
655. Ditto, dovetailed, deal ditto	0	2	0	2¼	0	2½
656. Ditto ditto, wainscot, ditto	0	2½	0	3	0	3½
657. Plancere, rounded edges, ditto	0	1¼	0	1½	0	2
658. Ditto moulded ditto	0	1¼	0	2½	0	3
659. Newel, square framed, 2¼ ins., ditto	0	3¼	0	4¼	0	6½

BALUSTERS—*continued.*

Items.	Labour only.		Labour and Nails.		All.	
	s.	d.	s.	d.	s.	d.
660. Ditto ditto $2\frac{1}{2}$ ditto	0	$3\frac{1}{4}$	0	$4\frac{3}{4}$	0	$7\frac{1}{2}$
661. Ditto, chamfered, $2\frac{1}{2}$ ditto	0	$4\frac{1}{4}$	0	$6\frac{1}{4}$	0	$8\frac{1}{2}$
662. Ditto ditto $2\frac{1}{2}$ ditto	0	$5\frac{1}{4}$	0	$6\frac{1}{2}$	0	$9\frac{1}{2}$
663. Single turnings, each	1	0
664. Double ditto, each	1	3
665. Pendant drops, each	0	3
666. Gussets, each	0	6
667. Turning, $1\frac{1}{2}$ in. balusters, each	0	3
668. Ditto, $1\frac{1}{4}$ ditto, each	0	$4\frac{1}{4}$
669. Ditto 2 ditto, each	0	6
670. Fixing iron newels, each . .	2	0	2	4	2	7
671. Ditto ditto balusters, each	0	10	1	1	1	3
672. Ditto ditto, stays, each .	0	5	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$

VENEERED HAND-RAILS.—*Per foot run.*

	Plain Oval.	Ramps and Level Circular.	Wreatthing.
673. Mahogany, plain, $2\frac{1}{2}$ by $1\frac{1}{2}$ ins.	2 2	4 3	6 0
674. Ditto ditto $2\frac{1}{2}$ by $1\frac{1}{2}$ do.	2 4	4 6	6 6
675. Ditto ditto $2\frac{1}{4}$ by $1\frac{3}{4}$ do.	2 7	5 6	8 3
676. Ditto ditto 3 by $1\frac{3}{4}$ do.	2 10	5 6	8 3
677. Ditto ditto 3 by 2 do.	4 0	7 6	11 0
678. Ditto, beads to form groove, add	0 6	1 0	1 4
679. Ditto, moulded, $2\frac{1}{2}$ by 2 ins. .	4 0	7 6	11 0
680. Ditto ditto $2\frac{1}{4}$ by 2 ditto	4 6	8 9	13 0
681. Ditto ditto $2\frac{1}{4}$ by $2\frac{1}{2}$ ditto	5 0	9 6	14 0
682. Ditto ditto 3 by $2\frac{1}{2}$ ditto	6 0	11 6	17 0
683. Ditto ditto $3\frac{1}{2}$ by $2\frac{1}{2}$ ditto	10 0	18 6	27 0
684. Ditto ditto 4 by $2\frac{1}{2}$ ditto	11 0	20 6	30 0
685. Ditto ditto 4 by $2\frac{1}{4}$ ditto	12 0	22 6	33 0

PILASTERS AND COLUMNS.—*Per foot super.*

	Labour only. From Bench.		Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
Diminished columns glued and blocked 12 ins. diameter or more, $1\frac{1}{4}$ inch .	1	0	1	2	1	5	2	8
Ditto ditto $1\frac{1}{2}$ inch .	1	1	1	3	1	6 $\frac{1}{2}$	2	11
Ditto ditto from 12 to 10 inches, $1\frac{1}{4}$ in. .	1	2 $\frac{1}{2}$	1	4 $\frac{1}{2}$	1	8	2	11
Ditto ditto $1\frac{1}{2}$ in. .	1	3 $\frac{3}{4}$	1	6	1	10	3	2
Ditto ditto less than 10 inches, $1\frac{1}{4}$ in. .	1	5 $\frac{1}{2}$	1	7 $\frac{1}{2}$	1	11	3	3
Ditto ditto $1\frac{1}{2}$ in. .	1	6 $\frac{1}{2}$	1	8 $\frac{1}{2}$	2	0 $\frac{1}{2}$	3	5
Add if diminished swelling .	0	1 $\frac{1}{2}$	0	1 $\frac{1}{2}$	0	2	0	2 $\frac{1}{2}$
Pilasters, plain, glued and blocked, $1\frac{1}{4}$ in. .	0	5	0	6	0	7	1	2
Ditto ditto $1\frac{1}{2}$ in. .	0	5 $\frac{1}{4}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	4
Ditto, diminished, add Ditto ditto, swelling, add . . .	0	1	0	1	0	1 $\frac{1}{2}$	0	2
Ditto ditto, swelling, add . . .	0	1 $\frac{1}{2}$	0	1 $\frac{1}{2}$	0	2	0	2 $\frac{1}{2}$
Reeding or fluting to columns, 1 in. wide or less, <i>per foot run</i>	0	1 $\frac{1}{4}$	0	1 $\frac{1}{4}$
Ditto, $1\frac{1}{2}$ ditto .	0	1 $\frac{3}{4}$	0	1 $\frac{3}{4}$
Ditto, 2 ditto .	0	2 $\frac{1}{4}$	0	2 $\frac{1}{4}$
Ditto, 2 $\frac{1}{2}$ ditto .	0	2 $\frac{3}{4}$	0	2 $\frac{3}{4}$
Headings to reeds or flutes in columns or pilasters, 1 in., <i>each</i>	0	1 $\frac{1}{2}$	0	1 $\frac{1}{2}$
Ditto, $1\frac{1}{2}$ inch, <i>each</i> .	0	2	0	2
Ditto, 2 inch, <i>each</i> .	0	2 $\frac{1}{2}$	0	2 $\frac{1}{2}$
Ditto, 2 $\frac{1}{2}$ inch, <i>each</i> .	0	3	0	3
Necking grooves to columns, <i>per foot run</i>	0	4	0	4
Reeding or fluting pilasters, 1 in. ditto	0	0 $\frac{3}{4}$	0	0 $\frac{3}{4}$
Ditto, $1\frac{1}{2}$ inch ditto .	0	1 $\frac{1}{4}$	0	1 $\frac{1}{4}$
Ditto, 2 inch ditto .	0	1 $\frac{3}{4}$	0	1 $\frac{3}{4}$
Ditto, 2 $\frac{1}{2}$ inch ditto .	0	2 $\frac{1}{4}$	0	2 $\frac{1}{4}$

Items.	Labour only.				Labour and Nails.		Complete.	
	From Bench.		Fixed.		s.	d.	s.	d.
710. Necking grooves to pilasters, <i>per foot run</i>	0	2	0	2	
711. Bases and caps glued in thicknesses ready for turning, 3 inches thick or less, <i>per foot super</i>	2	1	2	4	2	8	5	6
712. Ditto, glued upright and blocked, ditto	2	4	2	7	3	0	6	0
713. Mitres, <i>each</i>	0	8	0	9	

CRADLING AND FRIEZE.—*Per foot super.*

714. Cradling to entablature $1\frac{1}{2}$ inch thick	0	4	0	5	0	$6\frac{1}{2}$	0	10
715. Ditto, circular, flat sweep	0	7	0	8	0	$9\frac{1}{2}$	1	3
716. Ditto ditto, quick sweep	0	9	0	10	1	0	1	7
717. Ditto, elliptical cornices	1	2	1	4	1	8	2	5
718. Ditto, for tongued blockings, add	0	$1\frac{1}{2}$	0	$1\frac{1}{2}$	0	2	0	$2\frac{1}{2}$
719. Frieze to shop fronts, tongued 1 inch	0	6	0	8	0	$9\frac{1}{2}$	1	3
720. Ditto ditto, $1\frac{1}{4}$ inch	0	7	0	$9\frac{1}{4}$	0	11	1	5
721. Ditto, circular, flat sweep, 1 inch	0	8	0	10	1	0	1	10
722. Ditto ditto, $1\frac{1}{4}$ inch	0	9	0	$11\frac{1}{2}$	1	$1\frac{1}{4}$	2	1
723. Ditto ditto, quick sweep, 1 inch	0	9	1	0	1	3	2	6
724. Ditto ditto, $1\frac{1}{4}$ inch	0	10	1	$1\frac{1}{2}$	1	5	2	$8\frac{1}{2}$
725. Ditto, elliptical corners	1	6	2	0	2	8	3	8
726. Mitres, straight, <i>each</i>	0	7	0	9	
727. Ditto, circular, <i>each</i>	0	9	1	2	
728. Honduras mahogany, $\frac{3}{4}$ inch frieze, add, on 1 inch deal, <i>per foot run</i>	0	$2\frac{1}{2}$	0	$2\frac{1}{2}$	0	3	1	1

MOULDINGS—(more than four inches girt)—Per foot super.

Items.	Labour only. From Bench.		Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
729. Common straight architrave, base and surbase . . .	0	6	0	7	0	9	1	5
730. Quirked, ditto . . .	0	6½	0	7½	0	9½	1	7
731. Ditto, worked by hand . . .	0	9½	0	10½	1	1	1	11
732. Ditto, circular, flat sweep . . .	1	2	1	4	1	6½	2	10
733. Ditto ditto, quick sweep . . .	1	9	1	11	2	3½	3	10
734. Ditto, elliptical or sharp corners . . .	2	9	3	1½	3	10	6	6
735. Ditto, wreathed . . .	4	5	4	11	6	0	9	6
736. Ditto, semicircular heads, 4 feet opening or more . . .	2	1	2	4	2	10½	4	5
737. Ditto, less than 4 feet . . .	2	3	2	6½	3	2	4	6
737*. Ditto, elliptical, add . . .	0	6½	0	8½	0	9½	1	3
738. Mouldings in pilasters, &c., reeded . . .	0	8	0	9	0	11	1	6
739. Ditto, grooves . . .	0	9	0	10	1	0½	1	8
740. Ditto, circular, flat sweep . . .	1	5	1	8	2	1½	2	10
741. Ditto ditto, quick sweep . . .	1	11	2	3	2	8	3	11
742. Ditto, elliptical . . .	2	5½	2	10	3	5	5	0

SINGLE MOULDINGS—Per foot run.

743. Grecian and similar moulding—rounds and hollows . . .	0	4	0	4½	0	8¼	1	0½
744. „ Circulars—flat sweep . . .	1	7	1	9	2	4	3	0
745. Ditto ditto, quick . . .	2	4	2	6	3	0	3	9
746. Ditto, elliptical . . .	2	7	2	10	3	6	4	4
747. Ditto, circular corners . . .	3	0	3	3	3	10	4	9
748. Ditto, elliptical ditto . . .	3	6½	3	10	4	6	5	6

Items.	Labour only.		Labour only.		Labour and Nails.		Complete.	
	From Bench.	Fixed.	From Bench.	Fixed.	s.	d.	s.	d.
749. Ditto, wreathed ditto	5	1	5	6	6	8	7	10
750. Ditto, circular heads, 4 feet diameter or more	2	7	2	9	3	2	4	6
751. Ditto, elliptical ditto	3	1	3	4	4	1	5	0
752. Ditto, quicked O. G. ditto $\frac{1}{2}$ in. per 12 ft.	0	6	0	8 $\frac{1}{2}$	0	10 $\frac{1}{2}$	1	2 $\frac{1}{2}$
753. Ditto ditto $\frac{3}{4}$ ditto	0	6 $\frac{1}{2}$	0	9 $\frac{1}{2}$	0	11 $\frac{1}{2}$	1	5
754. Ditto ditto $\frac{1}{2}$ ditto	0	7 $\frac{1}{2}$	0	11	1	1 $\frac{1}{2}$	1	10
755. Ditto ditto $1\frac{1}{2}$ ditto	0	8 $\frac{1}{2}$	1	0 $\frac{1}{2}$	1	4	2	3
756. Ditto, plain $\frac{1}{2}$ ditto	0	4	0	6	0	8 $\frac{1}{2}$	1	0
757. Ditto ditto $\frac{3}{4}$ ditto	0	4 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	9	1	3
758. Ditto ditto $1\frac{1}{2}$ ditto	0	5	0	7	0	9 $\frac{1}{2}$	1	7
759. Ditto ditto $1\frac{1}{4}$ ditto	0	5 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	10 $\frac{1}{4}$	2	0
760. Astragals or other mall mouldings	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1 $\frac{1}{4}$	0	1 $\frac{3}{4}$
761. Ditto to doors and shutters	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$	0	1 $\frac{3}{4}$
762. Fillets, gauged	0	0 $\frac{1}{4}$	0	1	0	1 $\frac{1}{2}$	0	1 $\frac{3}{4}$
763. Ditto, rebated or grooved	0	1	0	1 $\frac{1}{4}$	0	1 $\frac{3}{4}$	0	2 $\frac{1}{4}$
764. Nosings, rounded 1 in.	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1 $\frac{1}{4}$	0	1 $\frac{3}{4}$
765. Ditto, moulded ditto	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$	0	2 $\frac{1}{4}$
766. Ditto, parting ditto	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1 $\frac{1}{4}$	0	1 $\frac{1}{2}$
767. Bead—window ditto	0	0 $\frac{1}{4}$	0	1	0	1 $\frac{1}{2}$	0	2
768. Ditto, returned (labour)	0	0 $\frac{1}{4}$	0	0 $\frac{1}{2}$
769. Shelf-edge, doublereed ditto	0	0 $\frac{1}{2}$	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1
770. Ditto, treble ditto	0	1	0	1	0	1 $\frac{1}{2}$	0	1 $\frac{3}{4}$
771. Corners, plain rounded	0	2	0	2
772. Ditto, reeded ditto	0	3	0	3 $\frac{1}{4}$
773. Moulding housings—per inch girt	0	0 $\frac{1}{2}$	0	0 $\frac{1}{2}$	0	0 $\frac{1}{2}$
774. Plinth or block (square) to pilasters, each	0	2 $\frac{1}{4}$	0	3	0	3 $\frac{3}{4}$	0	6 $\frac{1}{4}$
775. Ditto, moulded or sunk, each	0	6 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	1	1
776. Cantilevers, single, to shelves, each	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	10 $\frac{1}{2}$
777. Ditto, double, do., each	0	10	0	11	1	1 $\frac{1}{2}$	1	8

Running Articles.

49

Items.	Labour only.				Labour and Nails.		Complete.	
	From Bench.		Fixed.		s.	d.	s.	d.
778. Hat-rail, moulded, deal, <i>per foot run</i> .	0	2½	0	3½	0	4½	0	6½
779. Ditto ditto, wainscot ditto .	0	4½	0	5½	0	7	0	10
780. Ditto ditto, mahogany Honduras .	0	5½	0	6½	0	8	1	1
781. Ditto ditto, Spanish .	0	6½	0	7½	0	9½	1	5½

RUNNING ARTICLES—*Per foot run.*

782. Fillets, rough, small	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	
783. Ditto ditto, large	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$	
784. Ditto, wrought, small	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$
785. Ditto ditto, large .	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$	0	2
786. Capping—beaded .	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$	0	2
787. Ditto, with O. G. .	0	1	0	1 $\frac{1}{2}$	0	2	0	3
788. Door-stops, rounded and mitred .	0	1	0	1 $\frac{1}{2}$	0	1 $\frac{1}{2}$	0	2 $\frac{1}{2}$
789. Ditto, and moulded .	0	1 $\frac{1}{4}$	0	1 $\frac{3}{4}$	0	2	0	3
790. Chair-rail, single bead- ed 1 in., 3 ins. wide	0	1 $\frac{1}{4}$	0	1 $\frac{3}{4}$	0	2	0	3
791. Ditto, double, ditto .	0	1 $\frac{1}{2}$	0	2	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$
792. Ditto, treble, ditto .	0	1 $\frac{1}{2}$	0	2 $\frac{1}{2}$	0	2 $\frac{1}{2}$	0	4
793. Skirting grounds, nar- row .	0	0 $\frac{1}{2}$	0	1	0	1 $\frac{1}{2}$	0	2
794. Do. rebated or grooved	0	1	0	1 $\frac{1}{2}$	0	1 $\frac{1}{2}$	0	2 $\frac{1}{2}$
795. Ditto, framed to open- ings, 2 ins. wide .	0	1 $\frac{1}{2}$	0	2	0	2 $\frac{1}{2}$	0	3
796. Framed rails, legs, or runners, less than 2-in. .	0	1 $\frac{1}{2}$	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	3 $\frac{1}{2}$
797. Ditto ditto, 2-in. .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$
798. Ditto ditto, 2 $\frac{1}{2}$ ins. .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$
799. Turning ditto, <i>each</i>	0	8
800. Rule-joints, in deal, <i>per foot run</i> .	0	3 $\frac{1}{4}$	0	3 $\frac{1}{4}$	0	4	0	5 $\frac{1}{4}$
801. Ditto, wainscot, ditto	0	6	0	6	0	7 $\frac{1}{2}$	0	10 $\frac{1}{2}$
802. Ditto, mahogany, ditto	0	7	0	7	0	8 $\frac{1}{2}$	1	0 $\frac{1}{2}$
803. Sinkings in shelves, do.	0	1	0	1	0	1 $\frac{1}{4}$	0	1 $\frac{1}{2}$
804. Cutting in standards, ditto .	0	1 $\frac{1}{2}$	0	1 $\frac{1}{2}$	0	1 $\frac{1}{2}$	0	2

Items.	Labour only.		Labour and Nails.		Completa.	
	From Bench.	Fixed.				
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
805. Ditto in shelves in walls, each end	0 1½	0 1½	0 1½	0 2	
806. Ditto, circulars to ramps ditto .	0 1½	0 1½	0 1½	0 1½	0 2½	
807. Square angle staff do.	0 1½	0 1½	0 1½	0 1½	0 2½	
808. Ditto, rebated ditto .	0 1½	0 2	0 2½	0 2½	0 3½	
809. Ditto, return beaded do. .	0 2	0 3	0 3½	0 3½	0 5½	
810. Clamps, grooved, ditto	0 2½	0 2½	0 3½	0 3½	0 6½	
811. Ditto, mortice, ditto .	0 4½	0 4½	0 5½	0 5½	0 9½	
812. Grooves, cross, under 9 ins. each .	0 1	0 1	0 1½	0 1½	0 1½	
813. Ditto, more than 9 ins. each .	0 1½	0 1½	0 1½	0 1½	0 2	
814. Ditto, stopped, add each	0 0½	0 0½	0 0½	0 0½	0 1	
815. Mitres to clamps, each	0 5½	0 5½	
816. Glued and mitred slips, per foot run .	0 1	0 1	0 1½	0 1½	0 2½	
817. Ditto, borders to slabs, ditto .	0 4	0 4	0 5½	0 5½	0 8½	
818. Labour to grooves, ½ in. or less, ditto .	0 0½	0 0½	
819. Ditto, beads, ditto .	0 0½	0 0½	
820. Ditto, two reeds, ditto	0 0½	0 0½	
821. Ditto, three, ditto .	0 0½	0 0½	
822. Ditto, sunk grooved, do.	0 1	0 1	
823. Ditto, beads .	0 1½	0 1½	
824. Ditto, two reeds .	0 2	0 2	
825. Ditto, three reeds, do.	0 2½	0 2½	
826. Ditto, exceeding ½ in. add for every ½ in. do.	0 0½	0 0½	

Per foot run.

	Labour only.		Labour and Nails.		All.	
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
827. Framed legs and rails, 2 inches	0 2½	0 3	0 4½	0 4½	0 4½	0 4½
828. Ditto ditto, 2½ inches .	0 2½	0 3½	0 5½	0 5½	0 5½	0 5½
829. Ditto ditto, 3 inches .	0 2½	0 3½	0 6½	0 6½	0 6½	0 6½
830. Ditto, beaded two edges, add .	0 0½

Running Articles.

51

Items.	Labour only.		Labour and Nails.		All.	
	s.	d.	s.	d.	s.	d.
831. Capping, wrought, rounded, and rebated, 3 inch by 2½, fir .	0	1½	0	2	0	5
832. Ditto ditto, 3 in. by 2½, oak .	0	2¼	0	3	0	7½
833. Ditto ditto, 3½ in. by 2½, fir .	0	1¼	0	2½	0	6½
834. Ditto ditto, 3½ in. by 2½, oak .	0	2¼	0	3½	0	9½
835. Ditto ditto, 3½ in. by 3, fir .	0	2¼	0	2½	0	7
836. Ditto ditto, 3½ in. by 3, oak .	0	3	0	3½	0	10½
837. Ditto ditto, 4 in. by 3, fir .	0	2½	0	3¼	0	7½
838. Ditto ditto, 4 in. by 3, oak .	0	3¼	0	4½	0	11½
839. Rack staves, framed, 1½ inch square, fir	0	1¼	0	1½	0	2½
840. Ditto ditto, 1½ in. square, oak .	0	2	0	2½	0	4½
841. Ditto, turned, 2 ditto, fir .	0	2½	0	3	0	5
842. Ditto, ditto, 2 ditto, oak .	0	4	0	4½	0	8½
843. Flutes, ¾ inch	0	0¾
844. Ditto, 1 inch	0	1
845. Ditto, 1½ inch	0	1¾
846. Housings to mouldings or ends returned, per inch girt, each .	0	0¼
847. Corners, plain, rounded, each .	0	1½
848. Ditto, reeded, each	0	2½
849. Cantilevers cut to shelves, each	0	3½	0	4½	0	5
850. Ditto, double, each	0	7	0	9	0	10
851. Turnings to legs and newels, each	0	11
852. Ditto, double, each	1	2
853. Seat holes, cut and dished, each	1	0
854. Ditto, mahogany or wainscot, each	1	6
855. Covers to W. C. seats, each . .	1	0	1	8
856. Angle shelves in deal, small, each	0	10	1	0	1	
857. Cloak pins, turned in deal, each	0	1¾	0	3
858. Ditto ditto, in mahogany, each	0	3¼	0	6
859. Harness pins, turned in deal, each	0	4	0	6
860. Ditto ditto, in ash, each	0	4½	0	9
861. Fixing cupboard locks, latches, each	0	6
86 . Ditto ditto, dead locks, each . .	0	6

Items.	Labour only.		Labour and Nails.		All.	
	s.	d.	s.	d.	s.	d.
863. Fixing spring locks, 6 or 7 ins. <i>each</i>	0	8
864. Ditto, front door locks	0	10
865. Ditto, mortice locks, <i>each</i>	2	0
866. Ditto, mortice or pulpit latches <i>each</i>	1	2
867. Ditto, shutter bar with latch, <i>each</i>	0	7
868. Ditto, patent sash fastenings, <i>each</i>	0	4
869. Ditto, shutter or sash screws, <i>each</i>	0	4
870. Ditto, common bolts, <i>each</i>	0	2
871. Ditto, cross shutter bolts, <i>each</i>	0	3½
872. Ditto, flush bolts, under 6 ins. <i>each</i>	0	4
873. Ditto ditto, 6 to 9 ins., <i>each</i>	0	6
874. Ditto ditto, add for every 3 ins. beyond 9 inches, <i>each</i>	0	1½

GUTTERS AND WATER-TRUNKS—Per foot run.

	Labour from Bench.		Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
875. Trunks, square, 4½ ins., ½ inch deal	0	3½	0	4½	0	5½	0	11½
876. Ditto ditto, 5 inches, 1 inch deal	0	3½	0	4½	0	5½	1	1½
877. Ditto ditto, 6 inches, 1 inch deal	0	4	0	5	0	6½	1	2½
878. Ditto ditto, 5 inches, 1½ inch deal	0	4	0	5	0	6½	1	2½
879. Ditto ditto, 6 inches, 1½ inch deal	0	5	0	6	0	7	1	5
880. Ditto, add for ploughing and tonguing	0	1½	0	1½	0	1½	0	2½
881. Shoes for trunks, <i>each</i>	0	6	0	6	0	7½	1	0
882. Joints, ditto, <i>each</i>	0	4	0	4	0	5	0	6
883. Hopper heads, <i>each</i>	0	6	0	6	0	7	1	0

Items.	Labour from Bench.		Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
884. Moulded heads, <i>each</i> .	0	7	0	7	0	8	1	3½
885. Ditto, and weather capping, <i>each</i> . . .	0	9	1	0	1	1½	1	8
886. Arris gutters, 4 inches deep, ¾ inch deal, <i>per</i> <i>foot run</i>	0	1½	0	2½	0	3	0	5
887. Ditto, 4 in. deep, 1 in. deal, ditto	0	1¾	0	2¾	0	3¼	0	6
888. Ditto, 4 in. deep, 1½ in. deal, ditto	0	2	0	3	0	3½	0	7
889. Open trough ditto, 4 in. deep, ¾ in. deal, ditto	0	2½	0	3½	0	4	0	8
890. Ditto ditto, 4 in. deep, 1 in. deal ditto . .	0	3	0	4	0	5	0	10
891. Ditto ditto, 4 in. deep, 1½ in. deal ditto . .	0	3¾	0	4¾	0	6	1	0½
892. Fillet gutters, 4 in. deep, ¾ in. deal, ditto	0	2	0	3	0	3½	0	6
893. Ditto ditto, 4 in. deep, 1 in. deal, <i>per foot</i> <i>super</i>	0	2¼	0	3¼	0	3¾	0	8
894. Ditto ditto, 4 in. deep, 1½ in. deal, ditto . .	0	2¾	0	3¾	0	4¼	0	10
895. Ploughed and tongued, add <i>per foot</i> . . .	0	0¾	0	0¾	0	1	0	1½

JOINERS' WORK.

For the following items, which belong to that description of work more particularly distinguished as *Joiners' Work*, we have adopted a new set of numbers for the items, and thus avoided the inconvenience of higher numbers in cases of reference.

SASH FRAMES.—*Per foot super.*

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
1. Sash frames, deal cased, oak sunk sills, with brass cased pulleys to hang single, $1\frac{1}{2}$ in.	0	$3\frac{1}{2}$	0	4	0	$4\frac{1}{2}$	0	$7\frac{1}{2}$
2. Ditto do., to hang double	0	4	0	$4\frac{1}{2}$	0	5	0	$8\frac{1}{2}$
3. Ditto, circular head, measured square .	0	9	0	10	1	0	1	$8\frac{1}{2}$
4. Ditto, circular on plan, flat sweep . . .	0	6	0	7	0	8	1	$1\frac{1}{2}$
Ditto ditto, rise $\frac{1}{2}$ inch to foot . . .	0	8	0	9	0	11	1	$5\frac{1}{2}$
6. As item 1, 2 inches .	0	4	0	$4\frac{1}{2}$	0	5	0	$8\frac{1}{2}$
7. Ditto 2, ditto .	0	$4\frac{1}{2}$	0	5	0	$5\frac{1}{2}$	0	$9\frac{1}{2}$
8. Ditto 3, ditto .	0	9	0	10	1	0	1	10
9. Ditto 4, ditto .	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	0	$9\frac{1}{2}$	1	5
10. Ditto 5, ditto .	0	$8\frac{1}{2}$	0	$9\frac{1}{2}$	0	$11\frac{1}{2}$	1	9
11. Ditto ditto. circular head, rise $\frac{1}{4}$ inch to foot, 2 inches .	2	8	2	10	3	5	4	6
12. Ditto ditto, $\frac{1}{2}$ inch to foot, 2 inches .	3	3	3	6	4	4	5	6
13. As item 1, $2\frac{1}{2}$ inches .	0	$4\frac{3}{4}$	0	$5\frac{1}{2}$	0	$6\frac{1}{4}$	0	$10\frac{1}{4}$
14. Ditto 2, ditto .	0	$5\frac{1}{4}$	0	$6\frac{1}{2}$	0	7	0	$11\frac{1}{2}$
15. Ditto 3, ditto .	0	10	0	11	1	$1\frac{1}{2}$	2	0
16. Ditto 4, ditto .	0	$7\frac{1}{4}$	0	$8\frac{1}{2}$	0	11	1	7
17. Ditto 5, ditto .	0	$9\frac{1}{2}$	0	$10\frac{1}{2}$	1	1	1	11
18. Ditto ditto, circular head, rise $\frac{1}{4}$ inch to foot, $2\frac{1}{2}$ inches .	2	$9\frac{1}{2}$	2	$11\frac{1}{2}$	3	7	4	9
19. Ditto ditto, $\frac{1}{2}$ inch to foot, $2\frac{1}{2}$ inches .	3	$4\frac{1}{2}$	3	$7\frac{1}{2}$	4	6	5	9

	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
Sash frames, deal cased, oak sunk sills, wainscot pulley-pieces and beads, brass axle pulleys, to hang double, 2 inches . . .	0	5	0	6	0	7	1	5
Ditto, circular head measured square, 2 inches	1	3	1	5	1	8	2	9
Ditto, circular on plan flat sweep, 2 inches .	0	9	0	10	1	0	2	1
Ditto ditto, rise $\frac{1}{2}$ inch to foot, 2 inches .	0	11	1	0	1	2	2	8
Ditto ditto, circular head, rise $\frac{1}{4}$ inch to foot, 2 inches . .	3	0	3	3	4	0	6	2
Ditto ditto, $\frac{1}{2}$ inch to foot, 2 inches . .	3	6	4	0	4	10	7	2
As item 20, 2 $\frac{1}{2}$ inches .	0	6	0	7	0	8 $\frac{1}{2}$	1	8
Ditto 21, ditto .	1	5	1	7	2	0	3	3
Ditto 22, ditto .	0	11	1	0 $\frac{1}{2}$	1	4	2	7
Ditto 23, ditto .	1	1	1	2 $\frac{1}{2}$	1	4	3	2
Ditto 24, ditto .	3	2	3	6	4	3	6	7
Ditto 25, ditto .	3	9	4	3	5	1	7	8
Sash frames, deal cased oak sunk sills, Honduras mahogany pulley pieces and beads, brass axle pulleys, to hang double, 2 inches*	0	6	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	1	10
Ditto, circular head measured square, 2 inches	1	4	1	6	1	11	3	2
Ditto, circular on plan, flat sweep, 2 inches .	0	9 $\frac{1}{2}$	0	10 $\frac{1}{2}$	1	1 $\frac{1}{2}$	2	4
Ditto ditto, rise $\frac{1}{2}$ inch to foot, 2 inches .	1	0	1	1	1	3 $\frac{1}{2}$	2	11
Ditto ditto, circular head, rise $\frac{1}{4}$ inch to foot, 2 inches . .	3	11	4	3	4	11	7	0

* Frames with Honduras mahogany pulley stiles and beads, same as wainscot.

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
37. Ditto ditto, $\frac{1}{2}$ inch to foot, 2 inches . . .	4	5	4	9	5	6	8	0
38. As item 32, $2\frac{1}{2}$ inches .	0	7 $\frac{1}{2}$	0	9	0	10 $\frac{1}{2}$	2	3
39. Ditto 33, ditto .	1	6	1	8 $\frac{1}{2}$	2	2	3	10
40. Ditto 34, ditto .	0	11 $\frac{1}{2}$	1	1	1	5	3	0
41. Ditto 35, ditto .	1	2	1	3 $\frac{1}{2}$	1	7	3	7
42. Ditto 36, ditto .	4	1	4	6	5	3	7	8
43. Ditto 37, ditto .	4	7	5	0	5	10	8	8
44. Pulley stiles tongued to linings, add <i>per foot super</i> . . .	0	1	0	1	0	1 $\frac{1}{4}$	0	1 $\frac{1}{2}$
45. Tongued beads, add <i>per foot super</i> . . .	0	1	0	1	0	1 $\frac{1}{4}$	0	1 $\frac{1}{2}$

CASEMENT FRAMES.—*Per foot super.*

46. Wrought, rebated, and beaded fir frames ; oak sunk sills, throat-ed, and weathered for $1\frac{1}{2}$ inch casements, quarters 3×3 ins.	0	1 $\frac{3}{4}$	0	2 $\frac{1}{4}$	0	2 $\frac{1}{4}$	0	5 $\frac{1}{2}$
47. Ditto ditto $3\frac{1}{2} \times 3$ do.	0	2	0	2 $\frac{1}{4}$	0	3	0	6
48. Ditto ditto 4×3 do.	0	2 $\frac{1}{4}$	0	2 $\frac{3}{4}$	0	3 $\frac{1}{4}$	0	6 $\frac{1}{2}$
49. Ditto ditto $4 \times 3\frac{1}{2}$ do.	0	2 $\frac{1}{2}$	0	3	0	3 $\frac{1}{2}$	0	7
50. Ditto ditto 4×4 do.	0	2 $\frac{3}{4}$	0	3 $\frac{1}{4}$	0	3 $\frac{3}{4}$	0	7 $\frac{1}{2}$
51. Ditto for 2 inch case-ment quarters, $3\frac{1}{2} \times 8$ ditto . . .	0	2 $\frac{1}{2}$	0	3	0	3 $\frac{1}{2}$	0	7 $\frac{1}{2}$
52. Ditto ditto 4×3 do. .	0	2 $\frac{3}{4}$	0	3 $\frac{1}{2}$	0	4	0	8
53. Ditto ditto $4 \times 3\frac{1}{2}$ do. .	0	3	0	4	0	4 $\frac{1}{2}$	0	8 $\frac{1}{2}$
54. Ditto ditto 4×4 do. .	0	3 $\frac{3}{4}$	0	4 $\frac{1}{2}$	0	5	0	9
55. Cased frames of deal, oak sunk sills, throat-ed and weathered with wainscot beads and stiles for 2 inch case-ments . . .	0	5	0	6 $\frac{1}{4}$	0	7 $\frac{1}{2}$	1	5

Sash-Frames.

57

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
56. Ditto do., circular head measured square .	1	4½	1	7½	1	11	2	10
57. Ditto ditto, circular head, rise ¼ inch to foot	3	10	4	1	4	10	5	9
58. Ditto ditto, ½ in. to foot	4	4	4	7	5	4	6	9
59. Add to items 55, 56, 57, 58, for mahogany beads and stiles .	0	1½	0	1½	0	2	0	3½
60. Additional beads or grooves, <i>per foot run</i> .	0	1	0	1½	0	1½	0	2
61. For 2½ in. casements, add to items 51, 52, 53, 54	0	1	0	1½	0	1½	0	2½
62. Ditto, add to items 55, 56, 57, 58	0	1½	0	1½	0	1½	0	3
63. Ditto, add to item 59 .	0	1½	0	2	0	2½	0	3½

VENETIAN FRAMES.—*Per foot super.*

64. Cased frames of deal, oak sunk sills, brass cased pulleys to hang single, for 1½ in. sashes	0	4	0	5	0	6	1	0
65. Ditto, to hang double .	0	4½	0	5½	0	6½	1	1½
66. Ditto, for 2 in. sashes, to hang single	0	4½	0	5	0	6½	1	2
67. Ditto, to hang double .	0	5	0	5½	0	7	1	4
68. Ditto, circular on plan flat sweep	0	7	0	8	0	10	1	8
69. Ditto ditto, rise ½ in. to foot	0	10½	0	11½	1	1	2	2
70. Ditto ditto, 2½ in. with sashes, to hang double	0	5½	0	6½	0	8½	1	6
71. Ditto ditto, circular on plan, flat sweep	0	9	0	10½	1	0½	2	0

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Completa.	
	s.	d.	s.	d.	s.	d.	s.	d.
72. Ditto ditto, rise $\frac{1}{2}$ in. to foot	1	1	1	2 $\frac{1}{2}$	1	4 $\frac{1}{2}$	2	6
73. Palladian head, measured square	
74. Ditto ditto, circular on plan	
75. Add to items 64 to 67 inclusive, for wainscot pulley pieces & heads	0	1 $\frac{1}{2}$	0	1 $\frac{1}{2}$	0	2 $\frac{1}{2}$	0	5
76. Add to items 68 and 69, for ditto	0	2 $\frac{1}{2}$	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	7
77. Ditto, 70 for do.	0	1 $\frac{3}{4}$	0	2	0	2 $\frac{3}{4}$	0	6
78. Ditto, 71 and 72 for do.	0	3	0	3 $\frac{1}{4}$	0	4	0	8
79. Ditto, 73 for do.	0	1 $\frac{3}{4}$	0	2	0	2 $\frac{1}{2}$	0	6
80. Ditto, 74 for do.	0	3	0	3 $\frac{1}{4}$	0	4	0	8
81. Ditto, 64 to 67 inclusive for mahogany pulley pieces and heads .	0	3 $\frac{1}{4}$	0	3 $\frac{1}{4}$	0	4 $\frac{1}{2}$	0	10 $\frac{1}{2}$
82. Ditto, 68 and 69 for do.	0	4 $\frac{3}{4}$	0	5 $\frac{1}{4}$	0	6	1	1 $\frac{1}{2}$
83. Ditto, 70 for do.	1	3 $\frac{3}{4}$	1	4 $\frac{1}{4}$	1	5 $\frac{1}{4}$	1	11 $\frac{1}{2}$
84. Ditto, 71 for do.	1	5 $\frac{1}{4}$	1	5 $\frac{3}{4}$	1	6 $\frac{3}{4}$	1	11
85. Ditto, 73 for do.	1	3 $\frac{1}{2}$	1	4	1	5	1	11
86. Ditto, 74 for do.	1	5 $\frac{1}{4}$	1	5 $\frac{3}{4}$	1	7	1	11
87. For double pulley stiles between side and centre light, straight, add	1	1 $\frac{1}{2}$	1	1 $\frac{3}{4}$	1	2 $\frac{1}{4}$	1	3 $\frac{1}{4}$
88. Ditto ditto, circular, add	1	1 $\frac{3}{4}$	1	2	1	2 $\frac{3}{4}$	1	5 $\frac{1}{4}$

SASHES.—Per foot super.

89. Deal ovolo sashes, 1 $\frac{1}{2}$ in.	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	4	0	7 $\frac{1}{2}$
90. Ditto ditto, 2 do. . .	0	3	0	4	0	5	0	8 $\frac{1}{2}$
91. Ditto ditto, 2 $\frac{1}{2}$ do. . .	0	4	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	10
92. Wainscot ditto, 1 $\frac{1}{2}$ do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	11
93. Ditto ditto, 2 do. . .	0	4	0	5	0	6	1	1 $\frac{1}{2}$
94. Ditto ditto, 2 $\frac{1}{2}$ do. . .	0	5	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	5
95. Spanish mahogany do., 1 $\frac{1}{2}$ in.	0	6	0	7	0	8 $\frac{1}{2}$	1	6
96. Ditto ditto, 2 do. . .	0	7	0	8	0	10	2	0

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Completa.	
	s.	d.	s.	d.	s.	d.	s.	d.
97. Spanish mahogany sashes, $2\frac{1}{2}$ ins. .	0	$8\frac{1}{2}$	0	10	1	1	2	6
98. Deal do., circular head measured square, $1\frac{1}{2}$ in. . .	0	10	0	11	1	1	1	4
99. Ditto ditto 2 in. .	1	0	1	1	1	$3\frac{1}{2}$	1	6
100. Ditto ditto $2\frac{1}{2}$ do. .	1	$11\frac{1}{2}$	1	$2\frac{1}{2}$	1	5	1	9
101. Wainscot, ditto, $1\frac{1}{2}$ ins. .	1	$0\frac{3}{4}$	1	$1\frac{1}{2}$	1	$3\frac{1}{2}$	1	11
102. Ditto ditto, 2 do. .	1	2	1	3	1	5	2	4
103. Ditto ditto, $2\frac{1}{2}$ do. .	1	$3\frac{1}{2}$	1	$4\frac{1}{2}$	1	7	2	10
104. Spanish mahogany, do $1\frac{1}{2}$ ins. . .	1	$3\frac{1}{2}$	1	$5\frac{1}{2}$	1	7	3	3
105. Ditto ditto, 2 do. .	1	5	1	$6\frac{1}{2}$	1	9	3	6
106. Ditto ditto, $2\frac{1}{2}$ do. .	1	$6\frac{1}{2}$	1	$8\frac{1}{2}$	1	$11\frac{1}{2}$	4	0
107. Deal circular on plan, $\frac{1}{4}$ in. to foot, $1\frac{1}{2}$ ins. .	0	6	0	7	0	$8\frac{1}{4}$	0	$11\frac{1}{2}$
108. Ditto ditto, 2 do. .	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	0	$9\frac{1}{4}$	1	$2\frac{1}{2}$
109. Ditto ditto, $2\frac{1}{2}$ do. .	0	$7\frac{1}{4}$	0	9	0	$10\frac{1}{2}$	1	$4\frac{1}{2}$
110. Ditto, $\frac{1}{2}$ in., $1\frac{1}{2}$ do. .	0	8	0	$9\frac{1}{4}$	0	11	1	5
111. Ditto ditto, 2 do. .	0	$8\frac{1}{2}$	0	$9\frac{1}{2}$	0	$11\frac{1}{2}$	1	6
112. Ditto ditto, $2\frac{1}{2}$ do. .	0	$9\frac{1}{4}$	0	$11\frac{1}{4}$	1	$0\frac{1}{2}$	1	$8\frac{1}{2}$
113. Wainscot, $\frac{1}{4}$ in. $1\frac{1}{2}$ do. .	0	$6\frac{1}{2}$	0	$7\frac{3}{4}$	0	9	1	5
114. Ditto ditto, 2 do. .	0	8	0	9	0	11	1	9
115. Ditto ditto, $2\frac{1}{2}$ do. .	0	10	0	$11\frac{1}{4}$	1	$1\frac{1}{2}$	2	$1\frac{1}{2}$
116. Ditto, 1 in., $1\frac{1}{2}$ do. .	0	$8\frac{1}{2}$	0	$9\frac{3}{4}$	0	$11\frac{1}{4}$	2	0
117. Ditto ditto, 2 do. .	0	10	0	11	1	1	2	3
118. Ditto ditto, $2\frac{1}{2}$ do. .	1	0	1	$1\frac{1}{4}$	1	4	2	$7\frac{1}{2}$
119. Spanish mahogany 1 in., $1\frac{1}{2}$ do. . .	0	8	0	9	0	10	2	8
120. Ditto ditto, 2 do. .	0	10	0	11	1	$1\frac{1}{2}$	3	0
121. Ditto ditto, $2\frac{1}{2}$ do. .	1	1	1	2	1	5	3	5
122. Ditto, 1 in., $1\frac{1}{2}$ do. .	0	11	1	0	1	$1\frac{1}{4}$	3	0
123. Ditto ditto, 2 do. .	1	1	1	2	1	$3\frac{1}{2}$	3	7
124. Ditto ditto, $2\frac{1}{2}$ do. .	1	4	1	$5\frac{1}{2}$	1	$7\frac{1}{2}$	4	$3\frac{1}{2}$
125. Deal circular, circular head, $\frac{1}{4}$ in., $1\frac{1}{2}$ do. .	2	11	3	$2\frac{1}{2}$	3	8	5	0
126. Ditto ditto, 2 do. .	3	0	3	4	3	10	5	2
127. Ditto ditto, $2\frac{1}{2}$ do. .	3	$1\frac{1}{4}$	3	$5\frac{1}{2}$	4	0	5	$4\frac{1}{2}$
128. Ditto, 1 in., $1\frac{1}{2}$ do. .	3	$2\frac{1}{2}$	3	$7\frac{1}{2}$	4	2	6	0

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete	
	s.	d.	s.	d.	s.	d.	s.	d.
129. Deal circular, circular head, 2 ins. . . .	3	4	3	9	4	4	6	2
130. Ditto ditto, 2½ do. . . .	3	5½	3	10½	4	6	6	4½
131. Wainscot, ¼ in., 1½ do. . . .	3	0	3	2	3	10	5	6
132. Ditto ditto, 2 do. . . .	3	2	3	4½	4	1	5	10
133. Ditto ditto, 2½ do. . . .	3	4	3	7	4	4	6	2
134. Ditto, 1 in., 1½ do. . . .	3	7	3	9	4	6	6	8
135. Ditto ditto, 2 do. . . .	3	9	4	0	4	9	7	0
136. Ditto ditto, 2½ do. . . .	3	11	4	3	5	0	7	4
137. Spanish mahogany ¼ in., 1½ in. . . .	3	6	3	9	4	4	6	2
138. Ditto ditto, 2½ do. . . .	3	9	4	1	4	9	6	10
139. Ditto ditto, 2½ do. . . .	4	0	4	5	5	2	7	6
140. Ditto, 1 in., 1½ do. . . .	4	0	4	3	4	11	7	2
141. Ditto ditto, 2 do. . . .	4	3	4	7	5	4	7	10
142. Ditto ditto, 2½ do. . . .	4	6	4	11	5	9	8	6
143. Deal circular head with chord bar to meeting rail, 1½ ins. . . .	1	0	1	1	1	3½	1	8
144. Ditto ditto, 2 do. . . .	1	2	1	3	1	6½	2	0
145. Ditto ditto, 2½ do. . . .	1	4	1	5	1	9½	2	4
146. Wainscot ditto, 1½ ins. . . .	1	1	1	2½	1	5½	2	0
147. Ditto ditto, 2 do. . . .	1	3	1	5	1	10	2	10
148. Ditto ditto, 2½ do. . . .	1	5	1	7½	2	3	3	9
149. Spanish mahogany, do. 1½ ins. . . .	1	5½	1	7	1	11	3	8
150. Ditto ditto, 2 do. . . .	1	7	1	9	2	1	4	0
151. Ditto ditto, 2½ do. . . .	1	8½	1	11	2	3½	4	4
152. Astragal and hollow add on straight	0	0½	0	0¾	0	1	0	1½
153. Ditto ditto, on circular	0	1	0	1½	0	2½	0	2½
154. Lamb's tongue, or similar bar straight, add	0	1	0	1¼	0	1½	0	2
155. Ditto ditto, circular, add	0	1¼	0	1½	0	1¾	0	2¼
156. Extra marginal bars, straight, add per foot run	0	0¾	0	1	0	1¼	0	1½
157. Ditto ditto, circular, add per foot run	0	1¼	0	1½	0	2¼	0	3

SASHES FOR SHOP FRONTS.—*Per foot super.*

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Completo.	
	s.	d.	s.	d.	s.	d.	s.	d.
158. Deal ovolo, 1½ ins .	0	3	0	3½	0	4½	0	8
159. Ditto ditto, 2 do .	0	3½	0	4	0	5	0	9
160. Wainscot astragal 1½ in.	0	5	0	6	0	7	1	1½
161. Ditto ditto, 2 do. .	0	6	0	7	0	8	1	3
162. Spanish mahogany, 1½ ins.	0	7	0	8	0	9	1	9½
163. Ditto ditto, 2 do. .	0	8	0	9	0	10	2	1
164. Ditto ditto, 2½ do. .	0	9	0	10	1	1	2	4
165. Deal, 2 inch circular on plan, flat sweep .	0	5	0	6	0	7	1	1½
166. Ditto ditto, ½ in. to foot	0	6	0	7	0	8	1	3½
167. Ditto, quick or ellip- tical corners . . .	1	1½	1	3½	1	6	2	2
168. Ditto, circular head measured square .	0	10½	1	0½	1	2	1	8
169. Ditto, circular circu- lar head	2	9	3	1	3	8	5	4
170. Ditto, add, if 2½ ins. .	0	0½	0	1	0	1½	0	2½
171. Wainscot, 2 inch cir- cular on plan, flat sweep	0	8	0	9	0	10	1	8
172. Ditto ditto, ½ in. to foot	0	10	0	11	1	0½	2	2
173. Ditto, quick or ellip- tical corners . . .	1	2½	1	5	1	8	3	4
174. Ditto, circular head, measured square .	1	1	1	3	1	6	2	9
175. Ditto, circular circu- lar head	3	6	3	10	4	6	7	0
176. Spanish mahogany, circular on plan, flat sweep, 2 ins. . . .	0	10	0	11	1	2	2	9
177. Ditto ditto, 2½ ins. .	1	0	1	1	1	4	3	3
178. Ditto ditto, ½ inch to foot 2 ins.	1	0½	1	1½	1	4½	3	6
179. Ditto ditto, 2½ ins. .	1	2	1	4	1	7	4	2

Items.	Labour from Bench.	Labour Fixed.	Labour and Nails.	Complete.	
	s. d.	s. d.	s. d.	s. d.	s. d.
180. Ditto ditto, quick or elliptical corners, 2 ins.	1 5½	1 8	1 11	4	2
181. Ditto ditto, 2½ ins.	1 7	1 10	2 2	5	4
182. Ditto ditto, circular head, measured square, 2 ins.	1 4	1 6½	1 9½	3	8
183. Ditto, 2½ ins.	1 5	1 8	2 0	4	4
184. Returns for each break under breastsummer, add	3 0	4 3	5 0	7	6

Per foot run.

185. Deal cant bar, 2 ins.	0 5	0 6¼	0 7½	0 11
186. Ditto ditto, angle 2 ins.	0 7	0 8¼	0 9½	1 1
187. Wainscot cant bar, 2 ins.	0 7	0 8¼	0 9½	1 3½
188. Ditto ditto, angle, 2 ins.	0 8	0 9¼	0 10¾	1 7
189. Mahogany cant bar, 2 ins.	0 8	0 9½	0 11	1 7½
190. Ditto ditto, angle 2 ins.	0 9	0 10¼	1 0½	1 10
191. Add, if astragal, 2 ins.	0 1	0 1¼	0 1½	0 2
192. Add, if lamb's tongue or gothic, 2 ins.	0 2	0 2½	0 3½	0 4½
193. Guard or angle bead deal, straight, 2 ins.	0 1	0 1¼	0 1½	0 2
194. Ditto ditto, circular, 2 ins.	0 2	0 2½	0 3	0 4
195. Do. wainscot, straight, 2 ins.	0 1½	0 2	0 2½	0 4
196. Ditto ditto, circular, 2 ins.	0 3	0 4	0 5	0 8
197. Mahogany, straight, 2 ins.	0 2	0 2½	0 3	0 6
198. Ditto ditto, circular, 2 ins.	0 4	0 5	0 6	1 0

SASHES AND FRAMES.—*Per foot super.*

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
199. Deal cased frames, oak sunk sills, $1\frac{1}{2}$ in. ovolo sashes, single hung brass cased pulleys, iron weights, and best white lines	0	$4\frac{1}{2}$	0	6	0	$7\frac{1}{2}$	1	3
200. Ditto ditto, 2 ins.	0	$5\frac{1}{2}$	0	7	0	9	1	5
201. Ditto do., double hung $1\frac{1}{2}$ ins.	0	5	0	$6\frac{1}{2}$	0	$8\frac{1}{2}$	1	$4\frac{1}{2}$
202. Ditto ditto, 2 ins.	0	6	0	$7\frac{1}{2}$	0	$9\frac{1}{2}$	1	6
203. Ditto ditto, $2\frac{1}{2}$ ins.	0	7	0	$8\frac{1}{2}$	0	11	1	9
204. Circular on plan, flat sweep, $1\frac{1}{2}$ ins.	0	9	0	11	1	1	2	1
205. Ditto ditto, 2 do.	0	10	1	0	1	$2\frac{1}{2}$	2	3
206. Ditto ditto, $2\frac{1}{2}$ ins.	1	0	1	$2\frac{1}{2}$	1	$5\frac{1}{2}$	2	8
207. Ditto, 1 inch to foot, $1\frac{1}{2}$ ins.	0	11	1	0	1	$3\frac{1}{2}$	2	6
208. Ditto ditto, 2 ins.	1	0	1	2	1	5	3	0
209. Ditto ditto, $2\frac{1}{2}$ do.	1	2	1	$4\frac{1}{2}$	1	8	3	5
210. Ditto, circular head, measured square, $1\frac{1}{2}$ inches	1	4	1	6	1	9	2	7
211. Ditto ditto, 2 ins.	1	5	1	7	2	0	3	0
212. Ditto ditto, $2\frac{1}{2}$ do.	1	7	1	$9\frac{1}{2}$	2	3	3	5
213. Ditto circular circular head, $\frac{1}{2}$ in. to foot.	3	8	4	2	4	9	7	9
214. Ditto ditto, 2 do.	4	4	4	10	5	9	8	3
215. Ditto ditto, $2\frac{1}{2}$ do.	4	6	5	0	6	0	8	8
216. Ditto ditto, 1 inch to foot, $1\frac{1}{2}$ ins.	4	4	4	10	5	9	8	9
217. Ditto ditto, 2 do.	4	8	5	2	6	0	9	3
218. Ditto ditto, $2\frac{1}{2}$ do.	4	10	5	5	6	3	9	8
219. Ditto, straight and cir- cular spandrills and top rails, square in- side, $1\frac{1}{2}$ inches	1	1	1	3	1	6	2	5
220. Ditto ditto, 2 do.	1	3	1	5	1	9	2	10

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
221. Ditto ditto, 2½ do. .	1	5	1	7½	2	0	3	3
222. Ditto, chord-bar to meeting rail, 1½ ins.	1	6	1	8	2	1	2	10
223. Ditto ditto, 2 do. .	1	7	1	9	2	2	3	4
224. Ditto ditto, 2½ do. .	1	9	2	0	2	6	3	9
225. Frames, deal cased, oak sunk sills, wainscot pulley pieces, and beads, 1½ in. wainscot, astragal sashes, brass axle pulleys, patent lines, single hung, 1½ ins. .	0	8	0	10	1	0	2	3
226. Ditto ditto, double hung 1½ ins. .	0	9	0	11	1	1	2	5
227. Ditto ditto, 2 do. .	0	10	1	0	1	2	2	8
228. Ditto ditto, 2½ do. .	1	0	1	2½	1	5	3	0
229. Ditto, circular head, measured square, 1½ inches .	1	9	2	0	2	6	4	4
230. Ditto ditto, 2 do. .	1	10½	2	2	2	9	4	8
231. Ditto ditto, 2½ do. .	2	1	2	5	3	1	5	4
232. Ditto, circular on plan, flat sweep, 1½ ins. .	1	0	1	2	1	5	3	0
233. Ditto ditto, 2 do. .	1	1	1	4	1	7	3	7
234. Ditto ditto, 2½ do. .	1	4	1	7½	1	11	4	0
235. Ditto, ½ inch to foot, 1½ inch .	1	3	1	5	1	9	3	10
236. Ditto ditto, 2 do. .	1	5	1	8	2	1	4	4
237. Ditto ditto, 2½ do. .	1	8	2	0	2	6	4	10
238. Ditto, circular on plan, and circular head, flat sweep, 1½ ins. .	4	10	5	0	6	0	9	6
239. Ditto ditto, 2 do. .	5	4	5	7	6	8	10	6
240. Ditto ditto, 2½ do. .	5	7	5	11	7	1	11	0
241. Ditto ditto, 6 ins. to foot, 1½ inch .	5	5	5	8	6	9	10	8
242. Ditto ditto, 2 do. .	5	8	5	11	6	10	11	6
243. Ditto ditto, 2½ do. .	5	11	6	3	7	3	12	0

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
244. Ditto, straight and circular spandrills and top rails, head square inside, $1\frac{1}{2}$ inch .	1	0 $\frac{1}{2}$	2	2	2	7	4	4
245. Ditto ditto, 2 do. .	1	11	2	3	2	8	4	7
246. Ditto ditto, $2\frac{1}{2}$ do. .	2	1	2	5	2	10	4	11
247. Ditto, chord bar to meeting rail, $1\frac{1}{2}$ inch .	1	2 $\frac{1}{2}$	2	2	2	5	4	8
248. Ditto ditto, 2 do. .	2	1	2	4	2	9	5	2
249. Ditto ditto, $2\frac{1}{2}$ do. .	2	3	2	7	3	1	5	8
250. Frames, deal cased, oak sunk sills, mahogany beads and pulley pieces, $1\frac{1}{2}$ in. Spanish mahogany astragal sashes, brass pulleys, and patent lines, single hung, $1\frac{1}{2}$ inch .	0	9	0	11	1	2	3	1
251. Ditto ditto, double hung, 1 inch .	0	11	1	1	1	4	3	5
252. Ditto ditto, $1\frac{1}{2}$ do. .	1	1	1	3	1	6	3	9
253. Ditto ditto, 2 do. .	1	2	1	5	1	8	4	4
254. Ditto, circular head measured square, 1 inch .	1	2	1	4	2	10	5	1
255. Ditto ditto, $1\frac{1}{2}$ do. .	1	3	1	6	3	0	5	3
256. Ditto ditto, 2 do. .	1	4	1	8	3	1	5	9
257. Ditto, circular on plan, flat sweep, $1\frac{1}{2}$ inches .	1	3	1	6	1	9	4	5
258. Ditto ditto, 2 do. .	1	5	1	8	2	0	4	9
259. Ditto ditto, $2\frac{1}{2}$ do. .	1	7	1	10	2	3	6	5
260. Ditto ditto, $\frac{1}{2}$ in. to foot, $1\frac{1}{2}$ in. .	1	6	1	9	2	2	4	10
261. Ditto ditto, 2 do. .	1	7	1	10	2	4	5	6
262. Ditto ditto, $2\frac{1}{2}$ do. .	1	9	2	1	2	7	6	6
263. Ditto, circular on plan, and circular head, $\frac{1}{2}$ in. to foot, $1\frac{1}{2}$ in. .	5	4	5	10	6	10	11	0
264. Ditto ditto, 2 do. .	5	6	6	0	7	1	11	10

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
265. Ditto ditto, $2\frac{1}{2}$ do. .	5	9	6	3	7	5	12	9
266. Ditto, $\frac{1}{2}$ in. do., $1\frac{1}{2}$ in.	5	8	6	2	7	6	12	6
267. Ditto ditto, 2 do.	6	4	6	10	8	3	13	6
268. Ditto ditto, $2\frac{1}{2}$ do.	7	1	7	6	9	0	14	8
269. Ditto, straight and circular spandrills and top rails, head square inside, $1\frac{1}{2}$ in. .	2	2	2	7	3	1	5	2
270. Ditto ditto, 2 do. .	2	3	2	8	3	2	5	5
271. Ditto ditto, $2\frac{1}{2}$ do. .	2	4	2	9	3	3	5	9
272. Ditto, chord bar to meeting rail, $1\frac{1}{2}$ do.	2	3	2	5	2	11	5	4
273. Ditto ditto, 2 do. .	2	4	2	7	3	2	5	8
274. Ditto ditto, $2\frac{1}{2}$ do. .	2	5	2	9	3	5	6	4
275. Ditto, add for margin lights . . .	0	$1\frac{1}{2}$	0	$1\frac{3}{4}$	0	$2\frac{1}{4}$	0	4
276. As item 251, but with Honduras sashes $1\frac{1}{2}$ ins. . .	0	$7\frac{1}{2}$	0	9	1	0	2	8
277. If Honduras sashes, deduct from items 252 to 264, inclusive	0	$1\frac{1}{2}$	0	2	0	2	0	5
278. If Honduras sashes, deduct from items 265 to 270, inclusive	0	$2\frac{1}{2}$	0	3	0	3	0	8
279. If Honduras sashes, deduct from items 271 to 276, inclusive	0	2	0	$2\frac{1}{2}$	0	$2\frac{1}{2}$	0	$6\frac{1}{2}$
280. For lamb's tongue, Gothic, and other similar moulded bars, add . .	0	$0\frac{1}{2}$	0	$0\frac{1}{2}$	0	$0\frac{3}{4}$	0	1
281. Ditto, add for margin lights . . .	0	$1\frac{1}{4}$	0	$1\frac{1}{2}$	0	$1\frac{3}{4}$	0	$3\frac{1}{2}$

CASEMENTS, PALLADIAN AND VENETIAN SASHES AND FRAMES.

Per foot super.

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
282. Deal ovolo, hung, $1\frac{1}{2}$ in.	0	3	0	4	0	5	0	11
283. Ditto ditto, 2 do.	0	$3\frac{1}{2}$	0	$4\frac{1}{2}$	0	$5\frac{1}{2}$	1	1
284. Ditto ditto, $2\frac{1}{2}$ do.	0	4	0	5	0	$6\frac{1}{2}$	1	3
285. Ditto, add if margin lights . . .	0	1	0	$1\frac{1}{4}$	0	$1\frac{1}{2}$	0	2
286. Wainscot ovolo, hung, $1\frac{1}{2}$ in. . .	0	$4\frac{1}{4}$	0	$5\frac{1}{4}$	0	$6\frac{1}{2}$	1	6
287. Ditto ditto, 2 do. . .	0	$4\frac{3}{4}$	0	6	0	$7\frac{1}{4}$	1	$7\frac{1}{2}$
288. Ditto ditto, $2\frac{1}{2}$ do. . .	0	$5\frac{1}{2}$	0	7	0	9	1	11
289. Ditto, add if margin lights . . .	0	$1\frac{1}{4}$	0	$1\frac{1}{2}$	0	2	0	3
290. Honduras mahogany ovolo, hung, $1\frac{1}{2}$ in. .	0	$4\frac{3}{4}$	0	$5\frac{3}{4}$	0	$7\frac{1}{4}$	1	7
291. Ditto ditto, 2 do. .	0	$5\frac{1}{2}$	0	$6\frac{3}{4}$	0	$8\frac{1}{2}$	1	9
292. Ditto ditto, $2\frac{1}{2}$ do. .	0	$6\frac{1}{2}$	0	8	0	$9\frac{3}{4}$	2	1
293. Ditto, add if margin lights . . .	0	$1\frac{3}{4}$	0	2	0	$2\frac{3}{4}$	0	5
294. Spanish mahogany ovolo, hung, $1\frac{1}{2}$ in. .	0	6	0	7	0	$8\frac{1}{2}$	2	4
295. Ditto ditto 2 do. .	0	7	0	8	0	$9\frac{1}{2}$	2	9
296. Ditto ditto $2\frac{1}{2}$ do. .	0	8	0	9	0	$10\frac{1}{2}$	3	3
297. Ditto, add if margin lights . . .	0	2	0	$2\frac{1}{4}$	0	3	0	6
298. Deal, in two heights, add . . .	0	1	0	$1\frac{1}{2}$	0	2	0	3
299. Wainscot ditto ditto .	0	$1\frac{1}{2}$	0	2	0	$2\frac{1}{2}$	0	4
300. Honduras mahogany ditto ditto . .	0	$1\frac{3}{4}$	0	$2\frac{1}{4}$	0	3	0	$4\frac{1}{2}$
301. Spanish ditto ditto .	0	2	0	3	0	$3\frac{1}{2}$	0	5
302. Items 284 to 302, inclusive, if circular on plan, flat sweep, add half to any of them	

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
303. Items 248 to 302, inclusive, if circular on plan, $\frac{1}{2}$ in. to foot, double any of them	
304. Astragal and hollow, add	0	0 $\frac{1}{2}$	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1
305. Gothic, lamb's tongue, or similar bar, add .	0	0 $\frac{3}{4}$	0	0 $\frac{3}{4}$	0	1 $\frac{1}{4}$	0	1 $\frac{1}{2}$
306. Astragal and hollow, with bevelled bars to the rebate, add .	0	1	0	1	0	1 $\frac{1}{2}$	0	2
307. Extra rebated, beads, edges, or grooves, in deal, <i>per foot run</i> .	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$
308. Ditto in wainscot, do.	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$	0	2 $\frac{1}{4}$
309. Ditto, Honduras mahogany	0	1	0	1 $\frac{1}{4}$	0	1 $\frac{1}{4}$	0	2 $\frac{3}{4}$
310. Ditto, Spanish mahogany, ditto	0	1 $\frac{1}{4}$	0	1 $\frac{1}{2}$	0	2	0	3
311. Deal-cased Venetian frames, oak sunksills, 1 $\frac{1}{2}$ in. ovolo sashes, brass pulleys, double hung, best lines and weights, 1 $\frac{1}{2}$ in. .	0	6 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	10 $\frac{1}{2}$	1	11
312. Ditto ditto, 2 do. .	0	7 $\frac{1}{2}$	0	9 $\frac{1}{2}$	0	11 $\frac{1}{2}$	2	2
313. Ditto ditto, 2 $\frac{1}{2}$ do. .	0	8 $\frac{1}{2}$	0	10 $\frac{1}{2}$	1	1	2	5
314. Ditto, Palladian head measured square, 1 $\frac{1}{2}$ in.	1	3 $\frac{1}{2}$	1	6	1	9	2	10
315. Ditto ditto, 2 do. .	1	5	1	7	1	10	3	1
316. Ditto ditto, 2 $\frac{1}{2}$ do. .	1	6	1	8 $\frac{1}{2}$	2	0	3	4
317. Ditto, circular on plan, flat sweep, 1 $\frac{1}{2}$ in. .	0	7 $\frac{1}{2}$	0	9 $\frac{1}{2}$	0	11 $\frac{1}{2}$	2	4
318. Ditto ditto, 2 do. .	0	9 $\frac{1}{2}$	0	11 $\frac{1}{2}$	1	1 $\frac{1}{2}$	2	9
319. Ditto ditto, 2 $\frac{1}{2}$ do. .	0	11 $\frac{1}{2}$	1	2	1	4 $\frac{1}{2}$	3	2
320. Ditto, $\frac{1}{2}$ inch to foot, 1 $\frac{1}{2}$ in.	0	9	0	10 $\frac{1}{2}$	1	1	3	3
321. Ditto ditto, 2 do. .	0	11	1	1	1	4	3	8

ns.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
2. Ditto ditto, 2½ do. .	1	1	1	3½	1	7	4	1
3. Ditto, chord bar to meeting rail, 1½ in. .	1	6	1	7½	1	11	3	5
4. Ditto ditto, 2 do. .	1	7	1	9	2	1	3	8
5. Ditto ditto, 2½ do. .	1	8	1	10½	2	3	3	11
6. Circular Palladian head measured square, 1½ inch	4	2	4	7	5	5	8	3
7. Ditto ditto, 2 do. .	4	4	4	10	5	9	8	9
8. Ditto ditto, 2½ ditto .	4	6	5	1	6	1	9	3
9. Ditto ditto, with chord bar to meeting rail, 1½ in. . . .	4	8	5	1	5	11	9	6
0. Ditto ditto, 2 do. .	4	10	5	4	6	3	10	0
1. Ditto ditto, 2½ do. .	5	0	5	7	6	7	10	6
2. Ditto, add for hollow and astragal . .	0	0½	0	0½	0	1	0	1½
3. Deal cased Venetian frames, wainscot pulley pieces, beads, and muntions, 1½ wainscot astragal sashes, brass pulleys, and patent lines, double hung, 1½ in. . .	0	8½	0	10½	1	0½	2	11
4. Ditto ditto, 2 do. .	0	9½	0	11½	1	2	3	2
5. Ditto ditto, 2½ do. .	0	10½	1	0½	1	3½	3	6
6. Ditto, circular on plan, flat sweep, 1½ inch .	0	9½	0	11	1	1	3	9
7. Ditto ditto, 2 do. .	0	11½	1	1½	1	3½	4	4
8. Ditto ditto, 2½ do. .	1	1½	1	4	1	6½	5	0
9. Ditto ½ inch to foot, 1½ in.	0	11½	1	1	1	3½	4	8
0. Ditto ditto, 2 do. .	0	1½	1	3½	1	6½	5	4
1. Ditto, 2½ do. . .	1	3½	1	6	1	9½	6	0
2. Ditto Palladian head measured square, 1½ inch	1	6½	1	8	2	0	3	6
3. Ditto ditto, 2 do. .	1	7½	1	9½	2	2½	3	11

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
344. Ditto ditto, 2½ do. .	1	8½	1	11	2	5	4	4
345. Ditto ditto, with chord bar to meeting rail, 1½ inch . . .	1	10	2	0½	2	5	4	4
346. Ditto ditto, 2 do. .	1	11	2	2	2	7	4	9
347. Ditto ditto, 2½ do. .	2	0	2	3½	2	9	5	2
348. Ditto, circular Palladian head, measured square, 1½ inch .	4	7	5	0	5	10	9	0
349. Ditto ditto, 2 do. .	4	10	5	4	6	3	9	9
350. Ditto ditto, 2½ do. .	5	1	5	8	6	8	10	7
351. Ditto ditto, with chord bar to meeting rail, 1½ inch . . .	5	1	5	6	6	4	11	0
352. Ditto ditto, 2 do. .	5	4	5	10	6	9	11	9
353. Ditto ditto, 2½ do. .	5	7	6	2	7	2	12	7
354. Item, 334, if Spanish mahogany, astragal sashes, 1½ inch .	0	11	1	1½	1	4	3	7
355. Ditto, 335, ditto ditto, 2 inches . . .	1	0	1	2½	1	5½	3	10
356. Ditto, 336, ditto ditto, 2½ inches . . .	1	1	1	3½	1	7	4	2
357. Ditto, 337 to 348, inclusive, if Spanish mahogany, astragal sashes, add . .	0	3½	0	4	0	5	0	11
358. Ditto, 349 to 354, inclusive, ditto, add .	0	8	0	9	0	10	1	5
359. For Gothic, lamb's tongue, or other similar moulded bar, add . . .	0	0½	0	0½	0	1	0	1½
360. For bevelled bar to rebate, add . .	0	0½	0	1	0	1½	0	1½

SKYLIGHTS, FANLIGHT FRAMES, DADO, &c.

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
361. Skylights, deal ovolo, or bevelled bar, $1\frac{1}{2}$ in.	0	2 $\frac{1}{2}$	0	4	0	4 $\frac{1}{2}$	0	8
362. Ditto ditto, 2 do.	0	3	0	4 $\frac{1}{2}$	0	5 $\frac{1}{4}$	0	9
363. Ditto ditto, 2 $\frac{1}{2}$ do.	0	3 $\frac{1}{2}$	0	5 $\frac{1}{4}$	0	6 $\frac{1}{2}$	0	11
364. Ditto ditto, 3 do.	0	4 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	8	1	1
365. Ditto, if irregular on plan, $1\frac{1}{2}$ inch.	0	3 $\frac{1}{4}$	0	5	0	5 $\frac{1}{2}$	0	9 $\frac{1}{2}$
366. Ditto ditto, 2 in.	0	3 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{4}$	0	10 $\frac{1}{2}$
367. Ditto ditto, 2 $\frac{1}{2}$ do.	0	4 $\frac{1}{2}$	0	7	0	8	1	0 $\frac{1}{2}$
368. Ditto ditto, 3 do.	0	5 $\frac{1}{2}$	0	8 $\frac{1}{4}$	0	9 $\frac{1}{2}$	1	2 $\frac{1}{2}$
369. Ditto, oak ovolo, 2 in.	0	4 $\frac{1}{2}$	0	6	0	7	1	3
370. Ditto ditto, 2 $\frac{1}{2}$ do.	0	5 $\frac{1}{2}$	0	7 $\frac{1}{4}$	0	8 $\frac{1}{2}$	1	5
371. Ditto ditto, 3 do.	0	6 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	10	1	7
372. Ditto ditto, 3 $\frac{1}{2}$ do.	0	7 $\frac{1}{2}$	0	9 $\frac{1}{4}$	0	11 $\frac{1}{2}$	1	9
373. Ditto, if irregular on plan, 2 ins.	0	5 $\frac{1}{2}$	0	7 $\frac{1}{4}$	0	8 $\frac{1}{2}$	1	5
374. Ditto ditto, 2 $\frac{1}{2}$ do.	0	6 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	10	1	7
375. Ditto ditto, 3 do.	0	7 $\frac{1}{2}$	0	9 $\frac{1}{4}$	0	11 $\frac{1}{2}$	1	9
376. Ditto ditto, 3 $\frac{1}{2}$ do.	0	8 $\frac{1}{2}$	0	11	1	1	1	11
377. Ditto, astragal and hollow in deal, add.	0	0 $\frac{1}{2}$	0	0 $\frac{1}{2}$	0	3 $\frac{1}{4}$	0	1
378. Ditto ditto, in oak, add.	0	0 $\frac{1}{4}$	0	0 $\frac{1}{4}$	0	1	0	1 $\frac{1}{4}$
379. For hipped angles in deal, <i>per foot run</i> .	0	7	0	9	0	11	1	2
380. Ditto in oak, do.	0	8	0	11	1	1	1	8
381. Fanlight frame, deal square, framed, $1\frac{1}{2}$ in.	0	3	0	4	0	5	0	10
382. Ditto ditto, 2 do.	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	1	0 $\frac{1}{2}$
383. Ditto ditto, 2 $\frac{1}{2}$ do.	0	4 $\frac{1}{4}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{4}$	1	4
384. Ditto, with semi-head measured square, $1\frac{1}{2}$ inch.	0	5	0	6	0	7	1	3
385. Ditto ditto, 2 do.	0	6	0	7 $\frac{1}{4}$	0	8 $\frac{1}{2}$	1	5
386. Ditto ditto, 2 $\frac{1}{2}$ do.	0	7 $\frac{1}{4}$	0	8 $\frac{3}{4}$	0	10 $\frac{1}{4}$	1	8
387. Ditto, with elliptical head measured square, $1\frac{1}{2}$ inch.	0	8	0	9 $\frac{1}{2}$	0	11	1	9

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
388. Ditto ditto, 2 do. .	0	9	0	10½	1	0½	1	11
389. Ditto ditto, 2½ do. .	0	10½	1	0½	1	3	2	2
390. Ditto, if circular on plan, the items 382 to 390 inclusive, are to be doubled.								
391. Dado, deal, keyed ¾ inch	0	2½	0	3½	0	4½	0	9
392. Ditto ditto, 1 do. .	0	3	0	4	0	5	0	10
393. Ditto ditto, 1½ do. .	0	3½	0	4½	0	5½	0	11
394. Ditto, circular on plan, flat sweep, ¾ in. .	0	5	0	6¾	0	8½	1	3
395. Ditto ditto, 1 do. .	0	5½	0	7½	0	9½	1	5
396. Ditto ditto, 1½ do. .	0	6	0	8½	0	10½	1	7
397. Ditto ditto, quick sweep, ¾ in. . . .	0	9	0	10½	1	0	1	8½
398. Ditto ditto, 1 do. .	0	9½	0	11½	1	1½	1	11
399. Ditto ditto, 1½ do. .	0	10	1	0½	1	3	2	1½
400. Ditto, wreathed to stairs, ¾ in. . . .	1	1	1	3½	1	6	2	7
401. Ditto ditto, 1 do. .	1	2	1	5	1	8	2	10
402. Ditto ditto, 1½ do. .	1	3	1	6½	1	10	3	1
403. Ditto scribed and raking to steps, add.		0	0¾	0	1	0	1½
404. Ditto, ploughed and tongued, add. . .	0	0½	0	0½	0	0¾	0	1
405. Ditto, feather-tongued, add.	0	0¾	0	0¾	0	1	0	1½
406. Dado grounds, narrow, per foot run . . .	0	0¾	0	1	0	1½	0	2
407. Ditto, circular, flat sweep, ditto . . .	0	1¾	0	2¾	0	3½	0	4½
408. Ditto, quick sweep, ditto	0	2¾	0	3¾	0	4¾	0	6½
409. Cuttings, circular, do. .	0	1	0	1½	0	1¾	0	2
410. Ramps or rails, ditto, ditto	0	5½	0	7½	0	8½	0	11
411. External angles, mitred, each		0	10	1	0	1	2

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
412. Circular curbs in two thicknesses, splayed, of $1\frac{1}{4}$ in. deal, <i>per foot run.</i>	0	3	0	5	0	6	0	$9\frac{1}{2}$
413. Ditto ditto, of $1\frac{1}{2}$ in. deal, ditto	0	$3\frac{1}{2}$	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	0	$10\frac{1}{2}$
414. Ditto ditto, of 2 in. deal do.	0	$4\frac{1}{2}$	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	1	$0\frac{1}{2}$
415. Ditto ditto, of $2\frac{1}{2}$ in. deal, ditto	0	$5\frac{1}{2}$	0	$7\frac{1}{2}$	0	$8\frac{1}{2}$	1	3
416. Elliptical ditto, add to items 413 to 416 inclusive, ditto	0	$0\frac{3}{4}$	0	1	0	$1\frac{1}{4}$	0	$1\frac{1}{4}$

BACKS, BACK-LININGS, ELBOWS, AND SOFFITES—

Per foot super.

417. Plain keyed or framed, square window backs only, 1 in.	0	4	0	5	0	6	0	10
418. Ditto ditto, $1\frac{1}{4}$ do.	0	$4\frac{1}{2}$	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	0	$11\frac{1}{2}$
419. Ditto ditto, $1\frac{1}{2}$ do.	0	5	0	$6\frac{1}{4}$	0	$7\frac{1}{2}$	1	$1\frac{1}{2}$
420. Bead, butt or moulded, $1\frac{1}{4}$ in.	0	5	0	6	0	7	1	$11\frac{1}{2}$
421. Ditto ditto, $1\frac{1}{2}$ do.	0	$5\frac{1}{2}$	0	7	0	$8\frac{1}{2}$	1	$3\frac{1}{2}$
422. Bead flush, $1\frac{1}{4}$ do.	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	1	$2\frac{1}{2}$
423. Ditto ditto, $1\frac{1}{2}$ do.	0	$6\frac{1}{4}$	0	$7\frac{1}{2}$	0	$8\frac{1}{4}$	1	$4\frac{1}{2}$
424. Reed flush, $1\frac{1}{4}$ in.	0	6	0	7	0	8	1	$3\frac{1}{2}$
425. Ditto ditto, $1\frac{1}{2}$ do.	0	$6\frac{1}{2}$	0	8	0	$9\frac{1}{4}$	1	$5\frac{1}{2}$
426. Bolection moulded, $1\frac{1}{4}$ inch	0	6	0	7	0	$8\frac{1}{4}$	1	3
427. Ditto ditto, $1\frac{1}{2}$ in.	0	7	0	8	0	$9\frac{1}{2}$	1	5
428. Items 418 to 428 inclusive, if circular on plan, flat sweep, to be increased by one half respectively	

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
429. Items 418 to 428 inclusive, if circular on plan, and rise $\frac{1}{2}$ inch to foot, to be doubled respectively	
430. Deal framed back linings, two panels square, 1 in. . .	0	4	0	5	0	6	0	11
431. Ditto ditto, $1\frac{1}{2}$ do. . .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	11 $\frac{1}{2}$
432. Ditto ditto, $1\frac{1}{2}$ do. . .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	1	0
433. Ditto, bead butt, 1 in. . .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	11 $\frac{1}{2}$
434. Ditto ditto, $1\frac{1}{2}$ do. . .	0	4 $\frac{3}{4}$	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	1	1
435. Ditto ditto, $1\frac{1}{2}$ do. . .	0	5	0	6	0	7	1	0 $\frac{1}{2}$
436. Ditto, bead flush, 1 do. . .	0	5	0	6	0	7 $\frac{1}{4}$	1	0 $\frac{1}{2}$
437. Ditto ditto, $1\frac{1}{2}$ do. . .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	1
438. Ditto ditto, $1\frac{1}{2}$ do. . .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	7 $\frac{3}{4}$	1	1 $\frac{1}{2}$
439. Ditto, for every extra panel, add . . .	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$
440. Ditto, for splayed, add . . .	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$
441. Ditto, if not tongued, deduct . . .	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$
442. Deal backs and elbows, plain keyed, <i>per foot super.</i> , 1 inch . . .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	10 $\frac{1}{2}$
443. Ditto ditto, $1\frac{1}{4}$ inch . . .	0	4 $\frac{3}{4}$	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	1	0 $\frac{1}{2}$
444. Ditto, square framed, 1 inch . . .	0	5	0	6	0	7	1	0 $\frac{1}{2}$
445. Ditto ditto, $1\frac{1}{4}$ inch . . .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	2 $\frac{1}{2}$
446. Ditto, bead butt or moulded, $1\frac{1}{4}$ inch . . .	0	6	0	7	0	8	1	4 $\frac{1}{2}$
447. Ditto, bead flush, do. . .	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	1	5 $\frac{1}{2}$
448. Ditto, reed flush, do. . .	0	7	0	8	0	9	1	7
449. Ditto, bolection moulded, do.	0	7 $\frac{3}{4}$	0	8 $\frac{3}{4}$	0	9 $\frac{3}{4}$	1	8
450. Ditto, aplayed, add, do. . .	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$
451. Deal square framed soffit, one edge circular, $1\frac{1}{4}$ inch . . .	0	10 $\frac{1}{2}$	1	0 $\frac{1}{2}$	1	2 $\frac{1}{2}$	1	11

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
452. Ditto, bead butt or moulded, do. . .	0	11½	1	1½	1	3½	2	1
453. Ditto, bead flush, do. .	1	1	1	3	1	5	2	3
454. Ditto, reed flush, do. .	1	1½	1	3½	1	6	2	4½
455. Ditto, bolection moulded, do. . . .	1	2½	1	4½	1	6½	2	5
456. Ditto, to item 452 to 456 inclusive, if splayed, add, do. .	0	1	0	1½	0	2	0	2½
457. Ditto, circular, two edges, 1½ inch . .	1	2½	1	5	1	8	2	6
458. Ditto, bead butt or moulded, do. . .	1	3½	1	6½	1	9½	2	8
459. Ditto, bead flush, do. .	1	4½	1	7½	1	10½	2	10
460. Ditto, reed flush, do. .	1	5	1	8	1	11	3	0
461. Ditto, bolection moulded, do. . . .	1	6	1	9	2	0	3	1½
462. Ditto, to items 458 to 462 inclusive, if splayed, add, do. .	0	1½	0	1½	0	2½	0	3
463. Deal plain circular soffites, backed and grooved, do. . .	1	5	1	8	1	11	3	10
464. Ditto, semicircular, moulded soffit, in two panels, rails veneered, do. . . .	2	4	2	10	3	6	5	9
465. Ditto, if flowing, add .	0	10	1	1	1	3	1	8
466. Ditto, bolection moulded, add, do. . .	0	1½	0	1½	0	2	0	2½
467. Ditto, beaded, add <i>per foot run</i> , do. . .	0	0¾	0	1	0	1½	0	1½
468. Ditto, capping backs, do.	0	1	0	1½	0	1½	0	2
469. Ditto, tonguing, do. .	0	1½	0	1½	0	1½	0	2½
470. Ditto, tongued elbow caps, <i>each</i> . . .	0	2	0	3	0	4½	0	8½

BOXINGS—*Per foot super.*

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
471. Deal, splayed, 1 inch .	0	3½	0	4	0	5	0	11
472. Ditto ditto, 1¼ do. .	0	4½	0	5	0	6	1	0½
473. Ditto ditto, 1½ do. .	0	5½	0	6	0	7	1	2½
474. Ditto, proper boxings, 1 inch	0	4½	0	5	0	6	1	0½
475. Ditto ditto, 1¼ do. .	0	5½	0	6	0	7	1	2½
476. Ditto ditto, 1½ do. .	0	6½	0	7	0	8	1	5
477. Ditto, circular on plan, flat sweep, head only to be measured, 1 in.	0	9	0	11	1	0½	1	6
478. Ditto ditto, 1¼ do. .	0	10½	1	0½	1	2	1	10
479. Ditto ditto, 1½ do. .	1	0	1	2	1	3½	2	3
480. Ditto, ½ inch to foot, 1 in.	1	0	1	2	1	4½	2	0
481. Ditto ditto, 1¼ do. .	1	2	1	4	1	7	2	4
482. Ditto ditto, 1½ do. .	1	4	1	6	1	9½	2	9
483. Ditto, boxings for sashes or for sliding shutters, double-hung, grooved, beaded, &c., 1 inch, <i>per foot run</i>	0	6½	0	7½	0	8½	1	1
484. Ditto ditto, 1¼ in. do.	0	7	0	8	0	9	1	2
485. Ditto ditto, 1½ in. do.	0	7½	0	8½	0	9½	1	3

Per foot super.

486. Ditto, grooved head and rail to do., beaded	0	5½	0	6½	0	7½	1	0
487. Deal boxing shutters, clamped flaps, ¾ in.	0	4	0	5½	0	6½	0	10½
488. Ditto ditto, 1 do. .	0	4½	0	6	0	7	1	0
489. Ditto ditto, 1¼ do. .	0	5	0	6½	0	7½	1	1
490. Ditto ditto, 1½ do. .	0	5½	0	7½	0	8½	1	2
491. Ditto, square framed, two panels, 1 in. .	0	5	0	6½	0	7½	1	1
492. Ditto ditto, 1¼ do. .	0	5½	0	6½	0	8½	1	2½
493. Ditto ditto, 1½ do. .	0	6	0	7½	0	9	1	4

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
494. Ditto ditto, square and moulded or bead butt, 1 inch . . .	0	5½	0	7	0	8	1	2½
495. Ditto ditto, 1½ do. . .	0	6	0	7¾	0	8¾	1	3½
496. Ditto ditto, 1½ do . .	0	6½	0	8½	0	9½	1	5
497. Ditto, square and bead flush, 1 in. . .	0	6	0	7½	0	8½	1	3
498. Ditto ditto, 1½ do. . .	0	6½	0	8½	0	9¾	1	3½
499. Ditto ditto, 1½ do. . .	0	7	0	9	0	10	1	6
500. Ditto, square and reed flush, 1 in. . .	0	6½	0	8	0	9	1	4
501. Ditto ditto, 1½ do. . .	0	7	0	8¾	0	9¾	1	5½
502. Ditto ditto, 1½ do. . .	0	7½	0	9½	0	10½	1	7
503. Ditto, bead flush and bead butt, 1 in. . .	0	7	0	8½	0	9½	1	5
504. Ditto ditto, 1½ do. . .	0	7½	0	9¼	0	10¼	1	6½
505. Ditto ditto, 1½ do. . .	0	8	0	9¾	0	11	1	8
506. Ditto, to items 488 to 506 inclusive, if in two tiers, add . . .	0	0½	0	0¾	0	0¾	0	1
507. Ditto, for bolection moulding, add . . .	0	0½	0	1	0	1½	0	1½
508. Ditto, for every extra panel, add . . .	0	0½	0	0¾	0	1	0	1½
509. Ditto, for every extra tier, add . . .	0	0¾	0	1	0	1½	0	1½
510. Ditto add for plugging . . .	0	0½	0	0¾	0	1	0	1½
510*.Ditto, back-flaps, if more than two on eachside, to be extra, each, per foot super. . .	0	0½	0	0¾	0	1	0	1½
511. Ditto, reeds and astragals, mitred, round panels, per foot run. . .	0	1	0	1½	0	1½	0	1½
512. Ditto, items 488 to 512 inclusive, if circular on plan, flat sweep, to be increased by one-half respectively. . .								

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
513. Ditto ditto, if $\frac{1}{2}$ in. to be doubled.								
514. Ditto ditto, if quick circular, or elliptical corners, to be allowed <i>two-and-a-half</i> times.								
515. Deal enclosures for shutters, framed, square, 1 inch .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	9
516. Ditto ditto, 1 $\frac{1}{2}$ do .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	6	0	10 $\frac{1}{2}$
517. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	1	0
518. Ditto ditto, 2 do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	2
519. Ditto, bead butt or moulded, 1 in. .	0	4	0	5	0	6	0	10
520. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	11
521. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	7	1	0 $\frac{1}{2}$
522. Ditto ditto, 2 do. .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	2 $\frac{1}{2}$
523. Ditto, bead flush, 1 in. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	11
524. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	1	0
525. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	5 $\frac{1}{2}$	0	6	0	7 $\frac{1}{2}$	1	1 $\frac{1}{2}$
526. Ditto ditto, 2 do. .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	8	1	4
527. Ditto, bolecion moulded, add, 1 in. .	0	0 $\frac{1}{2}$	0	0 $\frac{1}{2}$	0	0 $\frac{1}{2}$	0	1 $\frac{1}{2}$
528. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	0 $\frac{1}{2}$	0	1	0	1	0	1 $\frac{1}{2}$
529. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	1	0	1 $\frac{1}{2}$	0	1 $\frac{1}{2}$	0	2
530. Ditto ditto, 2 do. .	0	1 $\frac{1}{2}$	0	1 $\frac{1}{2}$	0	1 $\frac{1}{2}$	0	2 $\frac{1}{2}$
531. Deal moulded stall-board, 2 in. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	1	1
532. Ditto ditto, 2 $\frac{1}{2}$ do. .	0	4	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	1	3
533. Ditto ditto, 3 do. .	0	4 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	5
534. Ditto ditto, 3 $\frac{1}{2}$ do. .	0	5	0	7	0	8 $\frac{1}{2}$	1	7
535. Ditto ditto, circular on plan, flat sweep, 2 in. .	0	5 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	1	7
536. Ditto ditto, 2 $\frac{1}{2}$ do. .	0	6	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	1	10
537. Ditto ditto, 3 do. .	0	6 $\frac{1}{2}$	0	9 $\frac{1}{2}$	0	11 $\frac{1}{2}$	2	1
538. Ditto ditto, 3 $\frac{1}{2}$ do. .	0	7 $\frac{1}{2}$	0	10 $\frac{1}{2}$	1	0 $\frac{1}{2}$	2	4
539. Ditto ditto, $\frac{1}{2}$ in. to foot, 2 in. .	0	7	0	9 $\frac{1}{2}$	0	11	2	2

Shutters.

79

	Labour from Bench.	Labour Fixed.	Labour and Nails.	Complete.
	s. d.	s. d.	s. d.	s. d.
Ditto ditto, 2½ in. .	0 8	0 11	1 1	2 6
Ditto ditto, 3 do. .	0 9	1 0½	1 3	2 10
Ditto ditto, 3½ do. .	0 10	1 2	1 5	3 2
Ditto, mitred angles, and quick corners, each, 2 in. .	0 6	0 9½	0 11	1 2
Ditto ditto, 2½ do. .	0 7	0 11	1 1	1 5
Ditto ditto, 3 do. .	0 8	1 0½	1 3	1 8
Ditto ditto, 3½ do. .	0 9	1 2	1 5	1 11

SHUTTERS—Per foot super.

Inside deal shutters, square, 2 or 3 panels, 1 in. .	0 4	0 5	0 6	0 11
Ditto ditto, 1½ do. .	0 4½	0 5½	0 6½	1 0
Ditto ditto, 1¾ do. .	0 5	0 6	0 7	1 1½
Ditto, bead butt and square, 1 in. .	0 4½	0 5½	0 6½	0 11½
Ditto ditto, 1½ do. .	0 4½	0 5½	0 6½	1 1½
Ditto ditto, 1¾ do. .	0 5½	0 6½	0 7½	1 3
Ditto, bead flush and square, 1 in. .	0 4½	0 5½	0 6½	1 0½
Ditto ditto, 1½ do. .	0 5½	0 6½	0 7½	1 2½
Ditto ditto, 1¾ do. .	0 5½	0 6½	0 7½	1 4
Ditto, three reed, flush, and square, 1 in. .	0 5	0 6	0 7	1 1½
Ditto ditto, 1½ do. .	0 5½	0 6½	0 7½	1 3
Ditto ditto, 1¾ do. .	0 6	0 7	0 8	1 4½
Ditto, bead flush and bead butt, 1 in. .	0 5½	0 6½	0 7½	1 2
Ditto ditto, 1½ do. .	0 6	0 7	0 8	1 4
Ditto ditto, 1¾ do. .	0 6½	0 7½	0 8½	1 6
Ditto, reed flush and bead butt, 1 in. .	0 6	0 7	0 8	1 3
Ditto ditto, 1½ do. .	0 6½	0 7½	0 8½	1 5
Ditto ditto, 1¾ do. .	0 7	0 8	0 9	1 7
Ditto, to items 548 to 565 inclusive, if four panels high, add .	0 0½	0 0½	0 1	0 1½

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
566. Ditto for every extra panel high, add .	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$
567. Deal grooves for shutters, <i>per foot run</i> .	0	2	0	3	0	3 $\frac{1}{2}$	0	5 $\frac{1}{2}$
568. Oak ditto ditto ditto .	0	3	0	4	0	4 $\frac{1}{2}$	0	8 $\frac{1}{2}$
569. Sliding shutters, deal, square, two panels, hung with weights and lines, <i>per foot super.</i> , 1 in. . .	0	4	0	5	0	6	1	1
570. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	1	2 $\frac{1}{2}$
571. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4 $\frac{3}{4}$	0	6	0	7 $\frac{1}{4}$	1	4 $\frac{1}{2}$
572. Ditto, bead butt or moulded, and square, 1 in. . .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	1	2
573. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4 $\frac{3}{4}$	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	1	3 $\frac{1}{2}$
574. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	0	7 $\frac{3}{4}$	1	5 $\frac{1}{2}$
575. Ditto, bead flush and square, 1 in. . .	0	5	0	6	0	7	1	3
576. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	1	4 $\frac{1}{2}$
577. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	0	8 $\frac{1}{4}$	1	6 $\frac{1}{2}$
578. Ditto, moulded and bead butt, 1 in. .	0	5	0	5 $\frac{3}{4}$	0	6 $\frac{1}{2}$	1	4
579. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	5 $\frac{1}{4}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	6
580. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	6	0	7 $\frac{1}{4}$	0	8 $\frac{1}{2}$	1	8
581. Ditto, bead flush and bead butt, 1 in. .	0	6	0	6 $\frac{3}{4}$	0	7 $\frac{1}{2}$	1	6
582. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	1	8
583. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	7	0	8 $\frac{1}{4}$	0	9 $\frac{1}{2}$	1	10
584. Ditto, to items 571 to 583 inclusive, for every panel in height above three panels, add . . .	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$
585. Ditto, for double margins, add . . .	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$	0	2 $\frac{1}{2}$
586. Items 571 to 585 inclusive, if circular on plan with flat sweep, to be increased by one-half	

Shutters.

81

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
587. Items 570 to 586, if circular on plan, $\frac{1}{2}$ in. to foot, to be <i>doubled</i>	
588. Items 570 to 586 inclusive, if circular on plan, rise of curve exceeding $\frac{1}{2}$ in. to foot, to be allowed <i>three times</i>	
589. Outside shutters, deal, including hanging stiles, and mortice-clamped, 1 inch .	0	3 $\frac{1}{2}$	0	5	0	6	0	10 $\frac{1}{2}$
590. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	4	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	11 $\frac{1}{2}$
591. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	6	0	7	1	1
592. Ditto ditto, square, two panels, 1 inch .	0	3 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	11
593. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	4 $\frac{1}{2}$	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	1	0 $\frac{1}{2}$
594. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4 $\frac{3}{4}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	2 $\frac{1}{2}$
595. Ditto, bead butt and square, 1 inch .	0	4	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	11
596. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	4 $\frac{1}{2}$	0	6	0	7	1	1
597. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	5	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	3
598. Ditto, bead flush and square, 1 inch .	0	4 $\frac{1}{2}$	0	6	0	7	1	0
599. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	5	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	2
600. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	5 $\frac{1}{2}$	0	7	0	8	1	4
601. Ditto, bead flush and bead butt, 1 inch .	0	5 $\frac{1}{2}$	0	7	0	8	1	2
602. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	6	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	1	4
603. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	6 $\frac{1}{2}$	0	8	0	9	1	6
604. Ditto, reed flush and bead butt, 1 inch .	0	6	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	1	3
605. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	6 $\frac{1}{2}$	0	8	0	9	1	5
606. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	7	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	1	7
607. Ditto, to items 593 to 607 inclusive, for each additional panel above 2 in height, add	0	0 $\frac{1}{2}$		$\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$

Items.	Labour from Bench.		Labour Fixed.		Labour and Nails.		Complete.	
	s.	d.	s.	d.	s.	d.	s.	d.
608. Ditto, items 590 to 607 inclusive, if with circular heads, to be measured square above the springing, and the head allowed <i>two-and-half-times</i> the straight surface.								
609. Item 607, if elliptical head, to be allowed <i>three times</i> the straight surface.								
610. Items 590 to 609 inclusive, if circular on plan, flat sweep, to be increased <i>one-half</i> .								
611. Ditto ditto, if $\frac{1}{2}$ in. to foot, to be <i>doubled</i> .								

PATENT REVOLVING SHUTTERS, COMPLETE—*exclusive of fixing.**Per foot super.*

612. Clarke's patent self-coiling, revolving wood shutters for private houses and shop fronts	s.	d.
613. Ditto ditto ditto, iron ditto	2	6
614. Ditto ditto ditto, steel ditto	3	0
	3	6

For Snoxell's shutters and Bunnett's patent shutters,
see page 121.

JAMB-LININGS AND FRAMED GROUNDS—*Per foot super.*

	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
615. Jamb-linings, single, rebated, 1 inch	0	2 $\frac{3}{4}$	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	9
616. Ditto ditto, 1 $\frac{1}{2}$ do.	0	3	0	4	0	4 $\frac{1}{2}$	0	10
617. Ditto ditto, 1 $\frac{1}{2}$ do.	0	3 $\frac{1}{4}$	0	4 $\frac{1}{4}$	0	4 $\frac{1}{2}$	0	11
618. Ditto, rebated and beaded, 1 inch	0	3 $\frac{1}{2}$	0	4 $\frac{1}{4}$	0	4 $\frac{1}{2}$	0	10
619. Ditto ditto, 1 $\frac{1}{2}$ do.	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5	0	11

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
620. Ditto ditto, $1\frac{1}{2}$ do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	1	0
621. Ditto, double rebated, 1 inch	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	11 $\frac{1}{2}$
622. Ditto ditto, $1\frac{1}{2}$ do. .	0	4	0	5	0	5 $\frac{1}{2}$	1	0
623. Ditto ditto, $1\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	5 $\frac{1}{2}$	1	1
624. Ditto ditto, and beaded, 1 inch	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	11
625. Ditto ditto, $1\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6	1	0
626. Ditto ditto, $1\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	1	1
627. Ditto, reeding, for each edge, add . . .	0	0 $\frac{1}{2}$	0	0 $\frac{1}{2}$	0	0 $\frac{1}{2}$	0	1
628. Items 615 to 627 in- clusive, if circular on one edge, to be increased <i>one-half</i> , head measured only								
629. Ditto ditto, if circular on both edges, to be multiplied by <i>two- and-a-half</i> .								
630. Deal, two panel jambs and one panel head, single rebated, $1\frac{1}{4}$ in.	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	11 $\frac{1}{2}$
631. Ditto ditto, $1\frac{1}{2}$ do. .	0	5	0	6	0	7	1	1 $\frac{1}{2}$
632. Ditto ditto, $1\frac{3}{4}$ do. .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	3 $\frac{1}{2}$
633. Ditto moulded or bead butt, $1\frac{1}{2}$ inch . .	0	5	0	6	0	7	1	0 $\frac{1}{2}$
634. Ditto ditto, $1\frac{1}{2}$ do. .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	2 $\frac{1}{2}$
635. Ditto ditto, $1\frac{3}{4}$ do. .	0	6	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	1	4 $\frac{1}{2}$
636. Ditto, bead flush, $1\frac{1}{4}$ inch	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	1 $\frac{1}{2}$
637. Ditto ditto, $1\frac{1}{2}$ do. .	0	6	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	1	3
638. Ditto ditto, $1\frac{3}{4}$ do. .	0	6 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	1	4 $\frac{1}{2}$
639. Ditto, reed flush, $1\frac{1}{4}$ inch	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	1	3 $\frac{1}{2}$
640. Ditto ditto, $1\frac{1}{2}$ do. .	0	6 $\frac{1}{2}$	0	8	0	9	1	3 $\frac{1}{2}$
641. Ditto ditto, $1\frac{3}{4}$ do. .	0	7	0	9	0	10	1	5
642. Ditto, bolection mould, $1\frac{1}{4}$ inch	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	1	2 $\frac{1}{2}$
643. Ditto ditto, $1\frac{1}{2}$ do. .	0	7	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	1	4 $\frac{1}{2}$

tems.

644. Ditto ditto

645. Ditto, to i

644 in

beaded,

edge, and

646. Ditto, to

646

double

647. Ditto, f

panel.

per f.

648. Ditto d

moul-

649. Ditto,

nels.

ed d

650. Ditto.

raise

to i:

651. Ditto.

wall

652. Ditto.

wall

653. Hinge

dov

each

654. Ditto.

each

655. Ditto

each

656. Ditto.

657

ed.

all

an

657. Ditt

ed;

tw

658. Ditt

lar

GRANITE, AND OTHER STONES.

Items.	From Devonshire or Cornwall.		From Aberdeen.	
	s.	d.	s.	d.
225. Scabbled only, <i>per foot cube</i> . . .	3	9	4	6
226. Ditto, hoisted and set, including scaffolding, <i>per foot cube</i> . . .	4	10	5	8
227. Plain face, <i>per foot super</i> , roughly axed	1	8	2	2
228. Ditto, to joints and beds, do. . .	1	1	1	7
229. Sunk work or cut rough, do. . .	1	5	1	11
230. Ditto ditto, faced, do. . .	2	6	3	0
231. Ditto ditto, circular, do. . .	3	0	3	8
232. Moulded work, do. . .	3	0	3	6
233. Ditto, circular, do. . .	3	6	4	3
234. Paving, 5 ins. thick . . .	2	2	2	8
235. Moor-stone paving, 4 ins. thick	1	9
236. Ditto ditto, resetting	0	5
237. Ditto ditto, 6 ins.	2	4
238. Ditto ditto, resetting	0	6
239. Ditto, steps or curbs, <i>per foot run</i>	2	5
240. Ditto ditto, re-setting	0	7
241. Dundee paving, tooled . . . <i>per foot super</i>			1	8
242. Ditto ditto, rubbed . . . ditto			2	2
243. Purbeck paving, random courses . . . ditto			1	1
244. Ditto ditto, rubbed . . . ditto			1	6
245. Ditto ditto, straight courses . . . ditto			1	3
246. Ditto ditto, rubbed . . . ditto			1	9
247. Ditto ditto, if set in cement, add . . . ditto			0	1½
248. Ditto, steps, <i>per foot run</i> . . .			2	8
249. Ditto, channel stones, ditto . . .			1	8
250. Ditto, ends to steps, plain worked, <i>each</i> . . .			1	1
251. Ditto, sinks, <i>per foot super</i> . . .			5	0
252. Ditto, sink stones, <i>each</i> . . .			2	9
253. Ditto, paving taken up, squared, and relaid, <i>per foot super</i> . . .			0	3½
254. Craighleith stone, set, <i>per foot cube</i> . . .			4	9
255. Ditto, plain worked, <i>per foot super</i> . . .			1	3
256. Ditto, sunk work, ditto . . .			2	3
257. Ditto ditto, circular ditto . . .			3	4
258. Ditto, moulded . . .			2	6
259. Ditto ditto, circular . . .			3	6
260. Fire-stone, whole blocks, 5 ins. thick, <i>per foot super</i> . . .			1	10

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
644. Ditto ditto, 1½ do. .	0	7½	0	10	0	11½	1	7
645. Ditto, to items 630 to 644 inclusive, if beaded, for each edge, add . .	0	0½
646. Ditto, to items 631 to 646 inclusive, if double rebated, add .	0	1
647. Ditto, for every extra panel, add, if square, per foot super. .	0	0½	0	0½	0	0½	0	1
648. Ditto ditto, if flush or moulded, ditto .	0	0¾	0	1	0	1¼	0	1½
649. Ditto, for raised panels, add, on moulded ditto . .	0	1	0	1¼	0	1½	0	2¼
650. Ditto, for moulding raised panels, add to item 649, ditto .	0	1	0	1	0	1¼	0	1½
651. Ditto, plugging to walls, extra, ditto	0	0½	0	0¾	0	1
652. Ditto, splaying to walls, extra, ditto	0	0½	0	0¾	0	1
653. Hinge or lock blocks, dovetailed, 1½ inch, each	0	1¼	0	1¾	0	3
654. Ditto ditto, 1½ inch, each	0	1½	0	2	0	3½
655. Ditto ditto, 1¾ inch, each	0	1¾	0	2½	0	4
656. Ditto, items 631 to 651, if circular one edge, the head to be allowed for as <i>one-and-a-half</i> .								
657. Ditto ditto, if both edges circular, as <i>twice-and-a-half</i> .								
658. Ditto ditto, semicircular heads, glued in								

Items.	Labour only.	Labour Fixed.	Labour and Nails.	All Materials.
	s. d.	s. d.	s. d.	s. d.
thicknesses, to be allowed as <i>four times</i> the area.				
659. Ditto ditto, if framed, <i>six times.</i>				
660. Ditto ditto, if flowing, <i>seven times.</i>				
661. Ditto ditto, if elliptical, <i>eight times.</i>				

Per foot super.

662. Deal framed closet fronts and grounds, $\frac{3}{4}$ inch . . .	0 2 $\frac{3}{4}$	0 3 $\frac{3}{4}$	0 4 $\frac{3}{4}$	0 8 $\frac{1}{2}$
663. Ditto ditto, 1 do. .	0 3	0 4	0 5	0 9 $\frac{1}{2}$
664. Ditto ditto, 1 $\frac{1}{4}$ do. .	0 3 $\frac{1}{2}$	0 4 $\frac{1}{2}$	0 5 $\frac{1}{2}$	0 10 $\frac{1}{2}$
665. Ditto ditto, 1 $\frac{1}{2}$ do. .	0 3 $\frac{1}{2}$	0 4 $\frac{1}{2}$	0 5 $\frac{1}{2}$	0 11 $\frac{1}{2}$
666. Ditto ditto, 2 do. .	0 4	0 5	0 6	1 1 $\frac{1}{2}$
667. Ditto head circular on plan, flat sweep, $\frac{1}{2}$ in. . .	0 7 $\frac{1}{2}$	0 8 $\frac{1}{2}$	0 9 $\frac{1}{2}$	1 0 $\frac{1}{2}$
668. Ditto ditto, 1 do. .	0 7 $\frac{1}{2}$	0 9 $\frac{1}{2}$	0 10 $\frac{1}{2}$	1 1 $\frac{1}{2}$
669. Ditto ditto, 1 $\frac{1}{4}$ do. .	0 8 $\frac{1}{2}$	0 10 $\frac{1}{2}$	0 11 $\frac{1}{2}$	1 2 $\frac{1}{2}$
670. Ditto ditto, 1 $\frac{1}{2}$ do. .	0 9 $\frac{1}{2}$	0 11 $\frac{1}{2}$	1 0 $\frac{1}{2}$	1 3 $\frac{1}{2}$
671. Ditto ditto, 2 do. .	0 11	1 1	1 2	1 5 $\frac{1}{2}$
672. Ditto ditto, $\frac{1}{2}$ inch to foot, $\frac{3}{4}$ inch . .	0 7 $\frac{1}{2}$	0 9 $\frac{1}{2}$	0 10	1 2
673. Ditto ditto, 1 do. .	0 8 $\frac{1}{2}$	0 10 $\frac{1}{2}$	0 11 $\frac{1}{2}$	1 4
674. Ditto ditto, 1 $\frac{1}{4}$ do. .	0 9 $\frac{1}{2}$	0 11 $\frac{1}{2}$	1 0 $\frac{1}{2}$	1 6
675. Ditto ditto, 1 $\frac{1}{2}$ do. .	0 10 $\frac{1}{2}$	1 1 $\frac{1}{2}$	1 1 $\frac{3}{4}$	1 8
676. Ditto ditto, 2 do. .	1 1	1 2	1 4	2 0
677. Ditto, semi-circular head, $\frac{3}{4}$ in. . .	0 9 $\frac{1}{2}$	0 11 $\frac{1}{2}$	1 1 $\frac{1}{2}$	2 0
678. Ditto ditto, 1 do. .	0 10 $\frac{1}{2}$	1 0 $\frac{1}{2}$	1 2 $\frac{1}{2}$	2 2
679. Ditto ditto, 1 $\frac{1}{4}$ do. .	0 11 $\frac{1}{2}$	1 1 $\frac{1}{2}$	1 3 $\frac{1}{2}$	2 4
680. Ditto ditto, 1 $\frac{1}{2}$ do. .	1 0 $\frac{1}{2}$	1 2 $\frac{1}{2}$	1 4 $\frac{1}{2}$	2 6
681. Ditto ditto, 2 do. .	1 2	1 4	1 6	2 10
682. Ditto, to items 663 to 682 inclusive, if mitred, add . .	0 1	0 1	0 1 $\frac{1}{2}$	0 1 $\frac{1}{2}$

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
683. Skeleton grounds for pilasters, 1 inch .	0	2 $\frac{3}{4}$	0	3 $\frac{3}{4}$	0	4 $\frac{1}{4}$	0	8 $\frac{1}{2}$
684. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	3 $\frac{1}{4}$	0	4 $\frac{1}{4}$	0	4 $\frac{3}{4}$	0	9 $\frac{1}{2}$
685. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	3 $\frac{3}{4}$	0	4 $\frac{3}{4}$	0	5 $\frac{1}{4}$	0	10 $\frac{1}{2}$
686. Ditto ditto, 2 do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6	1	0 $\frac{1}{2}$
687. If beaded, for each edge, add . . .	0	1 $\frac{1}{4}$
688. Deal dwarf doors and frames, one panel square, 1 inch .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	11
689. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	3 $\frac{3}{4}$	0	4 $\frac{3}{4}$	0	5 $\frac{3}{4}$	1	0 $\frac{1}{2}$
690. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4	0	5	0	6	1	2
691. Ditto, bead butt or moulded and square, 1 do. . .	0	4	0	5	0	6	1	0 $\frac{1}{2}$
692. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	4 $\frac{1}{4}$	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	1	2 $\frac{1}{2}$
693. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	1	4 $\frac{1}{2}$
694. Ditto, bead flush and square, 1 do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	1	1 $\frac{1}{2}$
695. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	4 $\frac{3}{4}$	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	1	3 $\frac{1}{2}$
696. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	5	0	6	0	7	1	5 $\frac{1}{2}$
697. Ditto, bolection moulded, 1 do. . .	0	4 $\frac{3}{4}$	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	1	2
698. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	5	0	6	0	7	1	4 $\frac{1}{2}$
699. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	1	7
700. Wainscot dwarf doors and frames, one panel square, 1 do.	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	2	1
701. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	7	0	8	0	9	2	3
702. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	7 $\frac{1}{2}$	0	9	0	10 $\frac{1}{2}$	2	5
703. Ditto, bead butt or moulded, 1 do. .	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	2	3
704. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	8	0	9 $\frac{1}{4}$	0	10 $\frac{1}{4}$	2	5
705. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	8 $\frac{1}{2}$	0	10	0	11 $\frac{1}{2}$	2	7
706. Ditto, bead flush, 1 do.	0	8	0	9	0	10 $\frac{1}{2}$	2	5
707. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	0	11 $\frac{1}{2}$	2	7
708. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	9	0	10 $\frac{1}{2}$	1	0 $\frac{1}{2}$	2	9
709. Ditto, three reeded, 1 do. . .	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	0	11 $\frac{1}{2}$	2	7
710. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	9	0	10 $\frac{1}{2}$	1	0 $\frac{1}{2}$	2	9

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
711. Ditto ditto, 1½ do. .	0	9½	0	11	1	1½	2	11
712. Ditto, bolection moulded, 1 do. .	0	9½	0	10½	1	0½	2	7
713. Ditto ditto, 1¼ do. .	0	10	0	11¼	1	1½	2	9
714. Ditto ditto, 1½ do. .	0	10½	1	0	1	2½	2	11
715. Honduras mahogany dwarf doors and frames, one panel square, 1 do. .	0	7½	0	8¾	0	10	2	3½
716. Ditto ditto, 1¼ do. .	0	8	0	9½	0	11	2	5½
717. Ditto ditto, 1½ do. .	0	8½	0	10¼	1	0	2	7½
718. Ditto, for beads, reeds, and moulded, add to items 703 to 714 inclusive, respectively	0	1	0	1¼	0	1½	0	2½
719. Spanish mahogany dwarf doors and frames, one panel square, 1 inch .	0	10	1	0	1	2	3	6
720. Ditto ditto, 1½ do. .	0	10½	1	0¾	1	3	3	8
721. Ditto ditto, 1½ do. .	0	11	1	1½	1	4	3	10
722. Ditto, for beads, reeds, and moulded, add to items 715 to 721 inclusive, respectively	0	3½	0	4½	0	5½	1	5
723. For hung folding, add to items 688 to 699 inclusive, respectively	0	0½	0	0½	0	0½	0	1
724. Ditto, add to items 700 to 718 inclusive, respectively .	0	0½	0	0¾	0	1	0	1¼
725. Ditto, add to items 719 to 722 inclusive, respectively .	0	0¾	0	1	0	1½	0	1½
726. Ditto, dwarf doors and frames, two panels, add to items 688 to 725 inclusive, respectively .	0	0½	0	0¾	0	1	0	1¾

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
727. Dwarf doors and frames, if circular on plan, flat sweep, to be increased by <i>one-half</i> on all the items 688 to 726 inclusive	
728. Ditto ditto, $\frac{1}{2}$ inch to foot, <i>two-and-a-half times</i>	
729. Ditto ditto, more than $\frac{1}{2}$ inch to foot, <i>three times</i>	

DOORS IN DEAL—*Per foot super.*

730. Skeleton doors, four panelled, $1\frac{1}{2}$ inch	0	3	0	4	0	$4\frac{3}{4}$	0	9
731. Ditto ditto, $1\frac{1}{2}$ do.	0	$3\frac{1}{4}$	0	$4\frac{1}{4}$	0	$4\frac{3}{4}$	0	10
732. Ditto ditto, $1\frac{3}{4}$ do.	0	$3\frac{1}{2}$	0	$4\frac{1}{2}$	0	5	0	11
733. Ditto ditto 2 do.	0	$3\frac{1}{2}$	0	$4\frac{1}{2}$	0	$5\frac{1}{2}$	1	0
734. Ditto, flush panel square back, $1\frac{1}{4}$ do.	0	4	0	5	0	$5\frac{1}{2}$	1	1
735. Ditto ditto, $1\frac{1}{2}$ do.	0	$4\frac{1}{4}$	0	$5\frac{1}{4}$	0	$5\frac{3}{4}$	1	$1\frac{1}{2}$
736. Ditto ditto, $1\frac{3}{4}$ do.	0	5	0	$6\frac{1}{2}$	0	$7\frac{1}{4}$	1	3
737. Ditto ditto, 2 do.	0	$5\frac{1}{4}$	0	$6\frac{3}{4}$	0	$7\frac{3}{4}$	1	4
738. Ditto, flush both sides, $1\frac{1}{4}$ do.	0	$4\frac{1}{2}$	0	$5\frac{1}{2}$	0	6	...	
739. Ditto ditto, $1\frac{1}{2}$ do.	0	$4\frac{3}{4}$	0	$5\frac{3}{4}$	0	$6\frac{1}{4}$	1	$2\frac{1}{2}$
740. Ditto ditto, $1\frac{3}{4}$ do.	0	6	0	7	0	8	1	5
741. Ditto ditto, 2 do.	0	$6\frac{1}{4}$	0	$7\frac{1}{4}$	0	$8\frac{1}{4}$	1	$5\frac{1}{2}$
742. Ditto, for feather-tonguing, add to items 730 to 741 inclusive, respectively	0	$0\frac{1}{2}$	0	$0\frac{3}{4}$	0	1	0	$1\frac{1}{4}$
743. Deal doors, two or three panels square, 1 do.	0	$3\frac{1}{2}$	0	$3\frac{1}{2}$	0	$4\frac{1}{4}$	0	10
744. Ditto ditto, $1\frac{1}{4}$ do.	0	$3\frac{1}{2}$	0	4	0	$4\frac{1}{2}$	0	$10\frac{3}{4}$
745. Ditto ditto, $1\frac{1}{2}$ do.	0	$3\frac{3}{4}$	0	$4\frac{1}{2}$	0	$4\frac{3}{4}$	0	$11\frac{1}{2}$

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Material.	
	s.	d.	s.	d.	s.	d.	s.	d.
746. Ditto ditto, $1\frac{1}{2}$ do. .	0	4	0	$4\frac{1}{2}$	0	$5\frac{1}{2}$	1	$0\frac{1}{2}$
747. Ditto ditto, 2 do. .	0	$4\frac{1}{2}$	0	5	0	$5\frac{3}{4}$	1	$1\frac{1}{2}$
748. Ditto ditto, $2\frac{1}{2}$ do. .	0	$4\frac{1}{2}$	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	1	$3\frac{1}{2}$
749. Ditto, bead butt, or moulded and square, $1\frac{1}{2}$ do. .	0	$3\frac{3}{4}$	0	$4\frac{1}{4}$	0	$4\frac{3}{4}$	1	0
750. Ditto ditto, $1\frac{1}{2}$ do. .	0	4	0	$4\frac{1}{2}$	0	$5\frac{1}{2}$	1	1
751. Ditto ditto, $1\frac{3}{4}$ do. .	0	$4\frac{1}{2}$	0	$4\frac{3}{4}$	0	$5\frac{3}{4}$	1	2
752. Ditto ditto, 2 do. .	0	$4\frac{1}{2}$	0	$5\frac{1}{4}$	0	$6\frac{1}{4}$	1	3
753. Ditto ditto, $2\frac{1}{2}$ do. .	0	$5\frac{1}{2}$	0	6	0	7	1	5
754. Ditto, bead flush and square, $1\frac{1}{2}$ do. .	0	$4\frac{1}{2}$	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	1	$1\frac{1}{2}$
755. Ditto ditto, $1\frac{1}{2}$ do. .	0	$4\frac{1}{2}$	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	1	$2\frac{1}{2}$
756. Ditto ditto, $1\frac{3}{4}$ do. .	0	5	0	6	0	7	1	$3\frac{1}{2}$
757. Ditto ditto, 2 do. .	0	$5\frac{1}{2}$	0	$6\frac{1}{4}$	0	$7\frac{1}{4}$	1	$4\frac{1}{2}$
758. Ditto ditto, $2\frac{1}{2}$ do. .	0	$5\frac{3}{4}$	0	$6\frac{3}{4}$	0	$7\frac{3}{4}$	1	$6\frac{1}{2}$
759. Deal doors, bead flush and bead butt, $1\frac{1}{4}$ in. .	0	5	0	6	0	7	1	$2\frac{1}{2}$
760. Ditto ditto, $1\frac{1}{2}$ do. .	0	$5\frac{1}{4}$	0	$6\frac{1}{4}$	0	$7\frac{1}{4}$	1	4
761. Ditto ditto, $1\frac{3}{4}$ do. .	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	1	$5\frac{1}{2}$
762. Ditto ditto, 2 do. .	0	$5\frac{3}{4}$	0	$6\frac{3}{4}$	0	$7\frac{3}{4}$	1	$7\frac{1}{4}$
763. Ditto ditto, $2\frac{1}{2}$ do. .	0	$6\frac{1}{4}$	0	$7\frac{1}{4}$	0	$8\frac{1}{4}$	1	$10\frac{1}{2}$
764. Deal doors, four panel square, 1 inch .	0	$3\frac{1}{2}$	0	$4\frac{1}{2}$	0	$4\frac{3}{4}$	0	11
765. Ditto ditto, $1\frac{1}{4}$ do. .	0	4	0	$4\frac{1}{2}$	0	5	0	$11\frac{1}{4}$
766. Ditto ditto, $1\frac{1}{2}$ do. .	0	$4\frac{1}{2}$	0	5	0	5	1	$0\frac{1}{2}$
767. Ditto ditto, $1\frac{3}{4}$ do. .	0	$4\frac{1}{2}$	0	5	0	$6\frac{1}{2}$	1	$1\frac{1}{4}$
768. Ditto ditto, 2 do. .	0	$4\frac{1}{2}$	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	1	$2\frac{1}{4}$
769. Ditto ditto, $2\frac{1}{2}$ do. .	0	$4\frac{3}{4}$	0	$5\frac{3}{4}$	0	$6\frac{3}{4}$	1	$4\frac{1}{2}$
770. Ditto, bead butt, or moulded and square, 1 inch .	0	$4\frac{1}{4}$	0	$4\frac{3}{4}$	0	$5\frac{1}{4}$	1	$0\frac{1}{2}$
771. Ditto ditto, $1\frac{1}{4}$ do. .	0	$4\frac{1}{4}$	0	$5\frac{1}{4}$	0	$5\frac{3}{4}$	1	$1\frac{1}{4}$
772. Ditto ditto, $1\frac{1}{2}$ do. .	0	$4\frac{1}{4}$	0	$5\frac{1}{4}$	0	$6\frac{1}{4}$	1	$2\frac{1}{2}$
773. Ditto ditto, $1\frac{3}{4}$ do. .	0	5	0	6	0	$6\frac{1}{2}$	1	$3\frac{1}{2}$
774. Ditto ditto, 2 do. .	0	$5\frac{1}{4}$	0	$6\frac{1}{4}$	0	$7\frac{1}{4}$	1	$4\frac{1}{2}$
775. Ditto ditto, $2\frac{1}{2}$ do. .	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	1	$6\frac{1}{2}$
776. Ditto, bead flush and square, $1\frac{1}{4}$ inch .	0	$4\frac{3}{4}$	0	$5\frac{3}{4}$	0	$6\frac{1}{4}$	1	$2\frac{1}{2}$
777. Ditto ditto, $1\frac{1}{2}$ do. .	0	$5\frac{1}{4}$	0	$6\frac{1}{4}$	0	$6\frac{3}{4}$	1	$3\frac{1}{2}$

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
778. Ditto ditto, $1\frac{3}{4}$ do. .	0	$5\frac{3}{4}$	0	$6\frac{3}{4}$	0	$7\frac{1}{4}$	1	$4\frac{1}{2}$
779. Ditto ditto, 2 do. .	0	$6\frac{1}{4}$	0	$7\frac{1}{4}$	0	$7\frac{3}{4}$	1	$5\frac{1}{2}$
780. Ditto ditto, $2\frac{1}{2}$ do. .	0	7	0	8	0	9	1	8
781. Ditto, bead flush and bead butt, $1\frac{1}{4}$ inch .	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	1	3
782. Ditto ditto, $1\frac{1}{2}$ do. .	0	$5\frac{3}{4}$	0	$6\frac{3}{4}$	0	$7\frac{3}{4}$	1	$4\frac{1}{2}$
783. Ditto ditto, $1\frac{3}{4}$ do. .	0	$6\frac{1}{4}$	0	$7\frac{1}{4}$	0	$8\frac{1}{4}$	1	$6\frac{1}{4}$
784. Ditto ditto, 2 do. .	0	$6\frac{3}{4}$	0	$7\frac{3}{4}$	0	$8\frac{3}{4}$	1	$8\frac{1}{2}$
785. Ditto ditto, $2\frac{1}{2}$ do. .	0	$7\frac{3}{4}$	0	$8\frac{3}{4}$	0	$9\frac{3}{4}$	2	$0\frac{1}{2}$
786. Ditto, reed flush and square, $1\frac{1}{4}$ inch .	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	1	$3\frac{1}{2}$
787. Ditto ditto, $1\frac{1}{2}$ do. .	0	6	0	7	0	8	1	5
788. Ditto ditto, $1\frac{3}{4}$ do. .	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	0	$8\frac{1}{2}$	1	$6\frac{1}{2}$
789. Ditto ditto, 2 do. .	0	7	0	8	0	9	1	8
790. Ditto ditto, $2\frac{1}{2}$ do. .	0	8	0	9	0	10	1	11
791. Ditto, reed flush and bead butt, $1\frac{1}{4}$ inch .	0	$5\frac{3}{4}$	0	$6\frac{3}{4}$	0	$7\frac{3}{4}$	1	$4\frac{1}{2}$
792. Ditto ditto, $1\frac{1}{2}$ do. .	0	$6\frac{1}{4}$	0	$7\frac{1}{4}$	0	$8\frac{1}{4}$	1	$6\frac{1}{2}$
793. Ditto ditto, $1\frac{3}{4}$ do. .	0	$6\frac{3}{4}$	0	$7\frac{3}{4}$	0	$8\frac{3}{4}$	1	$8\frac{1}{2}$
794. Ditto ditto, 2 do. .	0	$7\frac{1}{4}$	0	$8\frac{1}{4}$	0	$9\frac{1}{4}$	1	$10\frac{1}{2}$
795. Ditto ditto, $2\frac{1}{2}$ do. .	0	$8\frac{1}{4}$	0	$9\frac{1}{4}$	0	$10\frac{1}{4}$	2	$2\frac{1}{2}$
796. Ditto, moulded both sides, $1\frac{1}{4}$ inch .	0	$4\frac{1}{2}$	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	1	$2\frac{1}{2}$
797. Ditto ditto, $1\frac{1}{2}$ do. .	0	$5\frac{1}{4}$	0	$6\frac{1}{4}$	0	$6\frac{3}{4}$	1	$3\frac{1}{2}$
798. Ditto ditto, $1\frac{3}{4}$ do. .	0	$5\frac{3}{4}$	0	$6\frac{3}{4}$	0	$7\frac{1}{4}$	1	$4\frac{1}{2}$
799. Ditto ditto, 2 do. .	0	$6\frac{1}{4}$	0	$7\frac{1}{4}$	0	$7\frac{3}{4}$	1	$5\frac{1}{2}$
800. Ditto ditto, $2\frac{1}{2}$ do. .	0	7	0	8	0	9	1	8
801. Ditto, bead flush both sides, $1\frac{1}{4}$ inch .	0	$5\frac{3}{4}$	0	$6\frac{3}{4}$	0	$7\frac{3}{4}$	1	$3\frac{1}{2}$
802. Ditto ditto, $1\frac{1}{2}$ do. .	0	$6\frac{1}{4}$	0	$7\frac{1}{4}$	0	$8\frac{1}{4}$	1	$5\frac{1}{2}$
803. Ditto ditto, $1\frac{3}{4}$ do. .	0	$6\frac{3}{4}$	0	$7\frac{3}{4}$	0	$8\frac{3}{4}$	1	$7\frac{1}{2}$
804. Ditto ditto, 2 do. .	0	$7\frac{1}{4}$	0	$8\frac{1}{4}$	0	$9\frac{1}{4}$	1	$9\frac{1}{2}$
805. Ditto ditto, $2\frac{1}{2}$ do. .	0	$8\frac{1}{4}$	0	$9\frac{1}{4}$	0	$10\frac{1}{4}$	2	$1\frac{1}{2}$
806. Ditto, bead butt both sides, or moulded and bead flush, $1\frac{1}{4}$ do. .	0	$4\frac{3}{4}$	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	1	$3\frac{1}{2}$
807. Ditto ditto, $1\frac{1}{2}$ do. .	0	$5\frac{1}{4}$	0	$6\frac{1}{4}$	0	$7\frac{1}{4}$	1	$5\frac{1}{2}$
808. Ditto ditto, $1\frac{3}{4}$ do. .	0	$5\frac{3}{4}$	0	$6\frac{3}{4}$	0	$7\frac{3}{4}$	1	$6\frac{1}{2}$
809. Ditto ditto, 2 do. .	0	$6\frac{1}{4}$	0	$7\frac{1}{4}$	0	$8\frac{1}{4}$	1	8
810. Ditto ditto, $2\frac{1}{2}$ do. .	0	$7\frac{1}{4}$	0	$8\frac{1}{4}$	0	$9\frac{1}{4}$	1	11

Deal Doors.

91

Items.	Labour only.		Labour Fixed.		Labour and Nails.		A Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
811. Deal doors six panel square, $1\frac{1}{2}$ inch .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	1	11 $\frac{1}{2}$
812. Ditto ditto, $1\frac{1}{2}$ do. .	0	4 $\frac{3}{4}$	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	1	2 $\frac{1}{2}$
813. Ditto ditto, $1\frac{1}{4}$ do. .	0	5	0	6	0	7	1	3 $\frac{3}{4}$
814. Ditto ditto, 2 do. .	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	1	5
815. Ditto ditto, $2\frac{1}{2}$ do. .	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	0	7 $\frac{3}{4}$	1	7 $\frac{1}{2}$
816. Ditto, bead butt, or moulded and square, $1\frac{1}{2}$ inch .	0	4 $\frac{3}{4}$	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	1	3
817. Ditto ditto, $1\frac{1}{2}$ do. .	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	1	4 $\frac{1}{2}$
818. Ditto ditto, $1\frac{1}{4}$ do. .	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	0	7 $\frac{3}{4}$	1	6
819. Ditto ditto, 2 do. .	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	1	7 $\frac{1}{2}$
820. Ditto ditto, $2\frac{1}{2}$ do. .	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	0	9 $\frac{1}{4}$	1	10 $\frac{1}{2}$
821. Ditto, bead flush and square, $1\frac{1}{4}$ inch .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	4
822. Ditto ditto, $1\frac{1}{2}$ do. .	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	0	7 $\frac{3}{4}$	1	5 $\frac{1}{2}$
823. Ditto ditto, $1\frac{3}{4}$ do. .	0	6	0	7	0	8	1	7
824. Ditto ditto, 2 do. .	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	1	8 $\frac{1}{2}$
825. Ditto ditto, $2\frac{1}{2}$ do. .	0	6 $\frac{3}{4}$	0	7 $\frac{3}{4}$	0	8 $\frac{3}{4}$	1	11 $\frac{1}{2}$
826. Ditto, bead flush and bead butt, $1\frac{1}{4}$ inch .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	4 $\frac{1}{2}$
827. Ditto ditto, $1\frac{1}{2}$ do. .	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	1	6 $\frac{1}{2}$
828. Ditto ditto, $1\frac{3}{4}$ do. .	0	7	0	8	0	9	1	8 $\frac{1}{2}$
829. Ditto ditto, 2 do. .	0	7 $\frac{3}{4}$	0	8 $\frac{3}{4}$	0	9 $\frac{3}{4}$	1	10 $\frac{1}{2}$
830. Ditto ditto, $2\frac{1}{2}$ do. .	0	9 $\frac{1}{4}$	0	10 $\frac{1}{4}$	0	11 $\frac{1}{4}$	2	2 $\frac{1}{2}$
831. Ditto, reed flush and square, $1\frac{1}{2}$ inch .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	4 $\frac{1}{2}$
832. Ditto ditto, $1\frac{1}{2}$ do. .	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	1	6 $\frac{1}{2}$
833. Ditto ditto, $1\frac{1}{4}$ do. .	0	7	0	8	0	9	1	8 $\frac{1}{2}$
834. Ditto ditto, 2 do. .	0	7 $\frac{3}{4}$	0	8 $\frac{3}{4}$	0	9 $\frac{3}{4}$	1	10 $\frac{1}{2}$
835. Ditto ditto, $2\frac{1}{2}$ do. .	0	9 $\frac{1}{4}$	0	10 $\frac{1}{4}$	0	11 $\frac{1}{4}$	2	2 $\frac{1}{2}$
836. Ditto, bead flush, both sides, $1\frac{1}{4}$ inch
837. Ditto ditto, $1\frac{1}{2}$ do. .	0	6 $\frac{3}{4}$	0	7 $\frac{3}{4}$	0	8 $\frac{3}{4}$	1	7 $\frac{1}{2}$
838. Ditto ditto, $1\frac{3}{4}$ do. .	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	9 $\frac{1}{4}$	1	10
839. Ditto ditto, 2 do. .	0	8 $\frac{1}{4}$	0	9 $\frac{1}{4}$	0	10 $\frac{1}{4}$	2	0 $\frac{1}{2}$
840. Ditto ditto, $2\frac{1}{2}$ do. .	0	9 $\frac{3}{4}$	0	10 $\frac{3}{4}$	1	0	2	5 $\frac{1}{2}$
841. Ditto, moulded, both sides, $1\frac{1}{2}$ inch .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	1	4
842. Ditto ditto, $1\frac{1}{2}$ do. .	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	0	7 $\frac{3}{4}$	1	5 $\frac{1}{2}$

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
843. Ditto ditto, $1\frac{3}{4}$ do. .	0	6	0	7	0	8	1	7
844. Ditto ditto, 2 do. .	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	1	8 $\frac{1}{2}$
845. Ditto ditto, $2\frac{1}{2}$ do. .	0	7	0	8	0	9	1	11 $\frac{1}{2}$
846. Ditto, moulded and bead butt, $1\frac{1}{4}$ inch .	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	1	6
847. Ditto ditto, $1\frac{1}{2}$ do. .	0	6 $\frac{1}{2}$	0	7 $\frac{3}{4}$	0	8 $\frac{1}{2}$	1	7 $\frac{1}{2}$
848. Ditto ditto, $1\frac{3}{4}$ do. .	0	7	0	8	0	9	1	9
849. Ditto ditto, 2 do. .	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	1	10
850. Ditto ditto, $2\frac{1}{2}$ do. .	0	7 $\frac{3}{4}$	0	8 $\frac{3}{4}$	0	9 $\frac{3}{4}$	2	1 $\frac{1}{2}$
851. Ditto, moulded and bead flush, $1\frac{1}{4}$ inch .	0	7	0	8	0	9	1	7 $\frac{1}{2}$
852. Ditto ditto, $1\frac{1}{2}$ do. .	0	7 $\frac{1}{2}$	0	8 $\frac{1}{4}$	0	9 $\frac{1}{4}$	1	8 $\frac{1}{2}$
853. Ditto ditto, $1\frac{3}{4}$ do. .	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	1	9 $\frac{1}{2}$
854. Ditto ditto, 2 do. .	0	7 $\frac{3}{4}$	0	8 $\frac{3}{4}$	0	9 $\frac{3}{4}$	1	10 $\frac{1}{2}$
855. Ditto ditto, $2\frac{1}{2}$ do. .	0	8 $\frac{1}{4}$	0	9 $\frac{1}{4}$	0	10 $\frac{1}{4}$	2	0 $\frac{1}{2}$
856. Ditto, reed flush, both sides, $1\frac{1}{4}$ inch .	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	1	8 $\frac{1}{2}$
857. Ditto ditto, $1\frac{1}{2}$ do. .	0	7 $\frac{3}{4}$	0	8 $\frac{1}{2}$	0	9 $\frac{3}{4}$	1	9 $\frac{1}{2}$
858. Ditto ditto, $1\frac{3}{4}$ do. .	0	8	0	9	0	10	1	10 $\frac{1}{2}$
859. Ditto ditto, 2 do. .	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	0	10 $\frac{1}{2}$	1	11 $\frac{1}{2}$
860. Ditto ditto, $2\frac{1}{2}$ do. .	0	8 $\frac{3}{4}$	0	9 $\frac{3}{4}$	0	10 $\frac{3}{4}$	2	1 $\frac{1}{2}$
861. Ditto, bolection mould- ed, hung folding, or double margined, add each .	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$	0	1 $\frac{1}{4}$
862. Ditto, raised panels, add for each side, $1\frac{1}{4}$ in. and $1\frac{1}{2}$ in. .	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$	0	2 $\frac{1}{2}$
863. Do. do., $1\frac{1}{2}$ in. and 2 in.	0	1 $\frac{1}{4}$	0	1 $\frac{1}{2}$	0	1 $\frac{3}{4}$	0	3
864. Ditto ditto, $2\frac{1}{2}$ in. .	0	1 $\frac{1}{2}$	0	1 $\frac{3}{4}$	0	2	0	3 $\frac{1}{2}$
865. Ditto, feather-tongued or cross-tongued, add $1\frac{1}{4}$ in. and $1\frac{1}{2}$ in. .	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$
866. Ditto ditto, $1\frac{1}{4}$ in. and 2 in. .	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$	0	1 $\frac{1}{2}$
867. Ditto ditto, $2\frac{1}{2}$ do. .	0	1	0	1 $\frac{1}{4}$	0	1 $\frac{1}{2}$	0	2
868. Ditto, mitred mould- ings, as astragals, &c. round panels, <i>per foot</i> run, $1\frac{1}{4}$ in. and $1\frac{1}{2}$ in.	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$	0	2

Items.	Labour only.	Labour Fixed.	Labour and Nails.	All Materials.
	s. d.	s. d.	s. d.	s. d.
869. Ditto ditto, $1\frac{1}{2}$ in. and 2 in.	0 1	0 $1\frac{1}{4}$	0 $1\frac{1}{2}$	0 $2\frac{1}{4}$
870. Ditto ditto, $2\frac{1}{2}$ in. . .	0 $1\frac{1}{4}$	0 $1\frac{1}{2}$	0 $1\frac{3}{4}$	0 $2\frac{1}{2}$
871. Ditto, circular on plan, flat sweep, to be al- lowed <i>half</i> the price <i>additional</i> to each item, as above, for straight work respec- tively.				
872. Ditto ditto, if more than $\frac{1}{4}$ in. and not more than $\frac{1}{2}$ in. to foot, the price per item, as above, to be <i>doubled</i> .				
873. Ditto ditto, exceeding $\frac{1}{2}$ in. to foot, the price to be multiplied by <i>two-and-a-half</i> .				
874. Ditto, curved heads, if circular, to be mea- sured as if square above the springing line, and allowed as if <i>three times</i> the actual area.				
875. Ditto, Gothic or ellip- tical, or other curves, ditto, <i>four times</i> .				

WAINSCOT DOORS.—Per foot super.

876. Two or three panel doors, moulded or bead flush and square, $1\frac{1}{2}$ inch	0 $7\frac{1}{2}$	0 $8\frac{1}{2}$	0 10	2 10
877. Ditto ditto, 2 do. . .	0 9	0 $10\frac{1}{2}$	1 $0\frac{1}{2}$	3 $7\frac{1}{2}$
878. Ditto ditto, $2\frac{1}{2}$ do. .	0 $10\frac{1}{2}$	1 $0\frac{1}{2}$	1 3	4 5

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
879. Ditto, double moulded, 1½ in.	0	8½	0	10	0	11½	3	1
880. Ditto ditto, 2 do.	0	10½	1	0	1	2½	3	10½
881. Ditto ditto, 2½ do.	0	11½	1	2	1	4½	4	8
882. Four panel doors, moulded or bead butt and square, 1½ in.	0	8	0	9	0	10½	3	1
883. Ditto do, 2 do.	0	9½	0	11	1	1	3	10½
884. Ditto ditto, 2½ do.	0	11	1	1	1	3½	4	8
885. Ditto, double moulded, 1½ in.	0	9½	0	10½	1	0½	3	4
886. Ditto ditto, 2 do.	0	10½	1	0½	1	2½	4	1½
887. Ditto ditto, 2½ do.	1	0½	1	2½	1	5½	4	11
888. Six panel doors, moulded or bead butt and square, 1½ in.	0	9	0	10	0	11½	3	5
889. Ditto ditto, 2 do.	0	10½	1	0	1	2	4	2½
890. Ditto ditto, 2½ do.	1	0	1	2	1	4½	5	0
891. Ditto, double moulded, 1½ in.	0	10½	0	11½	1	1½	3	8
892. Ditto ditto, 2 do.	0	11½	1	1½	1	3½	4	5½
893. Ditto ditto, 2½ do.	1	1½	1	2½	1	6½	5	3
894. Ditto, to items 876 to 893, inclusive, if hung folding, add	0	1½	0	1½	0	2½	0	2½

MAHOGANY DOORS.—Per foot super.

895. Two or three panel doors of Honduras, moulded and square, 1½ in.	1	0	1	2	1	4½	3	11
896. Ditto ditto, 2 do.	1	1½	1	3½	1	7	4	11
897. Ditto ditto, 2½ do.	1	4	1	7	1	11½	5	11
898. Four panel doors of Honduras, moulded and square, 1½ in.	1	1	1	3	1	5½	4	4
899. Ditto ditto, 2 do.	1	3½	1	5½	1	9	5	4
900. Ditto ditto, 2½ do.	1	6	1	9	2	1½	6	4

Mahogany Doors.

95

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.
	s.	d.	s.	d.	s.	d.	s. d.
901. Ditto, double moulded 1½ in.	1	2½	1	5	1	8	4 10
902. Ditto ditto, 2 do.	1	5	1	7½	1	11½	5 10
903. Ditto ditto, 2½ do.	1	7½	1	11	2	4	6 10
904. Six panel doors of Honduras, moulded and square, 1½ in.	1	5	1	7	1	9½	4 10
905. Ditto ditto, 2 do.	1	7½	1	9½	2	2	5 10
906. Ditto ditto, 2½ do.	1	10	2	1	2	9½	6 10
907. Ditto, double moulded, 1½ in.	1	8½	1	11	2	3½	5 4
908. Ditto ditto, 2 do.	1	11½	2	1½	2	6	6 4
909. Ditto ditto, 2½ do.	2	2	2	5	2	10½	7 4
910. Two or three panel doors of Spanish mahogany, moulded and square, 1½ in.	1	1½	1	3½	1	6½	5 7
911. Ditto ditto, 2 do.	1	3½	1	5½	1	9½	6 10
912. Ditto ditto, 2½ do.	1	6½	1	9½	2	2	8 5
913. Four panel ditto, 1½ in.	1	2½	1	4½	1	7½	5 10
914. Ditto ditto, 2 do.	1	5½	1	7½	1	11½	7 4
915. Ditto ditto, 2½ do.	1	8½	1	11½	2	4½	8 10
916. Ditto, moulded both sides, 1½ in.	1	4	1	6½	1	10	6 4
917. Ditto ditto, 2 do.	1	7	1	9½	2	2	7 10
918. Ditto ditto, 2½ do.	1	10	2	1½	2	7	9 4
919. Six panel doors of Spanish mahogany, moulded and square, 1½ in.	1	6½	1	8½	1	11½	6 4
920. Ditto ditto, 2 do.	1	9½	1	11½	2	4½	7 10
921. Ditto ditto, 2½ do.	2	0½	2	3½	3	0½	9 4
922. Ditto, moulded both sides, 1½ in.	1	10	2	0½	2	5½	6 10
923. Ditto ditto, 2 do.	2	1½	2	3½	2	8½	8 4
924. Ditto ditto, 2½ do.	2	4½	2	7½	3	1½	9 10
925. Ditto, bead flush both sides, 1½ in.	2	1	2	2½	2	6½	7 4
926. Ditto ditto, 2 do.	2	3½	2	5½	2	10½	8 10
927. Ditto ditto, 2½ do.	2	6½	2	9½	3	3½	10 4

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
928. Ditto framed with double margins, $1\frac{1}{2}$ in., add . . .	0	3	0	$3\frac{1}{4}$	0	$3\frac{1}{2}$	0	6
929. Ditto ditto, 2 do., add	0	$3\frac{1}{2}$	0	$3\frac{1}{2}$	0	$3\frac{1}{4}$	0	$7\frac{1}{2}$
930. Ditto ditto, $2\frac{1}{2}$ do., add	0	$3\frac{1}{2}$	0	$3\frac{1}{4}$	0	4	0	8
931. Ditto, bolection moulded, add on items 910 to 930 inclusive, respectively . . .	0	$2\frac{1}{4}$	0	$2\frac{1}{2}$	0	3	0	$5\frac{1}{2}$
932. For three reeds, to items for bead flush, add . . .	0	1	0	$1\frac{1}{4}$	0	$1\frac{1}{2}$	0	$1\frac{1}{2}$
933. Ditto, to items 895 to 932 inclusive, if hung folding, add . . .	0	$1\frac{1}{2}$	0	2	0	$2\frac{1}{2}$	0	$3\frac{1}{2}$
934. For circular on plan and for curved heads, measure and increase the items for wainscot and mahogany doors (items 876 to 933 inclusive) same as for deal, as described in items 871 to 875	

OUTSIDE, OR STREET DOORS.—*Per foot super.*

935. Deal doors two or three panels, bottom bead flush, square back, top quirk moulded, 2 in. . .	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	1	$4\frac{1}{2}$
936. Ditto ditto, $2\frac{1}{4}$ do. . .	0	6	0	$7\frac{1}{4}$	0	$8\frac{1}{2}$	1	6
937. Ditto ditto, $2\frac{1}{2}$ do. . .	0	$6\frac{1}{2}$	0	8	0	$9\frac{1}{2}$	1	$7\frac{1}{2}$
938. Ditto, four panel ditto, 2 in.	0	6	0	7	0	8	1	$5\frac{1}{2}$
939. Ditto ditto, $2\frac{1}{4}$ do. . .	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	0	9	1	7
940. Ditto ditto, $2\frac{1}{2}$ do. . .	0	7	0	$8\frac{1}{2}$	0	10	1	$8\frac{1}{2}$
941. Ditto, five panel ditto, 2 in.	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	0	$8\frac{1}{2}$	1	$6\frac{1}{2}$

Outside Doors.

97

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
942. Ditto ditto, 2½ do. . .	0	7	0	8½	0	9½	1	8
943. Ditto ditto, 2½ do. . .	0	7½	0	9	0	10½	1	9½
944. Do., six panel do., 2 in. .	0	7	0	8	0	9	1	7½
945. Ditto ditto, 2½ do. . .	0	7½	0	8½	0	10	1	9
946. Ditto ditto, 2½ do. . .	0	8	0	9½	0	11	1	10½
947. Ditto, for bead butt, or back moulded, add . . .	0	0½	0	1	0	1½	0	1½
948. Ditto, for bead flush, add .	0	1	0	1½	0	1½	0	2
949. Ditto, raised four upper panels and back square	0	8½	0	9½	0	11	2	3
950. Ditto ditto, and back bead butt	0	9	0	10	0	11½	2	5
951. Ditto ditto, and back bead flush	0	9½	0	10½	1	0½	2	6
952. Ditto bolection moulded, to the quirk moulded, add	0	0½	0	1	0	1½	0	1½
953. Do., double margin, add .	0	1½	0	1½	0	1½	0	2½
954. Ditto, raised mouldings, add	0	0½	0	1	0	1½	0	1½
955. Ditto, three reeded, to bead flush, add . .	0	0½	0	1	0	1½	0	1½
956. Ditto, if hung folding, to items 935 to 955 inclusive respectively, add	0	1	0	1½	0	1½	0	2½
957. Ditto, if joints feather-tongued, ditto, add . .	0	0½	0	0½	0	1	0	1½
958. Ditto, reeds and sinkings ploughed, per foot run	0	0½	0	0½	0	1	0	1½
959. Ditto, cables to 4 in. girt, per foot run . . .	0	1½	0	1½	0	2½	0	3½
960. For circular heads and curved on plan, the items to be increased in same proportion as described in items 871 to 875 inclusive.								

SASH DOORS.—*Per foot super.*

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
961. Deal ovolo, two panels square, $1\frac{1}{2}$ in. .	0	4	0	5	0	6	1	$0\frac{1}{2}$
962. Ditto ditto, 2 do. .	0	$4\frac{1}{2}$	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	1	$2\frac{1}{2}$
963. Ditto ditto, $2\frac{1}{2}$ do. .	0	5	0	6	0	7	1	$4\frac{1}{2}$
964. Ditto, bead butt, or moulded and square, $1\frac{1}{2}$ in. .	0	$4\frac{1}{2}$	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	1	$1\frac{1}{2}$
965. Ditto ditto, 2 do. .	0	5	0	6	0	7	1	$3\frac{1}{2}$
966. Ditto ditto, $2\frac{1}{2}$ do. .	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	1	$5\frac{1}{2}$
967. Ditto, bead flush and square, $1\frac{1}{2}$ in. .	0	5	0	6	0	7	1	$2\frac{1}{2}$
968. Ditto ditto, 2 do. .	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	1	$4\frac{1}{2}$
969. Ditto ditto, $2\frac{1}{2}$ do. .	0	6	0	7	0	8	1	$6\frac{1}{2}$
970. Ditto, moulded both sides, or moulded and bead butt, $1\frac{1}{2}$ in. .	0	$5\frac{1}{2}$	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	1	$3\frac{1}{2}$
971. Ditto ditto, 2 do. .	0	6	0	7	0	8	1	$5\frac{1}{2}$
972. Ditto ditto, $2\frac{1}{2}$ do. .	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	0	$8\frac{1}{2}$	1	$7\frac{1}{2}$
973. Ditto, moulded and bead flush, $1\frac{1}{2}$ in. .	0	6	0	7	0	8	1	$4\frac{1}{2}$
974. Ditto ditto, 2 do. .	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	0	$8\frac{1}{2}$	1	$6\frac{1}{2}$
975. Ditto ditto, $2\frac{1}{2}$ do. .	0	7	0	8	0	9	1	$8\frac{1}{2}$
976. Ditto, bead flush and bead butt, $1\frac{1}{2}$ in. .	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	0	$8\frac{1}{2}$	1	$5\frac{1}{2}$
977. Ditto ditto, 2 do. .	0	7	0	8	0	9	1	$7\frac{1}{2}$
978. Ditto ditto, $2\frac{1}{2}$ do. .	0	$7\frac{1}{2}$	0	$8\frac{1}{2}$	0	$9\frac{1}{2}$	1	$9\frac{1}{2}$
979. Ditto, bead flush, both sides, $1\frac{1}{2}$ in. .	0	7	0	8	0	9	1	$6\frac{1}{2}$
980. Ditto ditto, 2 do. .	0	$7\frac{1}{2}$	0	$8\frac{1}{2}$	0	$9\frac{1}{2}$	1	$8\frac{1}{2}$
981. Ditto ditto, $2\frac{1}{2}$ do. .	0	8	0	9	0	10	1	$10\frac{1}{2}$
982. Ditto, for stiles diminished, add .	0	$0\frac{1}{2}$	0	$0\frac{1}{2}$	0	$0\frac{1}{2}$	0	1
983. Deal sash doors, diminished stiles, shutter framed bead and flush, as six panel, square back, 2 in. .	0	$9\frac{1}{2}$	0	$10\frac{1}{2}$	1	$0\frac{1}{2}$	2	$0\frac{1}{2}$
984. Ditto ditto, $2\frac{1}{2}$ do. .	0	$10\frac{1}{2}$	0	$11\frac{1}{4}$	1	2	2	3

Items.	Labour only.	Labour Fixed.	Labour and Nails.	All Mate- rials.
	s. d.	s. d.	s. d.	s. d.
985. Ditto, moulded or bead butt back, 2 in. . .	0 10	0 11	1 1	2 1½
986. Ditto ditto, 2½ do. . .	0 11	1 0½	1 2½	2 4
987. Ditto, and bead flush back, 2 in. . .	0 10½	0 11½	1 1½	2 2½
988. Ditto ditto, 2½ do. . .	0 11½	1 0¾	1 3	2 4
989. Ditto, three reeds, 2 in. . .	0 11	1 0¼	1 2½	2 4
990. Ditto ditto, 2½ do. . .	1 0	1 1½	1 4	2 5½
991. Ditto, bolection mould- ed, add . . .	0 0¾	0 1	0 1½	0 1½
992. Ditto, hollow and as- tragal, add . . .	0 0½	0 0¾	0 1	0 1½
993. Ditto, double chamfer- ed bar, lambs' tongue or similar moulding up to rebate, on ovolo sashes, add . . .	0 0¾	0 1	0 1½	0 1½
994. Ditto, hung folding, add	0 0¾	0 1½	0 1½	0 1½
995. Wainscot sash doors, bottom panels mould- ed and square, dimin- ished stiles, 1½ in. . .	0 9½	0 11½	1 1½	2 4½
996. Ditto ditto, 2 do. . .	0 11½	1 1¾	1 4½	2 10½
997. Ditto ditto, 2½ do. . .	1 1½	1 4	1 7	3 4½
998. Ditto, bead flush and square, 1½ in. . .	0 10½	1 0½	1 2½	2 6½
999. Ditto ditto, 2 do. . .	1 0½	1 2¾	1 5¼	3 0½
1000. Ditto ditto, 2½ do. . .	1 2½	1 5	1 9	3 6½
1001. Wainscot astragal sash door, shutter framed reed flush as 6 panel, diminished stiles, moulded or bead flush back, bottom panels, 1½ in. . .	0 11	1 0½	1 3½	2 11½
1002. Ditto ditto, 2 do. . .	1 2½	1 4½	1 8½	3 8
1003. Ditto ditto, 2½ do. . .	1 6	1 8½	2 1½	4 4½
1004. Ditto, to items 995 to 1003, if hung folding, add . . .	0 1	0 1½	0 2	0 3

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1005. Ditto, to items 995 to 1004, if with marginal lights, add <i>on the sash</i> . . .	0	1½	0	2	0	2½	0	3½
1006. Honduras mahogany sash doors, bottom panels moulded and square, diminished stiles, 1½ in. . .	0	11½	1	1½	1	3½	3	4
1007. Ditto ditto, 2 do. . .	1	1½	1	4	1	6½	4	0
1008. Ditto ditto, 2½ do. . .	1	5	1	8	1	11	5	0
1009. Ditto, bead flush and square, 1½ in. . .	1	0½	1	3	1	5½	3	7
1010. Ditto ditto, 2 do. . .	1	3	1	5½	1	8½	4	3
1011. Ditto ditto, 2½ do. . .	1	7	1	10	2	1½	5	1
1012. Honduras mahogany sash doors, shutter framed, reed flush as six panel, diminished stiles, moulded or bead flush back, bottom panels, 1½ in. . .	1	3½	1	4½	1	8½	3	6½
1013. Ditto ditto, 2 do. . .	1	5½	1	7½	2	0½	4	8
1014. Ditto ditto, 2½ do. . .	1	10	2	0½	2	6½	5	10
1015. Ditto, to items 1006 to 1014, if hung folding, add . . .	0	1½	0	1½	0	2½	0	3½
1016. Ditto, to items 1006 to 1015, for marginal lights, add <i>on the sash</i> . . .	0	2	0	2½	0	2½	0	3½
1017. Spanish mahogany sash doors, bottom panels moulded and square, diminished stiles, 1½ in. . .	1	1½	1	3½	1	5½	4	8
1018. Ditto ditto, 2 do. . .	1	4½	1	6½	1	9	5	7
1019. Ditto ditto, 2½ do. . .	1	8½	1	11	2	4	6	8½
1020. Ditto, bead flush and square, 1½ in. . .	1	4	1	6	1	9½	5	1
1021. Ditto ditto, 2 do. . .	1	7	1	9½	2	1½	6	0

Sash Doors.

101

Items.	Labour only. s. d.	Labour Fixed. s. d.	Labour and Nails. s. d.	All Mate- rials. s. d.
1022. Ditto ditto, 2½ do. .	1 11	2 2½	2 8½	7 2
1023. Spanish mahogany sash doors, shutter framed, reed flush as 6 panel, diminished stiles, moulded or bead flush back, bot- tom panels, 1½ in. .	1 5	1 7½	1 11½	5 7
1024. Ditto ditto, 2 do. .	1 8½	1 11½	2 4	6 8
1025. Ditto ditto, 2½ do. .	2 1½	2 4	2 11	8 4
1026. Ditto, to items 1017 to 1025, if hung folding, add . .	0 2	0 2½	0 3	0 4
1027. Ditto, to items 1017 to 1026, for mar- ginal lights, add on the sash . . .	0 2½	0 3	0 3½	0 4½
1028. Ditto, for circular on plan, flat sweep, add half to previous items, respectively, as before
1029. Ditto, for ditto, ½ in. to foot, double the items as before
1030. Ditto, for ditto, more than ½ inch to foot, two and a-half times the items as before
1031. Ditto, for circular heads, allow them from the springing three times the items as before
1032. For Gothic, elliptical, or other curves, allow four times the items as before

COACH-HOUSE AND LEDGED DOORS, &c.—*Per foot super.*

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1033. Deal framed and braced, filled in with 1 in. deal, ploughed, tongued, and beaded, 2 in.	0	5	0	6½	0	8	1	7
1034. Ditto, with 1½ in. rails and braces framed, filled in with 1 inch deal, beaded and rebated, 2½ do. . . .	0	6	0	7½	0	9	1	10
1035. Ditto ditto, filled in with half planks or battens, 2 in. . . .	0	6	0	7½	0	9½	1	9
1036. Ditto ditto, 2½ in. . . .	0	7	0	8½	0	10½	2	0
1037. Ditto, filled in with 1½ ditto, 2½ in. . . .	0	7½	0	9	0	11	2	2
1038. Deal, 12 panel (in pair) gates, bead flush and square, 2 in. . .	0	11	1	1	1	4	1	9
1039. Ditto ditto, 2½ do. . . .	1	0	1	2	1	5	2	0
1040. Ditto, 16 panel (in pair) gates, bead flush and square, 2 inches	1	1	1	3	1	6	2	6
1041. Ditto ditto, 2½ do. . . .	1	2	1	4	1	7	2	9
1042. Ditto ditto, 3 do. . . .	1	3	1	5	1	8½	2	11½
1043. Ditto, for each panel additional, add	0	0¾	0	1	0	1¼	0	1½
1044. Ditto ditto, bead butt back, add	0	1	0	1½	0	1½	0	1¾
1045. Ditto ditto, bead flush back, add	0	1½	0	1½	0	2	0	2½
1046. Ditto ditto, reed flush, on item 1045, add . . .	0	0½	0	0¾	0	1	0	1¼
1047. Ditto ditto, with wickets framed in, to items as before, add . .	0	1	0	1¼	0	1½	0	2

Ledged Doors.—Counters.

103

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1048. Deal ledged doors and shutters, rough edges shot, $\frac{3}{4}$ inch . . .	0	1 $\frac{1}{2}$	0	2 $\frac{1}{4}$	0	2 $\frac{1}{4}$	0	8
1049. Ditto ditto, 1 do. . .	0	2 $\frac{1}{4}$	0	2 $\frac{3}{4}$	0	3 $\frac{1}{4}$	0	9
1050. Ditto ditto, 1 $\frac{1}{2}$ do. . .	0	2 $\frac{3}{4}$	0	3 $\frac{1}{4}$	0	3 $\frac{3}{4}$	0	10 $\frac{1}{2}$
1051. Ditto ditto, 1 $\frac{1}{2}$ do. . .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{4}$	0	5	1	0 $\frac{1}{2}$
1052. Ditto ditto, 2 do. . .	0	4 $\frac{1}{4}$	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	1	3
1053. Ditto, wrought, $\frac{1}{2}$ do. . .	0	2 $\frac{1}{4}$	0	2 $\frac{3}{4}$	0	3 $\frac{1}{4}$	0	9
1054. Ditto ditto, 1 do. . .	0	2 $\frac{3}{4}$	0	3 $\frac{1}{4}$	0	3 $\frac{3}{4}$	0	10 $\frac{1}{2}$
1055. Ditto ditto, 1 $\frac{1}{2}$ do. . .	0	3 $\frac{1}{4}$	0	3 $\frac{3}{4}$	0	4 $\frac{1}{4}$	1	0 $\frac{1}{2}$
1056. Ditto ditto, 1 $\frac{1}{2}$ do. . .	0	4	0	4 $\frac{3}{4}$	0	5 $\frac{1}{2}$	1	2 $\frac{1}{2}$
1057. Ditto ditto, 2 do. . .	0	4 $\frac{3}{4}$	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	1	5
1058. Ditto, matched and beaded, $\frac{3}{4}$ do. . .	0	2 $\frac{3}{4}$	0	3 $\frac{1}{4}$	0	3 $\frac{3}{4}$	0	10
1059. Ditto ditto, 1 do. . .	0	3	0	3 $\frac{1}{2}$	0	4	0	11
1060. Do. ploughed, tongued, and beaded, 1 do. . .	0	3 $\frac{1}{4}$	0	3 $\frac{3}{4}$	0	4 $\frac{1}{4}$	1	0 $\frac{1}{2}$
1061. Ditto ditto, 1 $\frac{1}{2}$ do. . .	0	3 $\frac{3}{4}$	0	4 $\frac{1}{4}$	0	4 $\frac{3}{4}$	1	2 $\frac{1}{2}$
1062. Ditto ditto, 1 $\frac{1}{2}$ do. . .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{4}$	0	6	1	4 $\frac{1}{2}$
1063. Ditto ditto, 2 do. . .	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	1	7
1064. Ditto, for bracing, to previous items add . .	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{2}$
1065. Ditto ditto, hanging folding ditto, add . .	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$	0	1 $\frac{3}{4}$
1066. Ditto ditto ditto, in two heights ditto, add	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$
1067. Ditto ditto, cellar-flaps, ditto, add . .	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$	0	1 $\frac{1}{2}$

COUNTERS.—Per foot super.

1068. Deal top, glued and blocked, 1 inch . .	0	3	0	4	0	4 $\frac{1}{2}$	0	8 $\frac{1}{2}$
1069. Ditto ditto, 1 $\frac{1}{4}$ do. . .	0	3 $\frac{1}{4}$	0	4 $\frac{1}{4}$	0	4 $\frac{3}{4}$	0	10
1070. Ditto ditto, 1 $\frac{1}{2}$ do. . .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5	0	11 $\frac{1}{2}$
1071. Ditto, clamps to ditto, tongued, per foot run, extra	0	3	0	3 $\frac{1}{4}$	0	4	0	8

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1072. Ditto ditto, morticed, ditto	0	4	0	4½	0	5	0	8
1073. Ditto ditto, mitres, each	0	4
1074. Ditto, fitting and hanging flaps, each	0	8
1075. Wainscot top, glued and blocked, 1 inch	0	5½	0	6½	0	7½	1	9
1076. Ditto ditto, 1¼ do.	0	6	0	7	0	8	2	0
1077. Ditto ditto, 1½ do.	0	6½	0	7½	0	8½	2	3
1078. Ditto, clamps to ditto, tongued, <i>per foot run, extra</i>	0	3½	0	3½	0	4½	0	8
1079. Ditto ditto, morticed, ditto	0	4½	0	4¾	0	5½	1	0
1080. Ditto ditto, mitres, each	0	5
1081. Ditto, fitting and hanging flaps, each	0	8½
1082. Ditto, heading joints, tongued, <i>per foot run</i>	0	2½	0	3½	0	4½	0	6½
1083. Ditto, cut edge circular, ditto	0	1½	0	1½	0	1¾	0	2
1084. Honduras mahogany top, glued and blocked, 1 inch	0	6½	0	7½	0	8½	2	3
1085. Ditto ditto, 1¼ do.	0	7	0	8	0	9	2	7
1086. Ditto ditto, 1½ do.	0	7½	0	8½	0	9½	2	11
1087. Ditto, clamps to ditto, tongued, <i>per foot run, extra</i>	0	5½	0	6	0	6½	0	9½
1088. Ditto ditto, morticed, ditto	0	6	0	6½	0	7	1	0
1089. Ditto ditto, mitres, each	0	6½
1090. Ditto, fitting and hanging flaps, each	0	9½
1091. Ditto, heading joints, tongued, <i>per foot run</i>	0	3	0	4	0	5	0	7½

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1092. Ditto, cut edge circular, ditto . . .	0	1½	0	1½	0	2	0	2½
1093. Spanish mahogany top, glued and blocked, 1 inch . . .	0	7½	0	8½	0	9½	3	10
1094. Ditto ditto, 1½ do. . .	0	8½	0	9½	0	11	4	5
1095. Ditto ditto, 1½ do. . .	0	9	0	10½	1	0½	5	0
1096. Ditto, clamps to ditto, tongued, <i>per foot run, extra</i> . . .	0	6	0	6½	0	7	1	5
1097. Ditto ditto, morticed, ditto . . .	0	7	0	7½	0	8	1	2
1098. Ditto ditto, mitres, each . . .	0	7½
1099. Ditto, fitting and hanging flaps, each . .	0	11
1100. Ditto, heading joints, tongued, <i>per foot run</i> . .	0	3½	0	4½	0	5½	0	8
1101. Ditto, cut edge circular, ditto . . .	0	2	0	2½	0	3	0	4
1102. Deal fronts, framed square, 1 in. . .	0	3½	0	4½	0	5	0	9
1103. Ditto ditto, 1½ do. . .	0	3¾	0	4¾	0	5½	0	10
1104. Ditto ditto, 1½ do. . .	0	4	0	5	0	5½	0	11
1105. Ditto ditto, moulded, 1 in. . .	0	4½	0	5½	0	6	0	10
1106. Ditto ditto, 1½ do. . .	0	4¾	0	5¾	0	6½	0	11
1107. Ditto ditto, 1½ do. . .	0	5	0	6	0	6½	1	0
1108. Wainscot fronts, framed square, 1 in. . .	0	5¾	0	6¾	0	7½	1	9½
1109. Ditto ditto, 1½ do. . .	0	6¼	0	7¼	0	8½	2	1
1110. Ditto ditto, 1½ do. . .	0	6¾	0	7¾	0	8½	2	4½
1111. Ditto ditto, moulded, 1 in. . .	0	6¼	0	7¼	0	8½	1	10½
1112. Ditto ditto, 1½ do. . .	0	6¾	0	7¾	0	8½	2	2
1113. Ditto ditto, 1½ do. . .	0	7¼	0	8¼	0	9½	2	5½
1114. Honduras mahogany fronts, framed square, 1 in. . .	0	6¾	0	7¾	0	8½	2	4
1115. Ditto ditto, 1½ do. . .	0	7¼	0	8¼	0	9½	2	8

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1116. Ditto ditto, $1\frac{1}{2}$ do. .	0	7 $\frac{1}{2}$	0	8 $\frac{3}{4}$	0	9 $\frac{3}{4}$	3	0
1117. Ditto ditto, moulded, 1 in.	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	2	5
1118. Ditto ditto, $1\frac{1}{4}$ do. .	0	8	0	9	0	10	2	9
1119. Ditto ditto, $1\frac{1}{2}$ do. .	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	0	10 $\frac{1}{2}$	3	1
1120. Spanish mahogany fronts, framed square, 1 in.	0	7 $\frac{1}{2}$	0	8 $\frac{3}{4}$	0	9 $\frac{1}{2}$	3	11
1121. Ditto ditto, $1\frac{1}{4}$ do. .	0	8 $\frac{1}{2}$	0	9 $\frac{3}{4}$	0	11 $\frac{1}{2}$	4	6
1122. Ditto ditto, $1\frac{1}{2}$ do. .	0	9 $\frac{1}{2}$	0	10 $\frac{1}{4}$	1	1	5	1
1123. Ditto ditto, moulded, 1 in.	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	0	10 $\frac{1}{2}$	4	0
1124. Ditto ditto, $1\frac{1}{4}$ do. .	0	9 $\frac{1}{4}$	0	10 $\frac{1}{4}$	0	11 $\frac{1}{4}$	4	7
1125. Ditto ditto, $1\frac{1}{2}$ do. .	0	10	0	11	1	0	5	2
1126. Ditto, items 1068 to 1125, inclusive, if circular on plan, flat sweep, to be increased <i>one-half</i> respectively.
1127. Ditto, if $\frac{1}{2}$ in. per foot, to be <i>doubled</i>

PARTITIONS, WAINSCOTING, &c.—Per foot super.

1128. Deal board and brace, $\frac{1}{2}$ in. panels, 1 in. .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	7
1129. Ditto ditto, $1\frac{1}{4}$ do. .	0	3	0	3 $\frac{1}{2}$	0	4	0	8
1130. Ditto, $\frac{3}{4}$ panels, $1\frac{1}{2}$ do.	0	3 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	9
1131. Ditto, framed square, $1\frac{1}{4}$ in.	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	9
1132. Ditto ditto, $1\frac{1}{2}$ do. .	0	4	0	5	0	5 $\frac{1}{2}$	0	9 $\frac{1}{2}$
1133. Ditto ditto, 2 do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	5 $\frac{3}{4}$	0	11
1134. Ditto ditto, 2 $\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6	1	0 $\frac{1}{2}$
1135. Ditto, moulded, or bead butt, and square, $1\frac{1}{4}$ in.	0	4	0	5	0	5 $\frac{1}{2}$	0	10
1136. Ditto ditto, $1\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	11
1137. Ditto ditto, 2 do. .	0	4 $\frac{1}{2}$	0	5 $\frac{3}{4}$	0	6 $\frac{1}{2}$	1	1

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1138. Ditto ditto, 2½ do. .	0	5½	0	6½	0	7½	1	3
1139. Ditto, bead flush and square, 1½ in. .	0	4½	0	5½	0	6	0	10½
1140. Ditto, 1½ do. .	0	4¾	0	5½	0	6½	0	11½
1141. Ditto ditto, 2 do. .	0	5½	0	6½	0	6¾	1	2
1142. Ditto ditto, 2½ do. .	0	5¾	0	7	0	7¾	1	4½
1143. Ditto, both sides moulded, 1½ in. .	0	5	0	5½	0	5¾	0	11
1144. Ditto ditto, 1½ do. .	0	5½	0	5¾	0	6½	1	0½
1145. Ditto ditto, 2 do. .	0	5¾	0	6¾	0	7½	1	3
1146. Ditto ditto, 2½ do. .	0	6½	0	7½	0	8¾	1	5½
1147. Ditto, threereeds flush and square, 1½ in. .	0	5	0	5¾	0	6	1	0
1148. Ditto ditto, 1½ do. .	0	5½	0	6	0	6½	1	1
1149. Ditto ditto, 2 do. .	0	5¾	0	6¾	0	7½	1	3
1150. Ditto ditto, 2½ do. .	0	6½	0	7½	0	8½	1	5
1151. Ditto, bead flush and bead butt, 1½ in. .	0	6	0	6½	0	7	1	2½
1152. Ditto ditto, 1½ do. .	0	6½	0	7	0	7½	1	3½
1153. Ditto ditto, 2 do. .	0	6¾	0	7¾	0	8½	1	5½
1154. Ditto ditto, 2½ do. .	0	7½	0	8½	0	9½	1	7½
1155. Ditto, bead flush and moulded, 1½ in. .	0	5½	0	6	0	6¾	1	1½
1156. Ditto ditto, 1½ do. .	0	5¾	0	6½	0	7	1	2½
1157. Ditto ditto, 2 do. .	0	6½	0	7½	0	7¾	1	4½
1158. Ditto ditto, 2½ do. .	0	6¾	0	8	0	8¾	1	6½
1159. Ditto, both sides bead flush, 1½ do. .	0	6½	0	7	0	7½	1	3½
1160. Ditto ditto, 1½ do. .	0	6¾	0	7½	0	8	1	4½
1161. Ditto ditto, 2 do. .	0	7½	0	8½	0	8¾	1	6½
1162. Ditto ditto, 2½ do. .	0	7¾	0	9	0	9¾	1	8½
1163. Ditto, for raised mouldings, on items 1135 to 1162 inclusive, add	0	0¾	0	1	0	1½	0	1½
1164. Deal wainscoting, including skirtings and square facing, square framed, 1 in. .	0	2¾	0	3½	0	3¾	0	7
1165. Ditto ditto, 1½ do. .	0	3	0	3½	0	4	0	8
1166. Ditto ditto, 1½ do. .	0	3½	0	3¾	0	4½	0	9

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1167. Ditto, bead butt or moulded, 1 in. .	0	3 $\frac{1}{4}$	0	3 $\frac{3}{4}$	0	4 $\frac{1}{4}$	0	10
1168. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	3 $\frac{1}{2}$	0	4	0	4 $\frac{1}{2}$	0	11
1169. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	3 $\frac{3}{4}$	0	4 $\frac{1}{4}$	0	4 $\frac{3}{4}$	1	0
1170. Ditto, bead flush, 1 in. .	0	3 $\frac{3}{4}$	0	4 $\frac{1}{4}$	0	4 $\frac{3}{4}$	0	11
1171. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	4	0	4 $\frac{1}{2}$	0	5	1	0
1172. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4 $\frac{1}{4}$	0	4 $\frac{3}{4}$	0	5 $\frac{1}{4}$	1	1
1173. Ditto, three reeded bead flush, 1 in. .	0	4 $\frac{1}{4}$	0	4 $\frac{3}{4}$	0	5 $\frac{1}{4}$	1	0 $\frac{1}{2}$
1174. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	4 $\frac{3}{4}$	0	5	0	5 $\frac{3}{4}$	1	1 $\frac{1}{2}$
1175. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4 $\frac{3}{4}$	0	5 $\frac{1}{4}$	0	5 $\frac{3}{4}$	1	2 $\frac{1}{2}$
1176. Ditto, more than two panels high, to items 1164 to 1175 inclusive, add . .	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$
1177. Ditto, dwarf ditto, framed square, 1 in. .	0	3 $\frac{1}{4}$	0	3 $\frac{3}{4}$	0	4 $\frac{1}{4}$	0	7 $\frac{1}{2}$
1178. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	3 $\frac{1}{2}$	0	4	0	4 $\frac{1}{2}$	0	8 $\frac{1}{2}$
1179. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	3 $\frac{3}{4}$	0	4 $\frac{1}{4}$	0	4 $\frac{3}{4}$	0	9 $\frac{1}{2}$
1180. Ditto, bead butt or moulded, 1 in. .	0	3 $\frac{1}{2}$	0	4	0	4 $\frac{1}{2}$	0	9 $\frac{1}{2}$
1181. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	3 $\frac{3}{4}$	0	4 $\frac{1}{4}$	0	4 $\frac{3}{4}$	0	10 $\frac{1}{2}$
1182. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4	0	4 $\frac{1}{2}$	0	5	0	11 $\frac{1}{2}$
1183. Ditto, bead flush, 1 in. .	0	4	0	4 $\frac{1}{2}$	0	5	0	10 $\frac{1}{2}$
1184. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	4 $\frac{1}{4}$	0	4 $\frac{3}{4}$	0	5 $\frac{1}{4}$	0	11 $\frac{1}{2}$
1185. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	5	0	5 $\frac{1}{2}$	1	0 $\frac{1}{2}$
1186. Ditto, three reeded, bead flush, 1 in. .	0	4 $\frac{1}{2}$	0	5	0	6	1	0 $\frac{1}{2}$
1187. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	4 $\frac{3}{4}$	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	1	1 $\frac{1}{2}$
1188. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	5	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	1	2 $\frac{1}{2}$
1189. Ditto, framed, two panels high, to items 1177 to 1188 inclusive, add . .	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$
1190. Ditto, scribing and raking to stairs, add		0	1	
1191. Ditto, raised moulded, add . .	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$	0	1 $\frac{1}{2}$
1192. Ditto, capping, beaded, per foot run, add .	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{3}{4}$

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1193. Ditto ditto, moulded, <i>per foot run</i> , add .	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$	0	2 $\frac{1}{2}$
1194. Ditto, for circular on plan, flat sweep, items 1128 to 1193 inclusive, are to be increased by <i>one-half</i> respectively.								
1195. Ditto, for ditto, if rise of $\frac{1}{2}$ inch per foot, the items to be <i>doubled</i> .								
1196. Deal tongued seat, riser, and bearers for water-closets, 1 in. .	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	0	11 $\frac{1}{2}$
1197. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	5 $\frac{1}{2}$	0	6 $\frac{3}{4}$	0	8 $\frac{1}{4}$	1	1
1198. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	5 $\frac{3}{4}$	0	7 $\frac{1}{4}$	0	9 $\frac{1}{4}$	1	2 $\frac{1}{2}$
1199. Wainscot, ditto ditto, 1 in. .	0	5 $\frac{3}{4}$	0	6 $\frac{3}{4}$	0	8	2	0
1200. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	0	9	2	3 $\frac{1}{4}$
1201. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	6 $\frac{3}{4}$	0	8	0	10	2	7
1202. Honduras mahogany, ditto, 1 in. .	0	6 $\frac{3}{4}$	0	7 $\frac{3}{4}$	0	9	2	3 $\frac{1}{2}$
1203. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	0	10	2	7
1204. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	7 $\frac{3}{4}$	0	9	0	11	2	10 $\frac{1}{2}$
1205. Spanish ditto ditto, 1 in. .	0	9 $\frac{1}{4}$	0	10 $\frac{3}{4}$	1	0 $\frac{1}{2}$	3	11
1206. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	9 $\frac{3}{4}$	0	11 $\frac{1}{4}$	1	1 $\frac{1}{2}$	4	3
1207. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	10 $\frac{1}{4}$	1	0 $\frac{1}{4}$	1	2 $\frac{1}{2}$	4	7
1208. Deal framed and beaded top with flap, mortice-clamped, 1 in. .	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	0	9 $\frac{1}{4}$	1	1 $\frac{1}{2}$
1209. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	7 $\frac{3}{4}$	0	8 $\frac{3}{4}$	0	10	1	2
1210. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	7 $\frac{3}{4}$	0	9 $\frac{1}{4}$	0	10 $\frac{3}{4}$	1	3 $\frac{1}{2}$
1211. Wainscot ditto ditto, 1 in. .	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	2	3 $\frac{1}{2}$
1212. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	6 $\frac{3}{4}$	0	8	0	9 $\frac{1}{4}$	2	7
1213. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	7 $\frac{1}{4}$	0	8 $\frac{3}{4}$	0	10 $\frac{1}{4}$	2	10 $\frac{1}{2}$
1214. Honduras mahogany, ditto, 1 in. .	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	0	9 $\frac{1}{4}$	2	7
1215. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	7 $\frac{3}{4}$	0	9	0	10 $\frac{1}{4}$	2	10 $\frac{1}{2}$

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1216. Ditto ditto, $1\frac{1}{2}$ do. .	0	8 $\frac{1}{4}$	0	9 $\frac{3}{4}$	0	11 $\frac{1}{4}$	3	2
1217. Spanish ditto ditto, 1 in. .	0	9 $\frac{3}{4}$	0	11 $\frac{1}{4}$	1	0 $\frac{1}{2}$	4	0
1218. Ditto ditto, $1\frac{1}{4}$ do. .	0	10 $\frac{1}{2}$	1	0	1	0 $\frac{3}{4}$	4	4 $\frac{1}{4}$
1219. Ditto ditto, $1\frac{1}{2}$ do. .	0	10 $\frac{1}{2}$	1	0 $\frac{1}{2}$	1	2 $\frac{1}{4}$	4	9
1220. Honduras mahogany, square skirting, $\frac{1}{2}$ in.	0	2	0	3	0	3 $\frac{1}{2}$	0	10
1221. Ditto ditto, $\frac{3}{4}$ do. .	0	2 $\frac{1}{2}$	0	3 $\frac{3}{4}$	0	4 $\frac{1}{2}$	1	3
1222. Ditto moulded, ditto, $\frac{1}{2}$ do. .	0	3	0	4	0	4 $\frac{1}{2}$	0	11 $\frac{1}{2}$
1223. Ditto ditto, $\frac{1}{2}$ do. .	0	3 $\frac{3}{4}$	0	4 $\frac{3}{4}$	0	5 $\frac{1}{4}$	1	4 $\frac{1}{2}$
1224. Spanish ditto, square ditto, $\frac{1}{2}$ do. .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	4	1	4
1225. Ditto ditto, $\frac{3}{4}$ do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5	2	0
1226. Ditto moulded, ditto, $\frac{1}{2}$ do. .	0	4	0	5	0	5 $\frac{1}{2}$	1	7
1227. Ditto ditto, $\frac{3}{4}$ do. .	0	4 $\frac{3}{4}$	0	5 $\frac{3}{4}$	0	6 $\frac{1}{4}$	2	3
1228. Nosings rounded, per foot run .	0	1 $\frac{1}{2}$	0	2	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$
1229. Ditto moulded, per foot run .	0	2 $\frac{3}{4}$	0	3 $\frac{1}{4}$	0	4	0	5 $\frac{1}{4}$
1230. Mortice clamp mitres, each .	0	6
1231. Cutting holes in deal, each .	0	8
1232. Ditto ditto wainscot, each .	0	9 $\frac{1}{4}$
1233. Ditto, Honduras mahogany, each .	0	10
1234. Ditto, Spanish ditto, each .	0	11
1235. Ditto, for handle, including beads .	1	3

WAINSCOT AND MAHOGANY—in thicknesses.—Per foot super.

1236. Wainscot, rough, no labour, $\frac{1}{2}$ inch	0	8
1237. Ditto ditto, $\frac{1}{2}$ do.	0	11 $\frac{1}{4}$
1238. Ditto ditto, 1 do.	1	3

Mahogany in Thicknesses.

111

Items.	Labour only.		Labour Fixed.		Labour and Nails		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1239. Ditto ditto, $1\frac{1}{4}$ do.	1	6 $\frac{1}{2}$
1240. Ditto ditto, $1\frac{1}{2}$ do.	1	10
1241. Ditto ditto, 2 do.	2	2
1242. Honduras mahogany, rough, no labour, $\frac{1}{2}$ inch	0	9
1243. Ditto ditto, $\frac{3}{4}$ do.	1	1
1244. Ditto ditto, 1 do.	1	5
1245. Ditto ditto, $1\frac{1}{4}$ do.	1	9
1246. Ditto ditto, $1\frac{1}{2}$ do.	2	1
1247. Ditto ditto, 2 do.	2	5
1248. Spanish mahogany, rough, no labour, $\frac{1}{2}$ inch	1	5
1249. Ditto ditto, $\frac{3}{4}$ do.	2	1
1250. Ditto ditto, 1 do.	2	9
1251. Ditto ditto, $1\frac{1}{4}$ do.	3	5
1252. Ditto ditto, $1\frac{1}{2}$ do.	4	1
1253. Ditto ditto, 2 do.	4	10
1254. Wainscot wrought, one side, $\frac{1}{2}$ inch . . .	0	0 $\frac{1}{2}$	0	2 $\frac{1}{2}$	0	4	0	10 $\frac{1}{2}$
1255. Ditto ditto, $\frac{3}{4}$ do. .	0	1 $\frac{1}{4}$	0	2 $\frac{3}{4}$	0	4 $\frac{1}{4}$	1	2 $\frac{1}{4}$
1256. Ditto ditto, 1 do. .	0	2	0	3	0	4 $\frac{1}{2}$	1	6
1257. Ditto ditto, $1\frac{1}{4}$ do. .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	4 $\frac{3}{4}$	1	9 $\frac{1}{2}$
1258. Ditto ditto, $1\frac{1}{2}$ do. .	0	2 $\frac{3}{4}$	0	3 $\frac{1}{2}$	0	5	2	1 $\frac{1}{2}$
1259. Ditto ditto, 2 do. .	0	2 $\frac{3}{4}$	0	3 $\frac{1}{2}$	0	6	2	9
1260. Honduras mahogany, wrought one side, $\frac{1}{2}$ inch . . .	0	1 $\frac{3}{4}$	0	2 $\frac{3}{4}$	0	4 $\frac{1}{2}$	1	0
1261. Ditto ditto, $\frac{3}{4}$ do. .	0	2	0	3	0	4 $\frac{1}{2}$	1	4 $\frac{1}{2}$
1262. Ditto ditto, 1 do. .	0	2 $\frac{1}{4}$	0	3 $\frac{1}{4}$	0	4 $\frac{3}{4}$	1	9
1263. Ditto ditto, $1\frac{1}{4}$ do. .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	5	2	1 $\frac{1}{2}$
1264. Ditto ditto, $1\frac{1}{2}$ do. .	0	2 $\frac{3}{4}$	0	3 $\frac{3}{4}$	0	5 $\frac{1}{4}$	2	6
1265. Ditto ditto, 2 do. .	0	3	0	4 $\frac{1}{2}$	0	6 $\frac{1}{2}$	3	3
1266. Spanish mahogany, wrought one side, $\frac{1}{2}$ inch . . .	0	2 $\frac{1}{4}$	0	3 $\frac{1}{4}$	0	4 $\frac{1}{2}$	1	10
1267. Ditto ditto, $\frac{3}{4}$ do. .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	4 $\frac{3}{4}$	2	6
1268. Ditto ditto, 1 do. .	0	2 $\frac{3}{4}$	0	3 $\frac{3}{4}$	0	5 $\frac{1}{4}$	3	3
1269. Ditto ditto, $1\frac{1}{4}$ do. .	0	3	0	4 $\frac{1}{4}$	0	6	4	0

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1270. Ditto ditto, $1\frac{1}{2}$ do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	6 $\frac{1}{2}$	4	9
1271. Ditto ditto, 2 do. .	0	3 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	7 $\frac{1}{2}$	6	3
1272. Wainscot glued and blocked, $\frac{1}{2}$ in. .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	5	0	11
1273. Ditto ditto, $\frac{3}{4}$ do. .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	5 $\frac{1}{2}$	1	3 $\frac{1}{2}$
1274. Ditto ditto, 1 do. .	0	3	0	4	0	5 $\frac{1}{2}$	1	8
1275. Ditto ditto, $1\frac{1}{4}$ do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{3}{4}$	2	0 $\frac{1}{2}$
1276. Ditto ditto, $1\frac{1}{2}$ do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	6	2	5
1277. Ditto ditto, 2 do. .	0	3 $\frac{1}{2}$	0	4 $\frac{3}{4}$	0	6 $\frac{1}{2}$	3	2
1278. Honduras mahogany, glued and blocked, $\frac{1}{2}$ in. .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	5 $\frac{1}{2}$	1	1
1279. Ditto ditto, $\frac{3}{4}$ do. .	0	3	0	4	0	5 $\frac{1}{2}$	1	5 $\frac{1}{2}$
1280. Ditto ditto, 1 do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{3}{4}$	1	10
1281. Ditto ditto, $1\frac{1}{4}$ do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	6	2	2 $\frac{1}{2}$
1282. Ditto ditto, $1\frac{1}{2}$ do. .	0	3 $\frac{1}{2}$	0	4 $\frac{3}{4}$	0	6 $\frac{1}{2}$	2	7 $\frac{1}{2}$
1283. Ditto ditto, 2 do. .	0	4	0	5	0	6 $\frac{1}{2}$	3	5
1284. Spanish mahogany, glued and blocked, $\frac{1}{2}$ in. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	2	0
1285. Ditto ditto, $\frac{3}{4}$ do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{3}{4}$	2	9
1286. Ditto ditto, 1 do. .	0	3 $\frac{1}{2}$	0	4 $\frac{3}{4}$	0	6 $\frac{1}{2}$	3	6
1287. Ditto ditto, $1\frac{1}{4}$ do. .	0	4	0	5	0	6 $\frac{3}{4}$	4	3
1288. Ditto ditto, $1\frac{1}{2}$ do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	7 $\frac{1}{2}$	5	0
1289. Ditto ditto, 2 do. .	0	4 $\frac{1}{2}$	0	6	0	8	6	6
1290. Wainscot, wrought both sides, $\frac{1}{2}$ in. .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	5	0	11
1291. Ditto ditto, $\frac{3}{4}$ do. .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	5 $\frac{1}{2}$	1	3 $\frac{1}{2}$
1292. Ditto ditto, 1 do. .	0	3	0	4	0	5 $\frac{1}{2}$	1	8
1293. Ditto ditto, $1\frac{1}{4}$ do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{3}{4}$	2	0 $\frac{1}{2}$
1294. Ditto ditto, $1\frac{1}{2}$ do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	6	2	5
1295. Ditto ditto, 2 do. .	0	4	0	5	0	6 $\frac{1}{2}$	3	2
1296. Honduras mahogany, wrought both sides, $\frac{1}{2}$ in. .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	5 $\frac{1}{2}$	1	1
1297. Ditto ditto, $\frac{3}{4}$ do. .	0	3	0	4	0	5 $\frac{1}{2}$	1	5 $\frac{1}{2}$
1298. Ditto ditto, 1 do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{3}{4}$	1	10
1299. Ditto ditto, $1\frac{1}{4}$ do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	6	2	2 $\frac{1}{2}$
1300. Ditto ditto, $1\frac{1}{2}$ do. .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	6 $\frac{1}{2}$	2	7 $\frac{1}{2}$

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1301. Ditto ditto, 2 do. .	0	4 $\frac{1}{4}$	0	5 $\frac{1}{4}$	0	.7	3	5
1302. Spanish do., wrought both sides, $\frac{1}{2}$ in. .	0	3 $\frac{3}{4}$	0	4 $\frac{3}{4}$	0	6 $\frac{1}{2}$	2	2
1303. Ditto ditto, $\frac{3}{4}$ do. .	0	4 $\frac{1}{4}$	0	5 $\frac{1}{4}$	0	7 $\frac{1}{4}$	2	11
1304. Ditto ditto, 1 do. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	7 $\frac{1}{2}$	3	8
1305. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	0	8	4	5
1306. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	8 $\frac{1}{2}$	5	2
1307. Ditto ditto, 2 do. .	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	0	9 $\frac{1}{4}$	6	8
1308. Wainscot, wrought both sides, and framed, 1 in. .	0	5	0	6	0	8	2	0
1309. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	8 $\frac{1}{2}$	2	4 $\frac{1}{2}$
1310. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	6	0	7	0	9	2	9
1311. Ditto ditto, 2 do. .	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	9 $\frac{1}{2}$	3	6
1312. Honduras mahogany, ditto, 1 in. .	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	0	8 $\frac{1}{2}$	2	2
1313. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	9	2	7 $\frac{1}{2}$
1314. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	0	9 $\frac{1}{4}$	3	0
1315. Ditto ditto, 2 do. .	0	7	0	8 $\frac{1}{2}$	0	11	3	10
1316. Spanish mahogany ditto, 1 in. .	0	7	0	8 $\frac{1}{2}$	0	10 $\frac{1}{2}$	4	0
1317. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	7 $\frac{1}{2}$	0	9	0	11	4	9 $\frac{1}{2}$
1318. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	8	0	9 $\frac{1}{2}$	0	11 $\frac{1}{2}$	5	7
1319. Ditto ditto, 2 do. .	0	9	0	10 $\frac{1}{2}$	1	0 $\frac{1}{2}$	7	2
1320. Wainscot, wrought both sides, and dove-tailed, $\frac{1}{2}$ in. .	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	7	1	2
1321. Ditto ditto, $\frac{3}{4}$ do. .	0	5 $\frac{1}{4}$	0	6 $\frac{1}{4}$	0	7 $\frac{1}{4}$	1	6 $\frac{1}{2}$
1322. Ditto ditto, 1 do. .	0	6	0	7	0	8 $\frac{1}{2}$	1	11
1323. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	6 $\frac{3}{4}$	0	7 $\frac{3}{4}$	0	9 $\frac{1}{4}$	2	3 $\frac{1}{2}$
1324. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	10 $\frac{1}{2}$	2	8
1325. Ditto ditto, 2 do. .	0	8 $\frac{1}{4}$	0	9 $\frac{1}{4}$	0	11 $\frac{1}{4}$	3	6
1326. Honduras mahogany ditto, $\frac{1}{2}$ in. .	0	4	0	5	0	7	1	4
1327. Ditto ditto, $\frac{3}{4}$ do. .	0	5	0	6	0	8	1	9
1328. Ditto ditto, 1 do. .	0	6	0	7	0	9	2	2
1329. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	7	0	8	0	10 $\frac{1}{4}$	2	7
1330. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	8	0	9 $\frac{1}{2}$	0	11 $\frac{1}{2}$	3	0
1331. Ditto ditto, 2 do. .	0	9	0	10 $\frac{1}{2}$	1	1	3	10

Items.	Labour only.		Labour Fixed.		Labour and Nails.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
1332. Spanish mahogany ditto, $\frac{1}{2}$ in. . . .	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	9 $\frac{1}{2}$	2	6
1333. Ditto ditto, $\frac{3}{4}$ do. . .	0	7	0	8	0	10 $\frac{1}{2}$	3	3 $\frac{1}{2}$
1334. Ditto ditto, 1 do. . .	0	7 $\frac{3}{4}$	0	8 $\frac{3}{4}$	0	11 $\frac{1}{2}$	4	1
1335. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	1	1	4	10 $\frac{1}{2}$
1336. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	9 $\frac{1}{2}$	0	10 $\frac{1}{2}$	1	2 $\frac{1}{2}$	5	8
1337. Ditto ditto, 2 do. . .	0	10 $\frac{3}{4}$	0	11 $\frac{3}{4}$	1	4	7	3
1338. Wainscot, in drawers, under 2 in., <i>per foot super</i> , $\frac{1}{2}$ in. . . .	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	8	1	3 $\frac{1}{2}$
1339. Ditto ditto, $\frac{3}{4}$ do. . .	0	6	0	7	0	8 $\frac{3}{4}$	1	8
1340. Ditto ditto, 1 do. . .	0	6 $\frac{3}{4}$	0	7 $\frac{3}{4}$	0	9 $\frac{1}{2}$	2	0 $\frac{1}{2}$
1341. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	10 $\frac{1}{2}$	2	5
1342. Honduras mahogany in ditto, $\frac{1}{2}$ in. . . .	0	6	0	7	0	8 $\frac{1}{2}$	1	6
1343. Ditto ditto, $\frac{3}{4}$ do. . .	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	9 $\frac{1}{4}$	1	11
1344. Ditto ditto, 1 do. . .	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	0	10	2	4
1345. Ditto ditto, 1 $\frac{1}{4}$ do. .	0	8	0	9	0	11	2	9
1346. Spanish mahogany ditto, $\frac{1}{2}$ in. . . .	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	0	10 $\frac{1}{4}$	2	8
1347. Ditto ditto, $\frac{3}{4}$ do. . .	0	7 $\frac{3}{4}$	0	8 $\frac{3}{4}$	0	10 $\frac{3}{4}$	3	5
1348. Ditto ditto, 1 do. . .	0	8 $\frac{1}{2}$	0	9 $\frac{1}{2}$	0	11 $\frac{1}{2}$	4	2
1349. Ditto ditto, 1 $\frac{1}{2}$ do. .	0	9 $\frac{1}{2}$	0	10 $\frac{1}{2}$	1	0 $\frac{1}{2}$	4	11
1350. Wainscot, in drawers, under <i>one foot super</i> , $\frac{1}{2}$ in. . . .	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	9	1	5
1351. Ditto ditto, $\frac{3}{4}$ do. . .	0	6 $\frac{3}{4}$	0	7 $\frac{3}{4}$	0	9 $\frac{1}{2}$	1	9 $\frac{1}{2}$
1352. Ditto ditto, 1 do. . .	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	0	10 $\frac{1}{4}$	2	2
1353. Honduras mahogany ditto, $\frac{1}{2}$ in. . . .	0	7 $\frac{1}{4}$	0	8 $\frac{1}{4}$	0	10	1	8
1354. Ditto ditto, $\frac{3}{4}$ do. . .	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$	0	11	2	2
1355. Ditto ditto, 1 do. . .	0	8	0	9	1	0	2	8
1356. Spanish mahogany ditto, $\frac{1}{2}$ in. . . .	0	8 $\frac{1}{4}$	0	9 $\frac{1}{4}$	0	11	2	9
1357. Ditto ditto, $\frac{3}{4}$ do. . .	0	8 $\frac{3}{4}$	0	9 $\frac{3}{4}$	1	0 $\frac{1}{4}$	3	11
1358. Ditto ditto, 1 do. . .	0	9	0	10 $\frac{1}{2}$	1	1 $\frac{1}{2}$	5	1
1359. For tonguing, to items 1254 to 1358, add $\frac{1}{2}$ and $\frac{3}{4}$ in. . .	0	0 $\frac{1}{2}$	0	0 $\frac{3}{4}$	0	1	0	1 $\frac{1}{4}$

Items.	Labour only. s. d.	Labour Fixed. s. d.	Labour and Nails. s. d.	All Materials. s. d.
1360. Ditto ditto, add, 1 and $1\frac{1}{2}$ do. . .	0 0 $\frac{1}{2}$	0 1	0 1 $\frac{1}{2}$	0 1 $\frac{1}{2}$
1361. Ditto ditto, add, $1\frac{1}{2}$ and 2 do. . .	0 1	0 1 $\frac{1}{2}$	0 1 $\frac{1}{2}$	0 2
1362. For beading, to items 1254 to 1358, add $\frac{1}{2}$ and $\frac{3}{4}$ in. . .	0 0 $\frac{1}{2}$
1363. Ditto ditto, add, 1 and $1\frac{1}{4}$ do. . .	0 0 $\frac{3}{4}$
1364. Ditto ditto, add, $1\frac{1}{2}$ and 2 do. . .	0 1
1365. Wainscot flaps, fitted and hung, <i>extra</i> , 1 in. .	0 1
1366. Ditto ditto, $1\frac{1}{2}$ do. .	0 1 $\frac{1}{4}$
1367. Ditto ditto, $1\frac{1}{2}$ do. .	0 1 $\frac{1}{2}$
1368. Honduras mahogany ditto, <i>extra</i> , 1 in. .	0 1 $\frac{1}{4}$
1369. Ditto ditto, $1\frac{1}{4}$ do. .	0 1 $\frac{1}{2}$
1370. Ditto ditto, $1\frac{1}{2}$ do. .	0 1 $\frac{1}{2}$
1371. Spanish mahogany ditto, <i>extra</i> , 1 in. .	0 1 $\frac{1}{4}$
1372. Ditto ditto, $1\frac{1}{4}$ do. .	0 1 $\frac{1}{2}$
1373. Ditto ditto, $1\frac{1}{2}$ do. .	0 1 $\frac{3}{4}$
1374. Tongued heading joints, <i>per foot run</i> . 1 in. . .	0 3	0 3 $\frac{1}{2}$	0 4	0 5
1375. Ditto ditto, $1\frac{1}{4}$ do. .	0 3 $\frac{1}{2}$	0 4	0 4 $\frac{1}{2}$	0 5 $\frac{1}{2}$
1376. Ditto ditto, $1\frac{1}{2}$ do. .	0 4	0 4 $\frac{1}{2}$	0 5	0 6 $\frac{1}{4}$
1377. Ditto ditto, 2 do. .	0 5	0 5 $\frac{1}{2}$	0 6	0 7 $\frac{1}{2}$
1378. Mortice-clamped ends, <i>per foot run</i> , 1 in. . .	0 5	0 5 $\frac{1}{2}$	0 7	0 8 $\frac{1}{2}$
1379. Ditto ditto, $1\frac{1}{4}$ in. .	0 5 $\frac{1}{2}$	0 6	0 7 $\frac{1}{2}$	0 9
1380. Ditto ditto, $1\frac{1}{2}$ do. .	0 6 $\frac{1}{4}$	0 6 $\frac{3}{4}$	0 8 $\frac{1}{2}$	0 10
1381. Ditto ditto, 2 do. .	0 7 $\frac{1}{2}$	0 8	0 10	0 11 $\frac{3}{4}$
1382. Do., mitres, <i>each</i> , 1 in. .	0 5
1383. Ditto do., <i>each</i> , $1\frac{1}{4}$ in. .	0 6
1384. Ditto ditto, $1\frac{1}{2}$ do. .	0 7
1385. Ditto ditto, 2 do. .	0 8

Items.	SAWING, PLANING, &c.	s.	d.
1386.	Sawing fir, not less than 12 inches diameter, four cuts, <i>per load</i>	7	6
1387.	Ditto ditto, for each cut beyond four, add	1	10½
1388.	Ditto ditto, at <i>per 100 feet super</i>	4	0
1389.	Ditto ditto, die square, two cuts	6	6
1390.	Ditto ditto, for each cut beyond two, add	3	3
1391.	Ditto ditto, all scantlings, six inches and under, <i>per foot run</i>	0	0½
1392.	Ditto ditto, above six inches, <i>per foot run</i>	0	0½
1393.	Ditto, oak and old fir, all scantlings six inches, and under, <i>per foot run</i>	0	0½
1394.	Ditto ditto, above six inches, <i>per foot run</i>	0	1

Per dozen cuts.

	Battens.	Deals.	Swede Deals.	Planks.	Flat Cuts.
	s. d.	s. d.	s. d.	s. d.	s. d.
1395. 6 feet long	1 9	2 0	...	2 6	0 9
1396. 8 ditto	2 0	2 6	...	3 3	1 0
1397. 10 ditto	2 3	3 0	3 6	3 9	1 4
1398. 12 ditto	2 6	3 6	4 0	4 4	1 4
1399. 14 ditto	2 9	4 0	4 9	5 0	1 6
1400. 16 ditto	3 4	4 8	...	5 9	1 6
1401. 18 ditto	4 0	5 4	...	6 6	1 8
1402. 20 ditto	4 4	6 0	...	7 6	1 8
1403. 21 ditto	4 6
1404. Battens, tailed out, <i>per dozen cuts</i>					0 2
1405. Deal or planks, ditto ditto					0 3
1406. Pantile laths, ditto ditto					0 8
1407. Oak wedges, <i>per pair</i>					0 4
1408. Fir ditto, ditto					0 3

MACHINERY SAWING.—Per dozen cuts.

	Battens.	Deals.	Planks.	Flat Cuts.
	s. d.	s. d.	s. d.	s. d.
1409. 6 feet long	1 4	1 6	2 2	0 9
1410. 8 ditto	1 8	2 0	2 6	1 0
1411. 10 ditto	2 0	2 4	3 0	1 4
1412. 12 ditto	2 3	2 9	3 6	1 4
1413. 14 ditto	2 6	3 4	4 3	1 6
1414. 16 ditto	2 10	3 10	5 0	1 6
1415. 18 ditto	3 3	4 4	5 6	1 8
1416. 20 ditto	3 2	4 10	6 3	1 8
1417. 21 ditto	4 0	5 1	6 8	1 9

Joiner's Prices for Day Work.

117

Items.	s.	d.
1418. Sawing (by machinery) yellow pine timber into boards, <i>per 100 feet super</i>	3	6
1419. Ditto ditto, fir ditto ditto	4	0
1420. Ditto ditto, elm ditto ditto	5	0
1421. Ditto ditto, lime, sycamore, chesnut, &c., ditto .	5	3
1422. Ditto ditto, ash, American birch, &c., &c., ditto .	5	6
1423. Ditto ditto, cedar ditto ditto	5	9
1424. Ditto ditto, oak ditto ditto	7	6
1425. Ditto ditto, mahogany ditto ditto	8	0

Wrought to width and thickness.

	Battens.		Deals.		Planks.	
	s.	d.	s.	d.	s.	d.
1426. 10 feet long	0	2	0	2½	0	3
1427. 12 ditto	0	2½	0	2¾	0	3½
1428. 14 ditto	0	2¾	0	3¼	0	3¾
1429. 16 ditto	0	3	0	4	0	5
1430. 18 ditto	0	8½	0	4½	0	5½
1431. 20 ditto	0	4	0	5	0	6
1432. 21 ditto	0	4½	0	5½	0	6½

Wrought, grooved, and feathered.

1433. 10 feet long	0	3½	0	4	0	4½
1434. 12 ditto	0	3¾	0	4½	0	4¾
1435. 14 ditto	0	4½	0	4¾	0	5½
1436. 16 ditto	0	4¾	0	5½	0	5¾
1437. 18 ditto	0	5½	0	6	0	6½
1438. 20 ditto	0	6½	0	7	0	7½
1439. 21 ditto	0	6¾	0	7½	0	8

FOR NOTES AND MEMORANDA, SEE APPENDIX.

PRICES FOR DAY WORK.

1440. Carpenter or joiner, per day of 10 working hours	6	8
1441. Ditto ditto per hour	0	8

1442. Fir or other timber in scantlings, according to the following Table, which shows the price, in pence, *per foot run*, at a datum price of two shillings *per foot cube*. The addition, according to the price, may be readily calculated thus :—

For 2s. 3d. add one eighth	} to the price given in the Table.
For 2s. 4d. add one sixth	
For 2s. 6d. add one fourth	
For 2s. 8d. add one third	
For 3s. 0d. add one half	

				s.	d.
1443. Fir, use and waste, <i>per foot cube</i>	.	.	.	1	0
1444. Pair wedges	.	.	.	1	0

Timber in Scantlings.

119

INCHES IN WIDTH OR DEPTH.[illegible]

BOARDS AND PLANKS.—*Per foot super.*

Items.	$\frac{1}{8}$ in.	$\frac{3}{8}$ in.	1 in.	$1\frac{1}{4}$ in.	$1\frac{1}{2}$ in.	2 in.	$2\frac{1}{2}$ in.	3 in.
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
1459. Fir and pine .	0 2	0 3	0 4	0 5	0 6	0 8	0 10	1 0
1460. Beech or elm .	0 2 $\frac{1}{2}$	0 3 $\frac{1}{2}$	0 4 $\frac{1}{2}$	0 5 $\frac{1}{2}$	0 6 $\frac{1}{2}$	0 8 $\frac{1}{2}$	0 10 $\frac{1}{2}$	1 1
1461. Ash .	0 3 $\frac{1}{2}$	0 4 $\frac{1}{2}$	0 5 $\frac{1}{2}$	0 7	0 8	0 10 $\frac{1}{2}$	1 1	1 3
1462. Oak, American	0 3 $\frac{1}{2}$	0 4 $\frac{1}{2}$	0 5 $\frac{1}{2}$	0 7 $\frac{1}{2}$	0 8 $\frac{1}{2}$	0 11 $\frac{1}{2}$	1 3	1 6
1463. Ditto, English .	0 4 $\frac{1}{2}$	0 6 $\frac{1}{2}$	0 8 $\frac{1}{2}$	0 10 $\frac{1}{2}$	1 1	1 4	1 8	2 0
1464. Teak, Moulmein	0 5 $\frac{1}{2}$	0 7 $\frac{1}{2}$	0 10	1 0 $\frac{1}{2}$	1 3 $\frac{1}{2}$	1 7	2 0	2 5
1465. Ditto, African	0 4	0 5 $\frac{1}{2}$	0 7 $\frac{1}{2}$	0 9	0 11	1 2 $\frac{1}{2}$	1 5 $\frac{1}{2}$	1 9
1466. Mahogany, Honduras	0 7	0 9 $\frac{1}{2}$	1 0	1 4	1 8	2 0	2 6	3 0
1467. Ditto, Cuba .	0 10 $\frac{1}{2}$	1 2 $\frac{1}{2}$	1 7	2 1	2 7	3 3	3 11	4 8
1468. Ditto, Spanish	1 0	1 5	1 10	2 4	2 11	3 8	4 7	5 6

DEALS AND BATTENS.

	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	1 in.	$1\frac{1}{4}$ in.	$1\frac{1}{2}$ in.	2 in.	$2\frac{1}{2}$ in.	3 in.
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
1469. Deals, 12 feet, each	1 7	2 0	2 6	3 0	3 7	4 9	5 10	7 0
1470. Ditto, 14 " each	1 10 $\frac{1}{2}$	2 4	2 11	3 6	4 2 $\frac{1}{2}$	5 6 $\frac{1}{2}$	6 10	8 2
1471. Ditto, 16 " each	2 1 $\frac{1}{2}$	2 8	3 4	4 0	4 9	6 4	7 10	9 4
1472. Ditto, per foot run .	0 1 $\frac{1}{2}$	0 2	0 2 $\frac{1}{2}$	0 3	0 3 $\frac{1}{2}$	0 4 $\frac{1}{2}$	0 6	0 7
1473. Ditto, per foot super	0 2	0 2 $\frac{1}{2}$	0 3	0 4	0 5	0 6	0 7 $\frac{1}{2}$	0 9
1474. Battens, 12 feet, each	1 0	1 5	1 8 $\frac{1}{2}$	2 1	2 6	3 0 $\frac{1}{2}$	3 7	4 8
1475. Ditto, 14 " each	1 3 $\frac{1}{2}$	1 8	2 1	2 6	2 11	3 7	4 3	5 6
1476. Ditto, per foot run .	0 1 $\frac{1}{2}$	0 1 $\frac{1}{2}$	0 1 $\frac{1}{2}$	0 2 $\frac{1}{2}$	0 2 $\frac{1}{2}$	0 3 $\frac{1}{2}$	0 3 $\frac{1}{2}$	0 5

PRICES OF SNOXELL'S AND BUNNETT & CO.'S PATENT SHUTTERS.

Snoxell's.

	<i>s.</i>	<i>d.</i>	<i>s.</i>	<i>d.</i>
Wood shutters, from, <i>per foot super.</i>	4	0	to	5 0
Ditto, shod with iron	5	0	to	7 0
Iron lathes, &c.	5	0	to	8 6

Bunnett's.

Banker's shutters, patent No. 1, at <i>per foot super.</i>	7	0
Shop shutters, do. No. 2, do.	6	0
Ditto, do. No. 3, lighter do.	4	6
Copper shutter, do. No. 4, do.	7	0
Revolving iron shutters and the Louvre blind, No. 5, do.	8	0
Wood shutter, do. No. 6, do.	3	0 to 4 0
Ditto, web hinges, do. do. do.	2	6
Mahogany revolving shutters, do. No. 7, do.	6	3

WINDOW-BLIND MAKER'S PRICES.

Inside Venetian blinds any colour, <i>per foot super.</i>	0	9
Ditto, small sizes, under 16 feet super., <i>each</i>	12	0
Best white linen holland roller blinds, with racks, lines, and tassels complete, <i>per foot super.</i>	0	5
Best white linen holland spring blinds, mounted on French polished tops and plated ends, complete, <i>per foot super.</i>	0	9
Small sizes, charged as 18 feet super.		
Transparent blinds vary in price, from 2s. 6d. to 10 guineas each.		
Perforated zinc blinds in mahogany frames, painted any plain colour, <i>per foot super.</i>	1	10
Small sizes, <i>each</i>	7	6
Ornamented corners, in addition to the above prices for each blind, 4s., 5s., or 6s., according to design, and in gold, 5s. 6d., 6s. 6d., and 8s. 6d.		
French polishing frames, from 2s. to 3s. each, according to size.		
Gauze wire blinds in mahogany frames, painted any plain colour, <i>per foot super.</i>	2	0
Small sizes, <i>each</i>	8	6
Gauze wire blinds in mahogany frames, with brass or bronzed tops, having a light and elegant appearance, <i>per foot super.</i>	3	6

	s.	d.
Small sizes, <i>each</i>	12	6
Dwarf Venetian blinds, in mahogany frames, painted in any plain colour, <i>per foot super.</i>	3	6
Small sizes, <i>each</i>	14	0
French polishing, extra, according to size.		
Outside Florentine blinds, in ornamented cases, mounted with blue striped cloth, complete, <i>per foot super.</i>	2	0
Small sizes, <i>each</i>	40	0
Outside Spanish blinds, in ornamented cases, mounted with blue striped cloth, complete, <i>per foot super.</i>	2	3
Small sizes, <i>each</i>	45	0
Outside Venetian blinds, in ornamented cases, painted any colour, and mounted, with best thread tape and patent lines, complete, <i>per foot super.</i>	1	9
Small sizes, <i>each</i>	35	0
Outside shutter blinds, painted any colour, <i>per foot super.</i>	2	9
Small sizes, under 20 feet, <i>each</i>	55	0
Outside Oriental blinds, of blue striped cloth, fitted in cases, complete, for circular-headed windows, <i>per foot super.</i>	2	6
Small sizes, under 20 feet super., <i>each</i>	45	0

IRONMONGER'S PRICES.

Items.	Per Thousand.		Per Hundred.	
	s.	d.	s.	d.
1. $\frac{1}{2}$ inch cut Tacks	0	6	0	1
2. $\frac{3}{4}$ ditto do.	0	8	0	1 $\frac{1}{2}$
3. $\frac{1}{2}$ ditto do.	0	10	0	1 $\frac{1}{2}$
4. $\frac{1}{2}$ ditto Cut Brads	0	4	0	1
5. $\frac{3}{4}$ ditto do.	0	5	0	1
6. 1 ditto do.	0	6	0	1 $\frac{1}{2}$
7. 1 $\frac{1}{2}$ ditto do.	0	7	0	1 $\frac{1}{2}$
8. 1 $\frac{1}{2}$ ditto do.	0	8	0	1 $\frac{1}{2}$
9. 1 $\frac{1}{2}$ ditto do.	0	10	0	1 $\frac{1}{2}$
10. 2 ditto cut Flooring Brads	1	6	0	2 $\frac{1}{2}$
11. 2 $\frac{1}{2}$ ditto do.	1	10	0	3
12. 2 $\frac{1}{2}$ ditto do.	2	3	0	4
13. 2 $\frac{1}{2}$ ditto do.	2	10	0	5
14. 3 ditto do.	3	4	0	6
15. 2 ditto wrought do.	2	9	0	5
16. 2 $\frac{1}{2}$ ditto do.	3	0	0	6
17. 2 $\frac{1}{2}$ ditto do.	3	4	0	6 $\frac{1}{2}$
18. 2 $\frac{1}{2}$ ditto do.	4	3	0	7 $\frac{1}{2}$
19. 3 ditto do.	4	10	0	8 $\frac{1}{2}$
20. Threepenny Wrought Nails	1	7	0	3
21. Fourpenny do.	1	10	0	3
22. Sixpenny do.	2	4	0	4
23. Eightpenny do.	3	0	0	6
24. Tenpenny do.	3	3	0	6 $\frac{1}{2}$
25. Twentypenny do.	4	10	0	8
26. Two-shilling do.	8	6	0	10
27. Twopenny Clout Nails Fine	1	4	0	2
28. Threepenny do.	1	7	0	3
29. Fourpenny do.	1	10	0	4
30. Sixpenny do.	2	4	0	5
31. Eightpenny do.	3	0	0	6
32. $\frac{1}{2}$ inch Brass-headed Nails	1	0
33. 1 ditto do.	1	4
34. 1 $\frac{1}{2}$ ditto do.	1	8
35. 1 $\frac{1}{2}$ ditto do.	2	0
36. 2 ditto do.	2	6
37. 2 $\frac{1}{2}$ ditto do.	3	6
38. 3 ditto do.	4	6
39. $\frac{1}{2}$ inch Galvanised Nails	1	1

Items.					s.	d.
40.	1	inch Galvanised Nails, <i>per hundred</i> .	.	.	1	5
41.	1½	ditto do. do.	.	.	1	10
42.	1½	ditto do. do.	.	.	2	2
43.	2	ditto do. do.	.	.	2	8
44.	2½	ditto do. do.	.	.	3	9
45.	3	ditto do. do.	.	.	4	10
46.	Cast Lath-Nails, <i>per cwt.</i>	.	.	.	15	0
47.	Cut ditto do.	.	.	.	20	0
48.	Spikes, 4 inch, <i>per dozen</i>	.	.	.	0	6
49.	Ditto, 5 do. do.	.	.	.	0	7
50.	Ditto, 6 do. do.	.	.	.	0	9
51.	Ditto, 7 do. do.	.	.	.	1	3
52.	Holdfasts and Wall Hooks, <i>per lb.</i>	.	.	.	0	5
53.	Ditto ditto, <i>each</i>	.	.	.	0	1½
54.	Flat Points, 3½ inch, <i>per cwt.</i>	.	.	.	25	0
55.	Ditto 4 do. do.	.	.	.	23	6
56.	Ditto 4½ do. do.	.	.	.	23	0
57.	Ditto 5 do. do.	.	.	.	23	0

SCREWS—*Per dozen.*

	Iron.		Brass.			Iron.		Brass.	
	s.	d.	s.	d.		s.	d.	s.	d.
58. $\frac{3}{4}$ inch .	0	1 $\frac{1}{2}$	0	4	64. $2\frac{1}{2}$ inch .	0	8	1	6
59. 1 do. .	0	2	0	5 $\frac{1}{2}$	65. 3 do. .	0	10	2	0
60. $1\frac{1}{4}$ do. .	0	3	0	7	66. $3\frac{1}{2}$ do. .	1	0	...	
61. $1\frac{1}{2}$ do. .	0	4	0	9	67. 4 do. .	1	3	...	
62. $1\frac{3}{4}$ do. .	0	5	0	11 $\frac{1}{2}$	68. $4\frac{1}{2}$ do. .	1	8	...	
63. 2 do. .	0	6	1	2	69. 5 do. .	2	3	...	

GILT-HEADED SCREWS—*Double the price of Iron.*BOLTS, WITH SCREWS COMPLETE—*each.*

				Spring Plate.		Rough Rod.		Bright Rod.		Barrel.	
				s.	d.	s.	d.	s.	d.	s.	d.
70.	3 inch	.	.	0	4	0	4½	0	6	0	9
71.	4 do.	.	.	0	5	0	5½	0	7½	1	0
72.	5 do.	.	.	0	6½	0	7	0	9	1	2
73.	6 do.	.	.	0	8	0	8½	0	10½	1	4
74.	7 do.	.	.	0	10	0	10½	1	0	1	6
75.	8 do.	.	.	1	0	1	0½	1	2	1	8
76.	9 do.		1	2	1	4	1	10
77.	10 do.		1	4	1	6	2	0
78.	12 do.		2	4

Bolts and Hinges.

125

BRASS FLUSH BOLTS.

Items.		$\frac{1}{4}$ inch.		$\frac{1}{2}$ inch.		$\frac{3}{4}$ inch.		1 inch.	
		s.	d.	s.	d.	s.	d.	s.	d.
79.	2 $\frac{1}{2}$ inches	.	.	0	4	0	5	0	6
80.	3 ditto	.	.	0	5	0	6	0	8
81.	4 ditto	.	.	0	6 $\frac{1}{2}$	0	8	0	10
82.	5 ditto	.	.	0	8	0	10	1	0
83.	6 ditto	.	.	0	9 $\frac{1}{2}$	1	0	1	3
84.	7 ditto	.	.	0	11	1	2	1	6
85.	8 ditto	.	.	1	0 $\frac{1}{2}$	1	4	1	8
86.	9 ditto	.	.	1	2	1	6	1	10
87.	10 ditto	.	.	1	4	1	8	2	0
88.	12 ditto	.	.	1	8	2	0	2	3
89.	15 ditto	.	.	2	0	2	6	3	0
90.	18 ditto	.	.	2	4	3	0	3	9
91.	21 ditto	.	.	2	9	3	6	4	6
92.	24 ditto	.	.	3	2	4	0	5	3
								6	4

HINGES—Per pair, including Screws complete.

Butts and Back Flaps.

		Cast Iron.		Wrought Iron.		Brass.
		s.	d.	s.	d.	
93.	1 inch	0	2	0	3	0 6
94.	1 $\frac{1}{2}$ ditto	0	3	0	4	0 8
95.	1 $\frac{1}{2}$ ditto	0	4	0	5 $\frac{1}{2}$	0 9
96.	2 ditto	0	5	0	7	1 0
97.	2 $\frac{1}{2}$ ditto	0	6	0	8 $\frac{1}{2}$	1 5
98.	3 ditto	0	8	0	11	2 0
99.	3 $\frac{1}{2}$ ditto	0	10	1	2	2 8
100.	4 ditto	1	0	1	8	3 5
101.	4 $\frac{1}{2}$ ditto	1	3	2	3	4 3
102.	5 ditto	1	8	2	10	5 2
103.	5 $\frac{1}{2}$ ditto	2	3	3	8	6 2
104.	6 ditto	3	0	4	9	7 3
		H hinges.		H L hinges.		Cross garnets.
		s.	d.	s.	d.	
105.	4 ditto	0	6	0	8	...
106.	5 ditto	0	8	0	10	...
107.	6 ditto	0	10	1	0	...
108.	7 ditto	1	0	1	2	...
109.	8 ditto	1	2	1	4	0 7
110.	9 ditto	1	4	1	6	0 8
111.	10 ditto	1	6	1	8	0 9
112.	11 ditto	1	8	1	10	0 11

Items.	H hinges.		H L hinges.		Cross garnets.	
	s.	d.	s.	d.	s.	d.
113. 12 inches	1	10	1	11	1	0
114. 14 ditto	1	11	2	0	1	1
115. 16 ditto	2	2	2	3	1	4
116. 18 ditto	2	5	2	6	1	8
117. 20 ditto	2	9	2	11	2	2

*Rising Skew Butts.**Projecting Brass Butts.*

	Iron.		Inches.	Brass.		Inches.	Inches.	
	s.	d.		s.	d.		s.	d.
118. 3 ins. 1 7	9	6	3 × 2½	2	8	3 × 4	5	4
119. 3½ do. 1 11	12	4	3½ × 3	4	6	3½ × 4½	6	4
120. 4 do. 2 5	13	6	4 × 3½	5	8	4 × 5	8	4
121. 4½ do. 3 0	15	6	4½ × 3½	7	0	4½ × 5½	10	9
122. 5 do. 3 8	19	0	5 × 4	9	2	5 × 6	14	6

	Cast.		Wrought.	
	s.	d.	s.	d.
123. Parliament hinges, 3 inches . . . per pair	1	2	1	6
124. Ditto ditto, 3½ ditto . . . do.	1	4	1	9
125. Ditto ditto, 4 ditto . . . do.	1	6	2	0
126. Ditto ditto, 4½ ditto . . . do.	1	9	2	3
127. Ditto ditto, 5 ditto . . . do.	2	0	2	6
128. Redmond's patent hinges for 1½ inch shutters . . . do.	...		2	3
129. Ditto ditto for 2 inch ditto . . . do.	...		2	6
130. Ditto ditto for 4½ inch reveal . . . do.	...		3	6
131. Patent swing centres, to open both ways, for 1½ inch doors . . . do.	...		26	0
132. Ditto ditto, for 2 inch ditto . . . do.	...		30	0
133. Ditto ditto, for 2½ inch ditto . . . do.	...		35	0
	Cast Iron.		Brass.	
	s.	d.	s.	d.
134. Collinge's patent spherical hinges, 2 inches . . . per pair	1	4	5	6
135. Ditto ditto, 2½ ditto . . . do.	1	8	7	0
136. Ditto ditto, 3 ditto . . . do.	2	0	8	6
137. Ditto ditto, 3½ ditto . . . do.	2	4	10	0
138. Ditto ditto, 4 ditto . . . do.	2	8	12	0
139. Ditto ditto, 4½ ditto . . . do.	3	0	14	0
140. Ditto ditto, 5 ditto . . . do.	3	4	16	6
141. Ditto ditto, 5½ ditto . . . do.	3	8	19	0
142. Ditto ditto, 6 ditto . . . do.	4	0	22	0
143. Spring hinges, light, for 1½ inch doors . . . do.	4	0	9	6

Hinges and Gate Fittings.

127

Items.		Iron.		Brass.	
		s.	d.	s.	d.
144.	Ditto ditto, for 2 inch ditto . per pair	4	6	10	6
145.	Ditto ditto, for 2½ inch ditto . do.	5	0	11	6
146.	Ditto ditto, strong, for 1½ in. doors do.	6	6	11	6
147.	Ditto ditto, for 2 inch ditto . do.	7	0	12	6
148.	Ditto ditto, for 2½ inch ditto . do.	7	6	13	6
149.	Murray's patent cup and ball butts for doors, length				
	.. of flap, 2½ inches . . . per dozen pairs			5	0
150.	Ditto ditto, 3 inches . . . ditto			6	6
151.	Ditto ditto, 3½ ditto . . . ditto			8	0
152.	Ditto ditto, 4 ditto . . . ditto			9	6
153.	Ditto ditto, 4½ ditto . . . ditto			11	0
154.	Ditto ditto, 5 ditto . . . ditto			13	6
155.	Ditto ditto, 5½ ditto . . . ditto			16	0
156.	Ditto ditto, 6 ditto . . . ditto			18	6

Redmund's or Collinge's, and Imray's Patent Gate Hinges.

		COLLINGS'S.			IMRAY'S.		
		£	s.	d.	£	s.	d.
157.	Strong hinges, 1 ft. 6 in. per pair	0	8	3	0	7	0
158.	Ditto ditto, 2 " do.	0	11	0	0	9	0
159.	Ditto ditto, 2 " 3 " do.	0	12	3	...		
160.	Ditto ditto, 2 " 6 " do.	0	13	9	0	11	0
161.	Ditto ditto, 2 " 9 " do.	0	15	3	...		
162.	Ditto ditto, 3 " do.	0	16	9	0	13	0
163.	Ditto ditto, 3 " 6 " do.	1	0	0	0	16	0
164.	Ditto ditto, 4 " do.	1	5	0	0	19	6
165.	Ditto ditto, 4 " 6 " do.	1	10	0	1	3	0
166.	Ditto ditto, 5 " do.	1	15	6	1	7	0
167.	Ditto ditto, 5 " 6 " do.	1	19	6	1	12	0
168.	Ditto ditto, 6 " do.	2	3	0	1	16	0
169.	Ditto ditto, 6 " 6 " do.	2	5	6	...		
170.	Ditto ditto, 7 " do.	2	7	6	...		

GENERAL GATE FITTINGS.

171.	Imray's patent self-acting stop . each, from 9s. to	11	0
172.	Ditto ball catches . . . do. " 7s. "	9	0
173.	Ditto string barrel bolts . . do. " 7s. "	9	0
174.	Ditto latch and striking plate	13	6
175.	Ditto double screw bolts, shutting with one action	28	0
176.	Ditto lever bolts, three ways with one action	55	0
177.	Ditto patent spring hinges for doors swinging both ways, with shoe and top centres	33	0

DOOR FURNITURE, with *Self-adjusting Spindles.*

Items.	s.	d.	s.
178. Mortice set, comprising two knobs, one bolt knob, and two escutcheons, with screws or pins complete, white or buff	6	0	18
179. Ditto ditto, ebony			3
180. Ditto ditto, walnut			6
181. Ditto ditto, ivory			21
182. Ditto ditto, ornamental, from	6	0	18
183. Long finger plates, white or buff			1
184. Ditto ditto, ebony			1
185. Ditto ditto, walnut			2
186. Ditto ditto, ivory			14
187. Ditto ditto, ornamental, from	2	6	11
188. Short ditto, ditto, white or buff			0
189. Ditto ditto, ebony			1
190. Ditto ditto, walnut			2
191. Ditto ditto, ivory			11
192. Ditto ditto, ornamental, from	2	0	9
193. Large knobs, white or buff			1
194. Ditto ditto, ebony			1
195. Ditto ditto, walnut			2
196. Ditto ditto, ivory			8
197. Ditto ditto, ornamental, from	1	8	6
198. Shutter knobs, white or buff			0
199. Ditto ditto, ebony			0
200. Ditto ditto, walnut			0
201. Ditto ditto, ivory			2
202. Ditto ditto, ornamental, from	0	8	3
203. Bell levers, white or buff			3
204. Ditto ditto, ebony			3
205. Ditto ditto, walnut			6
206. Ditto ditto, ivory			18
207. Ditto ditto, ornamental, from	4	0	13
	£		s.
208. Robinson's patent swing hinges, with brass shoe and iron top centres complete, for 1½ in. door	0	19	
209. Ditto ditto, 1½ ditto	1	9	
210. Ditto ditto, 1½ ditto	1	10	
211. Ditto ditto, 1½ ditto	1	10	
212. Ditto ditto, 1½ ditto	1	14	
213. Ditto ditto, 2 ditto	1	14	
214. Ditto ditto, 2½ ditto	1	16	
215. Ditto ditto, 2½ ditto	2	10	

LOCKS OF BEST QUALITY—each.

Items.	Fine Ward Common Stock.		Fancy bushed Stock.		Wheel-ward Stock.	
	s.	d.	s.	d.	s.	d.
216. 7 inches . . .	1	4	2	6	7	0
217. 8 ditto . . .	1	7	3	0	8	0
218. 9 ditto . . .	1	10	3	6	9	0
219. 10 ditto . . .	2	1	4	2	10	6
220. 12 ditto . . .	3	2	6	0	12	6
	Dead Locks.		Cupboard Locks.		Iron rim 2 bolt, knob locks.	
221. 3 ditto		0	10	...	
222. 3½ ditto		1	1	...	
223. 4 ditto . . .	1	7	1	4	...	
224. 5 ditto . . .	1	10	...		2	6
225. 6 ditto . . .	2	6	...		3	0
226. 7 ditto . . .	3	6	...		4	0
227. 8 ditto . . .	5	0	...		5	0
228. 10 ditto . . .	7	6	...		6	6
229. Iron rim wheel-ward, 3 bolt brass knob lock, 7 ins.					5	0
230. Ditto ditto, 8 ditto					6	6
231. Ditto ditto, 9 ditto					8	0
232. Best drawback brass mounted lock, 7 ditto					7	0
233. Ditto ditto, 8 ditto					8	0
234. Ditto ditto, 9 ditto					9	0
235. Ditto ditto, 10 ditto					10	0
236. Mortice, or brass case locks, 6 ditto					7	0
237. Ditto ditto, 7 ditto					8	3
238. Ditto ditto, 8 ditto					9	6

PATENT DETECTOR LOCKS.

	Till or Drawer.		Chest, Desk, and Cupboard.		Iron rim, dead one side.		Mortice, dead one side.	
	s.	d.	s.	d.	s.	d.	s.	d.
239. 3 inches or less . . .	10	6	11	9	...		22	6
240. 3½ ditto . . .	11	6	12	9	
241. 4 ditto		13	9	...		23	6
242. 4½ ditto		14	9	
243. 5 ditto		16	0	...		24	6
244. 6 ditto		21	6	27	6
245. 7 ditto		23	6	33	0
246. 8 ditto		27	6	...	
247. 9 ditto		32	0	...	
248. 10 ditto		41	6	...	
249. 12 ditto		54	0	...	

Items.	Mortice three bolts.		Flush Spring or Mortice Latch.		Spring Locks for Street Doors.	
	s.	d.	s.	d.	s.	d.
250. 4 inches or less		20	6	36	0
251. 5 ditto		21	6	38	0
252. 6 ditto . . .	43	0	22	6	41	0
253. 7 ditto . . .	46	0	...		43	6
254. 8 ditto		46	0
255. 9 ditto		51	0
256. 10 ditto		57	6
257. Patent combination latches, 4 inches . . .					13	6
258. Ditto ditto, 5 do.					14	6
259. Ditto ditto, 6 do.					15	6
260. Ditto ditto, 7 do.					17	0
261. Fixing common stock or dead locks, <i>each</i> . . .					0	6
262. Ditto, wheel-ward and rim locks ditto . . .					1	0
263. Ditto, draw-back, brass mounted ditto . . .					1	6
264. Ditto, mortice-locks . . . ditto . . .					2	0
265. Cleaning, repairing, and lacquering mortice-locks, <i>each</i>					2	6
266. Ditto ditto, dead locks, <i>each</i>					1	6
267. Picking locks, <i>each</i>					1	0
268. New keys to knob, mortice, or brass-case locks, <i>each</i> . . .					2	0
269. Ditto to drawers or press locks, <i>each</i>					1	4

SHUTTER, SASH, AND DOOR FASTENINGS, &c.

270. Bars and bow-latches, per inch in length . . .	0	1½
271. Wrought-iron locking bars, with screws and plates, 3 feet long, <i>each</i>	4	6
272. Ditto ditto, 4 feet long, <i>each</i>	5	6
273. Ditto ditto, 5 ditto ditto	6	6
274. Brass shutter knobs and roses, <i>each</i>	0	3
275. Ditto ditto, ornamental, <i>each</i>	6d to	1 9
276. Ditto flush rings, <i>each</i>	5d to	1 3
277. Ditto, roller, with screws, No. 1, <i>each</i>	0	10
278. Ditto ditto No. 2, ditto	1	1
279. Ditto ditto No. 3, ditto	1	4
280. Ditto, sides or wedges, <i>per pair</i>	1	6
281. Ditto, screws, <i>per pair</i>	0	4
282. Spring shutter bars, with screws, <i>per inch</i>	0	1½
283. Circular door-springs, with plates and screws, iron, japanned, <i>per inch</i>	0	2
284. Ditto ditto	0	6

Shutter Fastenings, &c

131

Items.	s.	d.
285. Door handles, with screws, japanned	each	0 4½
286. Ditto ditto, brass	ditto	1 2
287. Drawer handles, brass	ditto	0 6
288. Ditto ditto, strong	ditto	0 9
289. Sash pulleys, iron-framed with screws, 1½ inches, per dozen		1 8
290. Ditto ditto, 1½ ditto	ditto	2 1
291. Ditto ditto, 2 ditto	ditto	2 6
292. Sash pulleys, brass-framed with screws, 1½ inches, per dozen		2 8
293. Ditto ditto, 1½ ditto	ditto	3 2
294. Ditto ditto, 2 ditto	ditto	3 10
295. Framed axle-pulleys, brass-framed with screws, 1½ inches	per dozen	6 3
296. Ditto ditto, 1½ ditto	ditto	7 0
297. Ditto ditto, 2 ditto	ditto	8 0
298. Ditto ditto, 2½ ditto	ditto	9 6
299. Ditto ditto, 2½ ditto	ditto	11 6
300. Brass case latches and knobs	each	2 9
301. Thumb screws, iron	ditto	0 5
302. Ditto ditto, brass	ditto	0 7
303. Flush lifts, iron	ditto	0 3½
304. Stubs and plates	ditto	0 3½
305. Shutter turns	ditto	0 7
306. Sash fastening and screws	ditto	0 9
307. Ditto, spring-roller ditto	ditto	1 9
308. Ditto, cranked	ditto	3 2
309. Espaniolette bolts, per foot	ditto	4 8
310. Sash centres, each		1 0
311. Shutter shoes, with screws, each		0 8
312. Patent sash line, No. 3	per dozen yards	0 9
313. Ditto ditto „ 4	ditto	0 10½
314. Ditto ditto „ 5	ditto	1 1½
315. Ditto ditto „ 6	ditto	1 4
316. Ditto ditto „ 7	ditto	1 6
317. Ditto ditto „ 8	ditto	1 10
318. Ditto ditto „ 10	ditto	2 3
319. Ditto ditto „ 12	ditto	2 8
320. Ditto, pulley line	ditto	0 8
321. Sash weights, iron, per lb.		0 1½
322. Ditto ditto, lead ditto		0 5
323. Latches, bow, with brass knobs	each	2 2

Items.				s.	d.
324. Latches, iron rim, best	.	.	ditto	4	9
325. Ditto, brass rim	.	.	ditto	6	9
326. Ditto, mortice	.	.	ditto	6	0
327. Ditto, rebated	.	.	ditto	6	9
328. Ditto, pulpit, brass case	.	.	ditto	3	8
329. Ditto ditto, with bolt	.	.	ditto	4	9
330. Ditto, thumb	.	.	ditto	0	9
331. Ditto, Norfolk	.	.	ditto	1	3
			Round.		Octagon.
			s. d.	s. d.	
332. Brass knobs, 2 inches, <i>each</i>	.	2	8	3	6
333. Ditto ditto, 2½ ditto ditto	.	3	2	4	0
334. Ditto ditto, 2½ ditto ditto	.	4	0	5	0
335. Brass door hooks, <i>each</i>	.	.	.	1	8
336. Iron chain and barrel, <i>each</i>	.	.	.	2	6
337. Brass pins, <i>per oz.</i>	.	.	.	0	3½
338. Black pins, ditto	.	.	.	0	2½
339. Iron brackets, with screws, 2 inches, <i>each</i>	.	.	.	0	3½
340. Ditto ditto, 2½ ditto	.	.	ditto	0	4½
341. Ditto ditto, 3 inches	.	.	<i>each</i>	0	5
342. Ditto ditto, 3½ ditto	.	.	ditto	0	5½
343. Ditto ditto, 4 ditto	.	.	ditto	0	6½
344. Ditto ditto, 5 ditto	.	.	ditto	0	8½
345. Ditto ditto, 6 ditto	.	.	ditto	0	10½
346. Ditto ditto, 7 ditto	.	.	ditto	1	1
347. Ditto ditto, 8 ditto	.	.	ditto	1	4
348. Ditto ditto, 9 ditto	.	.	ditto	1	7
349. Ditto ditto, 10 ditto	.	.	ditto	1	10
350. Ditto ditto, 11 ditto	.	.	ditto	2	2
351. Ditto ditto, 12 ditto	.	.	ditto	2	7

PATENT METALLIC SASH LINES.—*Per yard.*

		Iron.	Copper.
		s. d.	s. d.
352. ¼ in. circumference
353. ⅜ ditto	.	0 2½	0 4½
354. ½ ditto	.	0 3	0 5½
355. ⅝ ditto	.	0 4	0 7½
356. ¾ ditto	.	0 5	0 10
357. ⅞ ditto	.	0 6	1 0½
358. 1 ditto	.	0 7	1 3½
359. 1½ ditto	.	0 8½	1 7½
360. 1¾ ditto	.	0 10	2 0

Shutter Fastenings, &c.

133

Items.	s.	d.
361. Brass knobs for closets, &c., and turn buckles, <i>each</i>	0	5
362. Mahogany knobs, <i>each</i> , 1 in., 1 <i>d.</i> ; 1½ in., 1½ <i>d.</i> ; 1½ in., 1½ <i>d.</i> ; 1¾ in., 1¾ <i>d.</i> ; 2 in., 2½ <i>d.</i> ; 2½ in., 2½ <i>d.</i> ; 2¾ in., 3 <i>d.</i>		
363. Brass buttons, <i>each</i>	0	3½
364. Cabin hooks	1	1
365. Hat pins, japanned, <i>each</i>	0	3
366. Ditto ditto, brass, <i>each</i>	0	8
367. Hat and cloak pins, japanned, <i>each</i>	0	5
368. Ditto ditto, brass, <i>each</i>	1	0
369. Best round sink traps, 4 ins. <i>each</i>	0	9
370. Ditto ditto, 5 ins., <i>each</i>	1	0
371. Ditto ditto, 6 do., <i>each</i>	1	3
372. Ditto ditto, 7 do., <i>each</i>	1	6
373. Ditto ditto, 8 do., <i>each</i>	1	10
374. Ditto ditto, 9 do., <i>each</i>	2	2
375. Ditto ditto, 10 do., <i>each</i>	2	6
376. Ditto ditto, 12 do., <i>each</i>	3	0

WHISHAW'S REGISTERED IMPROVED TELEKOUFONON FOR SPEAKING PIPES.

377. Mouth-pieces with indicators, Ivory	6	9
378. Ditto ditto, cocus wood	4	0
379. Ditto ditto, brass, lacquered, bronzed, or tinned	4	0
380. Ditto, without indicators, ivory	6	0
381. Ditto ditto, cocus wood	3	0
382. Ditto ditto, brass, lacquered, bronzed, or tinned	3	0
383. Brass connecting screws to connect to speaking pipe	1 <i>s.</i> and	1 6
384. Flexible tube covered with marone, green, or blue worsted—		
¾ inch outside diameter	<i>per foot</i>	1 5
⅞ ditto ditto	ditto	1 8

MASON'S WORK.

Items.	Bath.		Caen.		Portland.	
	s.	d.	s.	d.	s.	d.
1. Stone in block at wharf, <i>per foot cube</i>	1	5	1	9	2	6
2. Ditto, delivered, including cartage and waste, but not labour, <i>per foot cube</i>	2	4	2	8	3	6
3. Ditto ditto, including scaffolding and hoisting, <i>per foot cube</i>	2	7	2	11	3	9
4. Ditto ditto, including setting, <i>per foot cube</i>	3	0	3	4	4	4
5. Ditto, if above 6 feet long, <i>per foot cube</i> , add	0	4	0	4	0	6
6. Half sawing, <i>per foot super</i>	0	1½	0	1½	0	3½
7. Whole sawing, ditto	0	3	0	2½	0	7

Prices of Work, *per foot super*, in addition to stone to be taken as Item 2, including setting.

8. Plain work to beds and joints	0	7	0	6	1	0
9. Ditto, to beds of bond stones	0	6½	0	5½	0	11
10. Ditto, rubbed or fine dragged face	0	8	0	7	1	1½
11. Ditto ditto, circular	0	11	0	10	1	7
12. Ditto, and tool stroked	0	10½	0	9½	1	4
13. Ditto ditto, circular	1	2½	1	0½	1	8
14. Sunk work to beds and joints	0	10	0	8½	1	4
15. Ditto, circular	1	0½	0	10	1	6
16. Ditto, rubbed or fine dragged	0	10½	0	10	1	6
17. Ditto ditto, circular	1	1½	1	1	1	10
18. Ditto, and tool stroked	1	2½	1	1½	1	10
19. Ditto ditto, circular	1	5½	1	3½	2	2
20. Moulded work	1	2	1	0½	1	9
21. Ditto, circular	1	6	1	3	2	4
22. Ditto, stopped	1	4	1	2	2	1
23. Ditto ditto, circular	1	8	1	6	2	7
24. Ditto, Gothic	1	9½	1	6½	2	9
25. Ditto ditto, circular	2	4	1	11	3	8
26. Columns, circular, plain work to shafts	0	11½	0	10	1	7
27. Ditto, part base or neck moulding on same stone	1	4	1	2	2	0

Items.	Bath.		Caen.		Portland.	
	s.	d.	s.	d.	s.	d.
28. Ditto, circular moulded work to caps and bases	1	9	1	6	2	7
29. Spherical work	1	9	1	6	2	8
30. Ashlring, including plain beds, joints and face, and plugging, 4 in.	2	0	1	9	3	0
31. Ditto ditto, 5 in.	2	4	2	1	3	6
32. Ditto ditto, 6 do.	2	8	2	5	4	0
33. Ditto ditto, 7 do.	3	0	2	9	4	6
34. Ditto ditto, 8 do.	3	4	3	1	5	0
35. Ditto, for bond stones 6 feet apart, containing 2 feet cube, with cramps, add to items 30 to 34	1	2	1	2	1	4
36. Jambs or slabs, 1 in. . . .	1	3½	1	4½	1	9
37. Ditto ditto, 1½ do. . . .	1	5	1	6	2	0
38. Ditto ditto, 2 do.	1	6½	1	7½	2	3
39. Ditto ditto, 2½ do. . . .	1	8	1	9	2	6
40. Ditto ditto, 3 do.	1	10	1	11	2	9
41. Landing and balcony bottoms, plain face both sides, set, 2½ in.	1	9	1	10	2	10
42. Ditto ditto, 3 do.	1	10	1	11	2	11
43. Ditto ditto, 3½ do. . . .	2	0	2	1	3	1
44. Ditto ditto, 4 do.	2	4	2	5	3	4
45. Ditto, if 6 feet or more long, add	0	3	0	3	0	4
46. Sinks, 5 ins.	3	0	3	3	4	3
47. Ditto, 6 do.	3	6	3	9	5	3
48. Ditto, 7 do.	4	0	4	3	6	3
49. Ditto, 8 do.	4	6	4	9	7	3
50. Paving in straight courses, including jointing, 1½ in. . .	1	2	1	1	1	9
51. Ditto ditto, 2 do.	1	4	1	3	2	0
52. Ditto ditto, 2½ do. . . .	1	6	1	5	2	3
53. Ditto ditto, 3 do.	1	8	1	7	2	6
54. Ditto, in squares laid diagonally, 2 ins.	2	1	1	10	2	8
55. Ditto ditto, 2½ do. . . .	2	3½	2	0½	3	0
56. Ditto ditto, 3 do.	2	6	2	3	3	4
57. Ditto, in octagons, with black dots, 2 ins.	3	4	3	2	4	0
58. Ditto ditto, 2½ do. . . .	3	7	3	5	4	4
59. Ditto ditto, 3 do.	3	10	3	8	4	8

Items.	Bath.		Caen.		Portland	
	s.	d.	s.	d.	s.	d.
60. Coping, weathered, throated, and set, average thickness, 2 ins., width, 7 ins., <i>per foot run</i> .	1	2	1	0	1	5
61. Ditto ditto, width, 12 do. .	2	2	2	0	2	7
62. Ditto ditto, width, 7 do. .	2	7	2	5	3	6
63. Ditto ditto, average thickness, 2½ ins., width, 7 do. .	1	4	1	2	1	7
64. Ditto ditto, width, 12 ins. .	2	4	2	2	2	9
65. Ditto ditto, width, 17 do. .	2	10	2	8	3	5
66. Ditto ditto, width, 22 do. .	3	4	3	2	4	0
67. Ditto ditto, average thickness, 3 ins., width, 12 ins. .	2	9	2	7	3	3
68. Ditto ditto, width, 17 do. .	3	4	3	2	3	11
69. Ditto ditto, width, 22 do. .	4	0	3	10	4	8
70. Sills, <i>per foot super</i> , 8 ins. by 3 ins. }	1	7	1	3	2	0
71. Ditto ditto, 8 do. „ 3½ do. .	1	11	1	6	2	4
72. Ditto ditto, 8 do. „ 4 do. .	2	2	1	9	2	8
73. Ditto ditto, 8 do. „ 4½ do. .	2	6	2	0	3	0
74. Ditto ditto, 8 do. „ 5 do. .	2	9	2	3	3	4
75. Ditto, to items 70 to 74, for sinking and throating, add .	0	2	0	2	0	3
76. Curbs, <i>per foot super</i> , including jointing, 6 ins. by 6 ins. .	2	4	1	10	2	9
77. Ditto ditto, 6 do. „ 7 do. .	2	8	2	2	3	2
78. Ditto ditto, 6 do. „ 8 do. .	3	0	2	6	3	6
79. Ditto ditto, 6 do. „ 9 do. .	3	4	2	10	3	10
80. Ditto, for rounded top, to items 76 to 79, add .	0	2	0	2	0	2½
81. Old chimney pieces, squared and re-set	0	8
82. Ditto ditto, including sanding	0	10
83. Ditto ditto, and sawn	1	4
84. Old paving taken up, squared and re-laid	0	4
85. Ditto ditto, including sanding	0	6
86. Ditto ditto, in Roman cement	0	8
87. Old coping squared and re-set	0	6
88. Ditto ditto, including sanding	0	8½

RUNNING ARTICLES.—*Per foot run.*

Items.	Bath and Caen Stone.		Yorkshire Stone.		Portland Stone.	
	s.	d.	s.	d.	s.	d.
89. Columns diminished, flutes, to $1\frac{1}{2}$ in. diameter	0	3 $\frac{1}{2}$	0	5	0	4
90. Ditto, $1\frac{1}{2}$ to 2 ins. diameter	0	4 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	5 $\frac{1}{2}$
91. Ditto, 2 „ 2 $\frac{1}{2}$ do. do. . . .	0	5 $\frac{1}{2}$	0	8	0	6 $\frac{1}{2}$
92. Ditto, 2 $\frac{1}{2}$ „ 3 do. do. . . .	0	6 $\frac{1}{2}$	0	9 $\frac{1}{2}$	0	7 $\frac{1}{2}$
93. Ditto, arris, ditto ditto, to $1\frac{1}{2}$ ins. diameter	0	4	0	5 $\frac{1}{2}$	0	4 $\frac{1}{2}$
94. Ditto, $1\frac{1}{2}$ to 2 ins. diameter	0	5	0	7	0	5 $\frac{1}{2}$
95. Ditto, 2 „ 2 $\frac{1}{2}$ do. do. . . .	0	6	0	8 $\frac{1}{2}$	0	7
96. Ditto, 2 $\frac{1}{2}$ „ 3 do. do. . . .	0	7	0	10	0	8 $\frac{1}{2}$
97. Chamfers and throating	0	1 $\frac{1}{2}$	0	1 $\frac{3}{4}$	0	1 $\frac{1}{2}$
98. Cutting out and pinning into sinks, steps, landings, &c. . . .	1	0	1	1	1	0
99. Bar and linings to chimneys	0	6	0	7	0	6
100. Rebated back joint	0	1 $\frac{1}{2}$	0	2 $\frac{1}{2}$	0	2
101. Sunk rebate	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	4
102. Ditto ditto, for rustics	
103. Ditto ditto, bevelled for arch stones	0	5 $\frac{1}{2}$	0	7	0	6
104. Single bead	0	2 $\frac{1}{2}$	0	3	0	2 $\frac{1}{2}$
105. Double bead or reed	0	3 $\frac{1}{2}$	0	4	0	3 $\frac{1}{2}$
106. Treble bead or moulded	0	4 $\frac{1}{2}$	0	6	0	5
107. Plain edge to chimney pieces, &c., 1 inch thick	0	1 $\frac{1}{2}$	0	1 $\frac{3}{4}$	0	1 $\frac{1}{2}$
108. Ditto ditto, $1\frac{1}{2}$ do. . . .	0	1 $\frac{3}{4}$	0	2 $\frac{1}{4}$	0	2
109. Ditto ditto, 2 do. . . .	0	1 $\frac{3}{4}$	0	2 $\frac{1}{4}$	0	2 $\frac{1}{2}$
110. Reeds or flutes, $\frac{1}{2}$ in. thick	0	1 $\frac{1}{2}$	0	2 $\frac{1}{4}$	0	2
111. Ditto ditto $\frac{3}{4}$ do. do. . . .	0	2 $\frac{1}{4}$	0	2 $\frac{1}{2}$	0	2 $\frac{1}{2}$
112. Ditto ditto 1 do. do. . . .	0	2 $\frac{1}{2}$	0	3 $\frac{1}{4}$	0	3
113. O. G. or ovolo shelf edge	0	3 $\frac{1}{2}$	0	6	0	4 $\frac{1}{2}$
114. Moulded front to chimneys	0	5	0	9	0	7
115. Haunch to mantel	0	4	0	7	0	5 $\frac{1}{2}$
116. Joggles in cement to 3 inch landings	1	1	1	7	1	6
117. Ditto ditto, 4 in. do. . . .	1	3	1	9	1	8
118. Ditto ditto, 5 do. do. . . .	1	5	1	11	1	10
119. Ditto ditto, 6 do. do. . . .	1	7	2	1	2	0

Items.	Bath and Caen Stone.		Yorkshire Stone.		Portland Stone.	
	s.	d.	s.	d.	s.	d.
120. Ditto, in lead to 3 ins. landings	1	4	1	10	1	9
121. Ditto ditto, 4 do. do.	1	6	2	0	1	11
122. Ditto ditto, 5 do. do.	1	8	2	2	2	1
123. Ditto ditto, 6 do. do.	1	10	2	4	2	3
124. Old Purbeck or Portland steps re-set	0	3½
125. Ditto ditto, in flights	0	4½
126. Ditto ditto, window sills or curbs re-set	0	4
127. Ditto ditto, including squaring and sanding	0	5½
	In Yorkshire Stone.		In Portland Stone.			
	s.	d.	s.	d.	s.	d.
128. Cramps to chimneys, <i>each</i> . .	0	3	0	4	0	4
129. Dowels run with lead, <i>each</i> . .	0	7½	0	6½	0	6½
130. Holes cut for rails, &c., 1 in., <i>each</i> . .	0	2	0	1½	0	1½
131. Ditto ditto, 1½ do., <i>each</i> . . .	0	2½	0	2	0	2
132. Ditto ditto, 2 do., <i>each</i> . . .	0	3	0	2½	0	2½
133. Ditto ditto, 3 do., <i>each</i> . . .	0	3½	0	3	0	3
134. Ditto ditto, 4 do., <i>each</i> . . .	0	4	0	3½	0	3½
135. Plugs run with lead, 1 inch, <i>each</i> . .	0	5	0	4½	0	4½
136. Ditto ditto, double, <i>each</i> . . .	0	9	0	8	0	8
137. Neckings to chimneys, <i>each</i> . . .	1	3	1	1	1	1
138. Rounded corners, plain, <i>each</i> . . .	0	3	0	2½	0	2½
139. Ditto ditto, moulded, <i>each</i> . . .	0	4	0	3½	0	3½
140. Notches to slabs, <i>each</i>	0	4½	0	4	0	4
141. Mitres to mouldings, 1 inch, <i>each</i> . .	0	3	0	2½	0	2½
142. Ditto ditto, 1½ do., <i>each</i> . . .	0	4	0	3½	0	3½
143. Ditto ditto, 2 do., <i>each</i>	0	5	0	4½	0	4½
144. Ditto ditto, 2½ do., <i>each</i>	0	6	0	5½	0	5½
145. Sink-pipe holes, <i>each</i>	0	8	0	7	0	7
146. Letting in washers	0	10	0	9	0	9
147. Turned pateræ, <i>per pair</i>	1	10	1	7	1	7
148. Letting in bell traps, 6 inch, and dishing stone, <i>each</i>	1	8	1	6	1	6
149. Ditto ditto, 7 inch, <i>each</i>	1	10	1	7½	1	7½
150. Ditto ditto, 8 do., <i>each</i>	2	0	1	9	1	9
151. Sink stones, 5 holes, <i>each</i>	2	2	1	10	1	10
152. Ditto ditto, 8 do., <i>each</i>	3	0	2	6	2	6
153. Sunk letters, per inch	0	1½	0	1	0	1

Yorkshire Stone.

139

YORKSHIRE STONE.—Per foot cube.

Items.	s.	d.
154. Blocks, including cartage and waste . . .	3	3
155. Ditto, if above six feet in length, add . . .	0	6

Per foot super.

156. Rubbing	0	6
157. Plain work, including sawing	1	0
158. Ditto ditto, circular	1	5
159. Sunk work	1	6
160. Ditto ditto, circular	1	11
161. Ditto, for tooling, add to previous items	0	5
162. Moulded work	2	9
163. Ditto ditto, circular	3	9
164. Ditto ditto, for rubbing add	0	5
165. Paving, 2 ins.	0	8
166. Ditto, 3 do.	0	10
167. Ditto, 4 do.	1	1
168. Ditto, rubbed, 2 ins.	0	11
169. Ditto ditto, 3 do.	1	1½
170. Ditto ditto, 4 do.	1	5
171. Ditto, set in cement, add	0	1½
172. Ditto, in hearths or slabs, 2 ins.	1	2
173. Ditto ditto, 3 do.	1	5
174. Ditto ditto, 4 do.	1	9
175. Ditto, taken up, squared, and relaid, 2 ins.	0	2
176. Ditto ditto, 3 do.	0	2½
177. Ditto ditto, 4 do.	0	3
178. Rubbed landings, 3 ins.	2	0
179. Ditto ditto, 4 do.	2	8
180. Ditto ditto, 5 do.	3	6
181. Ditto ditto, 6 do.	4	6
182. Ditto, if more than 36 feet super in one landing add <i>per foot super</i> , 3 ins.	0	1½
183. Ditto ditto, 4 do.	0	2
184. Ditto ditto, 5 do.	0	2½
185. Ditto ditto, 6 do.	0	3

YORKSHIRE COPING, SILLS, &c.—Quarry-worked, per foot run.

186. Coping, throated	12 × 2	1	5
187. Ditto ditto	12 × 2½	1	7
188. Ditto ditto	12 × 3	1	9

Items.		s.	d.
189. Ditto ditto	14 × 2	1	7½
190. Ditto ditto	14 × 2½	1	10
191. Ditto ditto	14 × 3	2	1
192. Ditto ditto	16 × 2	1	10
193. Ditto ditto	16 × 2½	2	1½
194. Ditto ditto	16 × 3	2	5
195. Ditto ditto	18 × 2	2	1
196. Ditto ditto	18 × 2½	2	5
197. Ditto ditto	18 × 3	2	9
198. Ditto ditto	21 × 2	2	6
199. Ditto ditto	21 × 2½	2	10
200. Ditto ditto	21 × 3	3	2
201. Ditto, if set in cement, to items 186 to 200 add		0	1½
202. Window sills, throated, 7 by 2½ ins.		1	2
203. Ditto ditto, if rubbed		1	6
204. Ditto ditto, 8 × 3 do.		1	5
205. Ditto ditto, if rubbed		1	10
206. Sinks		3	6
207. Ditto, if set in cement, add		0	1½
208. Solid steps, 9 × 6		2	0
209. Ditto 10 × 6		2	1½
210. Ditto 11 × 6		2	3
211. Ditto 12 × 6		2	4½
212. Ditto ditto, if rubbed, to items 208 to 211 add		0	5
213. Channel or gutter, 10 ins. . . .		1	6
214. Ditto, 12 do. . . .		1	8
215. Ditto, 14 do. . . .		1	10
216. Curbs for areas, &c., 4 by 6 ins. . . .		1	10
217. Ditto ditto 5 do. . . .		2	0
218. Ditto ditto 6 do. . . .		2	2½
219. Ditto ditto 8 do. . . .		2	8
220. Ditto ditto 10 do. . . .		3	3
221. Letting in coal plates, each		2	0
222. Ditto, and dishing to air traps, each		2	8
223. Rounded corners to steps or sinks		1	0
224. Ends to steps, plain		1	0

GRANITE, AND OTHER STONES.

Items.	From Devonshire or Cornwall.		From Aberdeen.	
	s.	d.	s.	d.
225. Scabbled only, <i>per foot cube</i> . . .	3	9	4	6
226. Ditto, hoisted and set, including scaffolding, <i>per foot cube</i> . . .	4	10	5	8
227. Plain face, <i>per foot super</i> , roughly axed . . .	1	8	2	2
228. Ditto, to joints and beds, do. . .	1	1	1	7
229. Sunk work or cut rough, do. . .	1	5	1	11
230. Ditto ditto, faced, do. . .	2	6	3	0
231. Ditto ditto, circular, do. . .	3	0	3	8
232. Moulded work, do. . .	3	0	3	6
233. Ditto, circular, do. . .	3	6	4	3
234. Paving, 5 ins. thick . . .	2	2	2	8
235. Moor-stone paving, 4 ins. thick		1	9
236. Ditto ditto, resetting		0	5
237. Ditto ditto, 6 ins.		2	4
238. Ditto ditto, resetting		0	6
239. Ditto, steps or curbs, <i>per foot run</i>		2	5
240. Ditto ditto, re-setting		0	7
241. Dundee paving, tooled . . . <i>per foot super</i>			1	8
242. Ditto ditto, rubbed . . . ditto			2	2
243. Purbeck paving, random courses . . . ditto			1	1
244. Ditto ditto, rubbed . . . ditto			1	6
245. Ditto ditto, straight courses . . . ditto			1	3
246. Ditto ditto, rubbed . . . ditto			1	9
247. Ditto ditto, if set in cement, add . . . ditto			0	11½
248. Ditto, steps, <i>per foot run</i> . . .			2	8
249. Ditto, channel stones, ditto . . .			1	8
250. Ditto, ends to steps, plain worked, <i>each</i> . . .			1	1
251. Ditto, sinks, <i>per foot super</i> . . .			5	0
252. Ditto, sink stones, <i>each</i> . . .			2	9
253. Ditto, paving taken up, squared, and relaid, <i>per foot super</i> . . .			0	3½
254. Craigleith stone, set, <i>per foot cube</i> . . .			4	9
255. Ditto, plain worked, <i>per foot super</i> . . .			1	3
256. Ditto, sunk work, ditto . . .			2	3
257. Ditto ditto, circular ditto . . .			3	4
258. Ditto, moulded . . .			2	6
259. Ditto ditto, circular . . .			3	6
260. Fire-stone, whole blocks, 5 ins. thick, <i>per foot super</i>			1	10

Items.	s.	d.
261. Ditto, double blocks, 5 ins. thick, ditto . . .	3	9
262. Ditto, half blocks, and plain face, ditto . . .	1	6
263. Ditto, covings and hearths, and plain face, <i>per foot super</i> . . .	1	0
264. Ditto, plain work, ditto . . .	0	8
265. Ditto, sunk work, ditto . . .	0	11
266. Bolsover stone, blocks at wharf, <i>per foot cube</i> . . .	2	2
267. Ditto, ditto, including cartage and waste, ditto . . .	3	3
268. Ditto ditto, hoisting and scaffolding, ditto . . .	3	6
269. Ditto ditto, and setting, ditto . . .	4	0
270. Ditto ditto, plain work, rubbed face, <i>per foot super</i> . . .	0	8
271. Ditto ditto, circular, ditto . . . ditto	1	2
272. Ditto ditto, sunk work to joints and beds, ditto . . .	0	10
273. Ditto ditto, rubbed, ditto . . . ditto	1	2
274. Ditto ditto, circular . . . ditto	1	8
275. Ditto ditto, moulded work . . . ditto	1	8
276. Ditto ditto, circular . . . ditto	2	2
277. Ditto ditto, whole sawing . . . ditto	0	9
278. Blue lias stone slabs, sawn, sanded, jointed, and laid, 1 inch . . . <i>per foot super</i>	1	1
279. Ditto ditto, 1½ do. . . ditto	1	2
280. Ditto ditto, 2 do. . . ditto	1	3
281. Ditto ditto, 2½ do. . . ditto	1	4
282. Ditto ditto, 3 do. . . ditto	1	6
283. Ditto ditto, 4 do. . . ditto	1	8
284. Kentish rag stone, in walls, rough random work complete, <i>per cubic foot</i> . . .	0	6
285. Ditto ditto, lined with hassock, ditto . . .	0	8
286. Ditto, random coursed wood, ditto . . .	0	9
287. Ditto, coursed head or work, ditto . . .	0	10
288. Ditto, with brick instead of hassock lining, add, <i>per cubic foot</i> . . .	0	2½

NOTE.—An oolitic stone, of superior quality, from the neighbourhood of Tisbury, has lately been introduced into the market, at very low prices. The ashlar stone may be delivered at the rate of 1s. 9d. *per foot cube*, at the South Western Railway Station; the coursed rubble at 15s. *per ton*; and the dressed small stone at 17s. 6d. *per ton*. The labour is about the same as upon Portland stone.

CASTLE HILL STONE PAVING.—*Per foot super.*

Items.	1 in.		1½ in.		2 in.		2½ in.		3 in.	
	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.
289. Castle Hill stone paving, rough face	.	.	0	6	0	9	0	10	1	0½
290. Ditto ditto, edge sawn	.	.	0	6½	0	10	0	11	1	1½
291. Ditto, tooled face, ditto	.	.	0	7	0	10½	0	11½	1	2
292. Ditto, half rubbed face, ditto	.	.	0	7½	0	11	1	0	1	2½
293. Ditto, rubbed face, ditto	.	.	0	9½	1	1	1	2	1	5
294. Ditto, laying, including mortar, add	.	.	0	1½	0	2½	0	2½	0	3
	2 in.		2½ in.		3 in.		3½ in.		4 in.	
	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.
295. Castle Hill stone paving landings, rough face	.	.	0	10½	1	0	1	1½	1	4
296. Ditto ditto, edges sawn	.	.	0	11	1	1	1	3	1	6
297. Ditto, tooled face, ditto	.	.	0	11½	1	2	1	4	1	7
298. Ditto, half rubbed face, ditto	.	.	1	0	1	3	1	5	1	8
299. Ditto, rubbed face, ditto	.	.	1	1	1	4	1	6	1	9
300. Ditto, setting, add	.	.	0	3½	0	4½	0	5	0	5½

CASTLE HILL STONE.—*Per foot run.*

Items.		s.	d.
301.	Castle Hill stone coping, fixed, 12 ins. by 2 ins.	1	3
302.	Ditto ditto, 12 do. by 2½ do.	1	4
303.	Ditto ditto, 12 do. „ 3 do.	1	5
304.	Ditto ditto, 18 do. „ 2½ do.	1	6
305.	Ditto ditto, 18 do. „ 3 do.	1	7
306.	Ditto sills, fixed, 8 do. „ 3 do.	1	7
307.	Ditto, curbs, do. 12 do. „ 4 do.	1	10
308.	Ditto, steps, rough, 14 ins. by 4 ins.	1	8
309.	Ditto ditto, tooled	1	9
310.	Ditto ditto, rubbed	1	11
311.	Ditto ditto, bedded, add	0	3½
312.	Hoisting any stone above 40 feet, to be allowed extra for every 10 feet in height, or part of 10 feet, per foot cube	0	2

MARBLE IN BLOCK.—*Per foot cube.*

		s.	d.	s.	d.
313.	Black, Kilkenny	from 18	0	to 26	0
314.	„ best	„ 24	0	„ 36	0
315.	Dove	„ 20	0	„ 26	0
316.	Bardilla	„ 20	0	„ 28	0
317.	Veined	„ 21	0	„ 29	0
318.	Black and gold	„ 55	0	„ 75	0
319.	Sienna	„ 60	0	„ 80	0
320.	Statuary	„ 55	0	„ 85	0
321.	Emperor's red and San Juan	„ 22	0	„ 29	0
322.	Brocatella	„ 21	0	„ 27	0
323.	Amber	„ 23	0	„ 30	0
324.	Verd Antique	„ 60	9	„ 85	0
325.	Serpentine	„ 24	0	„ 34	0
326.	Rouge Royal	„ 25	0	„ 35	0

LABOUR ON MARBLE.—*Per foot super.*

Items.	Sawn, plain work, polished, and set.		Sawn, sunk work, polished, and set.		Sawn, moulded, polished, and set.		Sawn, circular plain work, polished, and set.		Sawn, circular plain work, sunk, moulded, polished, and set.	
	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.
327. Statuary or Veined, &c.	3	10	7	3	9	6	7	3	10	6
328. Dove, &c.	4	4	8	3	10	6	8	6	12	0
329. Bardilla, &c.	4	9	9	6	12	6	9	0	14	6
330. Kilkenny, &c.	5	0	10	0	13	0	9	6	15	6
331. Black and gold, &c.	5	3	10	6	13	6	10	6	17	6
332. Plain work on above, not polished, as underside of shelves, &c., two-thirds of above prices respectively.										

MARBLE SLABS, *Polished and Set.*—*Per foot super.*

	$\frac{3}{8}$ inch.		$\frac{1}{2}$ inch.		1 inch.		1½ inch.		1¾ inch.	
	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.
333. Sicilian vein	5	0	5	6	5	4	5	8	6	0
334. Veined	5	0	5	9	6	0	6	6	7	0
335. St. Ann's or Dove	6	0	6	3	6	6	7	0	7	6
336. Bardilla	6	3	6	6	6	9	7	3	7	9
337. Kilkenny	7	0	7	3	7	6	8	0	8	6
338. Black	7	9	8	0	8	3	8	9	9	3
339. Pure black	9	6	10	0	10	6	11	6	12	6
340. Black and gold	10	6	11	6	12	3	14	0	15	6
341. Sienna or Statuary	14	0	15	0	16	0	18	0	20	0
342. Bright black and gold	15	0	16	0	17	0	20	0	23	0

LABOUR ON MARBLE, and Sundry Items.

Per foot super.

Items.	s.	d.
343. Cleaning and re-setting old marble chimney pieces	1	1
344. Jointing, cleaning, and re-setting do.	1	3
345. Polishing and re-setting do.	2	4
346. Ripping, polishing, and re-setting do.	2	8
347. Sanding, polishing, and re-setting British marble	2	10
348. Re-laying black and white marble squares	1	2
349. Sanding, squaring, and re-laying do.	1	10

Per foot run.

	Statuary and Vein Marble.	Black and other Marble.
	s. d.	s. d.
350. Plain work and polishing edges, $\frac{3}{4}$ inch .	0 5 $\frac{1}{2}$	0 7 $\frac{1}{2}$
351. Ditto ditto, $\frac{7}{8}$ do.	0 6	0 8
352. Ditto ditto, 1 do.	0 6 $\frac{1}{2}$	0 8 $\frac{1}{2}$
353. Ditto ditto, 1 $\frac{1}{4}$ do.	0 7 $\frac{1}{2}$	0 9 $\frac{1}{2}$
354. Ditto ditto, 1 $\frac{1}{2}$ do.	0 8 $\frac{1}{2}$	0 10 $\frac{1}{2}$
355. Ditto ditto, 2 do.	0 11	1 1
356. Back joints	0 3 $\frac{1}{2}$	0 4 $\frac{1}{2}$
357. Rebated ditto	0 4 $\frac{1}{2}$	0 5 $\frac{1}{2}$
358. Sunk rebate	0 9	0 11
359. Single hollows or beads	0 11	1 1
360. Double ditto	1 5	1 8
361. Treble ditto	1 11	2 3
362. Flutes, $\frac{1}{2}$ inch	1 0	1 2 $\frac{1}{2}$
363. Ditto $\frac{3}{8}$ do.	1 2 $\frac{1}{2}$	1 5
364. Ditto $\frac{1}{4}$ do.	1 5	1 7 $\frac{1}{2}$
365. Ditto 1 do.	1 8	1 11
366. Quarter columns, 3 inch girth	1 2	1 5
367. Moulded fronts to 4 inch pilasters	2 3	2 9
368. Backings to ditto	0 4 $\frac{1}{2}$	0 5 $\frac{1}{2}$
369. O. G., or ovolo shelf edge	1 6	1 9
370. Corners, plain rounded, each	1 1	1 3
371. Ditto, reeded, ditto	1 5	1 8
372. Ditto, moulded, ditto	1 9	2 1
373. Astragal neckings, ditto	2 0	2 4
374. Ditto ditto, mitred to quarter columns and pilasters, ditto	4 6	5 6
375. Ditto ditto, to double ditto, ditto	6 6	7 6

Items.	Statuary and Vein Marble.		Black and other Marble.	
	s.	d.	s.	d.
376. Notches to slabs, ditto	0	10	1	0
377. Copper cramps and fixing, ditto	0	6	0	6
378. Turning and polishing pateræ, <i>per pair</i>	3	2	3	9
379. Cutting letters in marble, <i>per inch</i>	0	1½	0	1½
380. Stopping, sanding, polishing, and re-setting old Bardilla, Sienna, or similar marbles, <i>per foot super.</i>	2	9
381. Re-laying marble squares, ditto	1	2
382. Squaring, sanding, and relaying ditto, ditto	1	9

GALVANIZED IRON CRAMPS, *for Coping.—Each.*

	6 ins.		8 ins.		10 ins.		12 ins.		15 ins.		18 ins.	
	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.
383. Cramps	0	2½	0	3½	0	5½	0	7½	0	11	1	4
384. Ditto, let in cement	0	7½	0	9	1	0	1	3	1	7	2	3
385. Ditto, let in and run with lead	0	10	1	0	1	4	1	8	2	0	2	9
386. Copper cramps, per lb.	1	6	
387. Ditto, let in cement, ditto	2	6	
388. Ditto, let in and run with lead, ditto	3	0	

RANSOME'S PATENT SILICIOUS STONE.—*Each.*

	£	s.	d.
389. Automaton purifiers, constructed for a head of water, not exceeding 75 feet	2	2	0
390. Ditto ditto, 120 feet	2	12	6
391. Ditto ditto, 150 feet	3	3	0
392. Ditto ditto, 200 feet	4	4	0

IMPROVED PORTABLE ASCENSION PURIFIERS.

393. No. 1, 6 in. diameter, 6 quarts	0	18	0
394. No. 2, 8 in. „ 8 „	1	6	0
395. No. 3, 10 in. „ 16 „	1	13	0
396. No. 4, 12 in. „ 24 „	2	4	0
397. No. 5, 14 in. „ 32 „	2	15	0

IMMERSION PURIFIERS.

With Patent Purifying Medium, suitable for any Reservoir,
Cistern, or Water Butt.

Items.		s.	d.
398.	No. 1, 8 in. diameter, 30 to 50 galls. per diem.	21	0
399.	No. 2, 10 in. " 50 to 100 "	42	0
399.*	No. 3, 12 in. " 100 to 150 "	63	0
400.	No. 4, 14 in. " 150 to 200 "	84	0
401.	Patent stone filtering slabs, capable of filtering from 100 to 200 gallons of water per superficial foot per day, according to the head of water, can be produced to any required dimensions, <i>per superficial foot</i>	4	0
402.	Patent self-acting disc filters, capable of yielding from 100 to 300 gallons per day, from 42s. to £5 15s. 6d.; if with self-flushing apparatus attached, £1 extra.		
403.	Magnum purifier, with cistern and ball-cock attached, is complete, portable, and yields very largely, £10 10s.; with refrigerator, £12 12s. The Demi-Magnum, £5 5s.		
404.	Syphon filter, for travellers, emigrants, &c., &c., yields from 10 to 20 gallons and upwards per diem, 10s. 6d., 12s. 6d., and 21s. The camp filter, 4s. 6d. The camp purifier, 6s. 6d.		
405.	Cottage purifiers, in plain earthenware cases, from 8s. 6d. to 20s.		

RANSOME'S PATENT CONCRETE STONE can be manufactured in blocks of any sizes usually employed for building purposes, and it is able to receive any amount of decoration that the taste of the architect may require. It would be impossible to give any general prices, under these circumstances; but it may be considered that the price of the Patent Concrete Stone would not exceed that of block Portland, and it would include all the labour of the latter.

DAY WORK.

	s.	d.
406. Carver, per day of 10 working hours	10	0
407. Ditto, per hour	1	0
408. Mason, per day of 10 working hours	6	8
409. Ditto, per hour	0	8

Items.	s.	d.
410. Polisher, per day of 10 working hours	4	7
411. Ditto, per hour	0	5½
412. Labourer, per day of 10 working hours	4	2
413. Ditto, per hour	0	5
414. Mortar, <i>per hod</i>	0	6
415. Cement, Roman, <i>per bushel</i>	1	8
416. Ditto, Portland, ditto	2	6
417. Plaster, fine, <i>per bag</i>	1	2
418. Ditto, coarse, ditto	0	10
419. Sand, <i>per bushel</i>	0	4

FOR NOTES AND MEMORANDA, SEE APPENDIX.

SLATER'S WORK.

SLATING ROOFS.—*Per square—completed.*

Items.	Labour only.		Metal Nails.		Copper Nails.	
	s.	d.	s.	d.	s.	d.
1. Doubles	6	3	21	0	23	0
2. Ladies	6	0	24	0	26	0
3. Countesses	5	6	27	0	29	0
4. Duchesses	5	0	30	0	32	0
5. Queens or rags	6	6	38	0	40	0
6. Imperials	6	9	44	0	46	0
7. Patent	8	6	42	0	44	0
8. Westmoreland	8	0	58	0	60	0

STRIPPING AND RE-LAYING ROOF SLATING.

	Metal Nails.		Copper Nails.	
	s.	d.	s.	d.
9. Doubles	9	0	11	0
10. Ladies	8	6	10	6
11. Countesses	7	0	9	0
12. Duchesses	6	6	8	6
13. Queens or rags	10	0	12	0
14. Imperials	11	0	13	0
15. Patent	14	0	16	0
16. Westmoreland	13	6	15	6

VALENTIA SLATE.—*Prices of slabs, sawn or planed, and with sawn edges.*—*Per foot super.*

Items.	$\frac{1}{8}$ in. thick. <i>s.</i>	$\frac{1}{4}$ in. thick. <i>s.</i>	Inch thick. <i>s.</i>	$1\frac{1}{4}$ in. thick. <i>s.</i>	$1\frac{1}{2}$ in. thick. <i>s.</i>	2 in. thick. <i>s.</i>	$2\frac{1}{2}$ in. thick. <i>s.</i>	3 in. thick. <i>s.</i>	4 in. thick. <i>s.</i>									
17. Under 4 ft. long, and under 2 ft. wide	0	$3\frac{1}{2}$	0	$6\frac{1}{2}$	0	$7\frac{1}{2}$	0	9	0	11						
18. 4 ft. and under 6 ft. long, and under 3 ft. 6 in. wide	0	4	0	$5\frac{1}{2}$	0	7	0	$8\frac{1}{2}$	0	$9\frac{1}{2}$	1	$0\frac{1}{2}$...					
19. 6 ft. and under 8 ft. long, and under 3 ft. 6 in. wide	0	$4\frac{1}{2}$	0	6	0	$7\frac{1}{2}$	0	9	0	$10\frac{1}{2}$	1	2	1	5	1	8	...	
20. 8 ft. and under 10 ft. long, and under 3 ft. 6 in. wide	0	$6\frac{1}{2}$	0	8	0	$9\frac{1}{2}$	0	11	1	3	1	6	1	10	2	4
21. 10 ft. and under 12 ft. long, and under 3 ft. 6 in. wide	0	10	1	0	1	4	1	7	2	0	2	6	2	6

SLABS.—Plain Slate, with sawn edges, both faces planed.—Per foot super.

	$\frac{1}{8}$ in.	$\frac{3}{8}$ in.	1 in.	1 $\frac{1}{4}$ in.	2 in.
	s.	d.	s.	d.	s.
22. Not exceeding 6 feet long, and 3 feet wide	0	7	0	11	1
23. From 6 to 7 feet long	0	8	0	10	1
24. For each extra foot in length, or 6 inches extra width, add to items 22 and 23					0
25. Planing slabs down to any required thickness, add to items 22 to 24, for each face					0
26. Polishing with fine sand					0

Per foot run.

Items.	1 inch.		Thickness. 1½ inch.		2 inch.	
	s.	d.	s.	d.	s.	d.
27. Squaring slabs or filing edge, after saw (straight) . . .	0	2	0	3	0	5
28. Rounded nosing, ditto . . .	0	3	0	5	0	6
29. Single groove in edge for tongue	0	2½
30. Zinc tongue	0	1½
Girth.						
31. Ovolo mountings (straight) . .	0	6	0	9	1	0
32. Ogee ditto ditto	0	8	1	0	1	6
33. Rebate, or groove, ditto . . .	0	3	0	6	0	8
34. Scribing	0	8	1	0	1	6
35. Plain rounded corners to inch slabs, <i>each</i>					0	4
36. Moulded, ditto ditto, <i>each</i>					0	8
37. Circular work is charged twice the price of straight.						
38. Mitres, each counts as one foot of moulding.						
39. Letting screws into slate, including screw and lead, <i>each</i>					0	3

CISTERNS.—Per foot super.

40. Including bolts, 1 inch thick	1	6
41. Ditto, 1½ do.	1	10
42. Ditto, 1½ do.	2	2
43. Ditto, 2 do.	2	10
44. Fixing, where no tackle is required to raise the slabs, including cartage and oil cement	0	4
45. Portable slate filters, from 25s. <i>each</i> .		

SINKS.

46. Rough, 4 inch deep inside, or more, bolted as cisterns, <i>per foot super</i>	1	6
47. Ditto, 4 inch deep inside, or more (boxed and put together with screws), ditto	2	3
48. Rubbed front and inside, ditto ditto	2	6
49. Soap cups fitted to ditto, <i>each</i>	3	0
50. Block tin plugs to ditto, <i>each</i>	4	6
51. Bell traps to ditto, <i>each</i>	3	0
52. Rubbed skirtings ¾ inch thick to ditto, 6 inch deep, <i>per foot run</i>	0	6

Items.	s.	d.
53. Ditto ditto, 9 inch deep, ditto	0	9
54. Salting vessels, <i>per foot super.</i>	2	6
55. Ditto, with compartments, ditto	3	0
56. Block tin plugs to ditto, <i>each</i>	4	6
57. Sinks and milk vessels, 3 inch deep inside, out of solid, <i>per foot super.</i>	4	0

MANGERS.

	Planed.		Rubbed.	
	s.	d.	s.	d.
58. 3 feet 6 inches long, <i>each</i>	30	0	35	0
59. 4 ditto ditto, <i>each</i>	40	0	45	0
60. 6 feet long, <i>each</i>	48	0	52	0
61. Bevel ends and caps to ditto, 12s. <i>extra.</i>				
62. Angle mangers, 38s. <i>each.</i>				

STEPS—*Per foot run.*

	1 inch.		Thicknes. 1½ inch.		2 inch.	
	s.	d.	s.	d.	s.	d.
63. Steps 10 inch broad and risers	1	3	1	9	2	3
64. Ditto, grooved back and front to receive risers, including risers	1	9	2	3	2	9
65. Ditto ditto, with rounded nosings	2	3	2	9	3	3
66. Rubbed face, 2d. <i>per foot extra</i>						

ENAMELLED SLATE SLABS,

*For Lining Walls, for Table Tops, Consoles, Pedestals, &c.**Per foot super.*

	1 inch.		1½ inch.		1¾ inch.		2 inches.	
	s.	d.	s.	d.	s.	d.	s.	d.
67. Class 1.—Includes Egyptian and other green marbles, lumachelle, griotte, jasper, Belgian, and self-colours	2	9	3	3	3	9	4	3
68. Class 2.—Includes intense black, black and gold, Sienna, St. Ann's, and white	3	3	3	9	4	3	5	3

Enamelled Slate.

153

Items.	1 inch.		1½ inch.		1¾ inch.		2 inches.	
	s.	d.	s.	d.	s.	d.	s.	d.
69. Class 3.—Includes Purbeck, the various granites and porphyries, Broccatella, Brescia, &c., &c. . . .	4	0	4	6	5	6	6	0
70. Class 4.—Includes lapis lazuli and other rich and rare specimens of marbles, pebbles, inlaid work, &c.	6	0	6	6	7	0	7	6
71. Enamelled mouldings 50 per cent. above plain.								

ENAMELLED SLATE CHIMNEY PIECES.

No.	1st Class.			2nd Class.			3rd Class.			4th Class.		
	£	s.	d.	£	s.	d.	£	s.	d.	£	s.	d.
72. 1.—1st size, 6 ins.	1	0	0	1	2	0	1	12	0	2	0	0
73. 2nd do. 5 do.	0	14	6	0	17	6	1	8	0	1	18	0
74. 2.—1st do. 6 do.	1	4	0	1	6	6	1	18	0	2	10	0
75. 2nd do. 5 do.	1	0	0	1	2	0	2	2	0	3	0	0
76. 3.—1st do. 10 do.	2	13	0	3	0	6	4	0	0	5	5	0
77. 2nd do. 9 do.	2	3	6	2	10	6	3	12	0	4	12	6
78. 3rd do. 8 do.	1	14	0	2	0	6	2	18	0	3	15	0
79. 4th do. 7 do.	1	9	0	1	14	0	2	7	6	2	18	6
80. 4.—1st do. 11 do.	3	12	0	4	1	0	5	5	0	6	6	0
81. 2nd do. 10 do.	3	5	0	3	12	0	4	4	0	5	0	0
82. 3rd do. 9 do.	2	8	0	2	13	0	3	7	6	4	4	0
83. 4th do. 8 do.	1	18	6	2	8	0	3	7	0	3	17	6
84. 5.—1st do. 12 do.	5	10	6	6	6	0	7	7	0	8	8	0
85. 2nd do. 10 do.	4	0	0	4	10	0	5	10	0	6	15	0
86. 3rd do. 9 do.	3	0	0	3	7	0	4	8	0	5	17	6
87. 6.—1st do. 12 do.	6	1	0	6	15	0	8	8	0	9	9	0
88. 2nd do. 10 do.	4	0	0	5	0	0	6	6	0	7	7	0
89. 3rd do. 9 do.	3	5	0	3	17	6	4	18	0	6	6	0
90. 7.—1st do. 12 do.	7	7	0	8	8	0	9	9	0	10	10	0
91. 2nd do. 10 do.	6	0	0	6	10	0	8	8	0	9	9	0
92. 3rd do. 9 do.	5	0	0	5	10	0	6	17	6	8	8	0
93. 8.—1st do. 12 do.	7	0	0	7	10	0	8	16	0	10	10	0
94. 2nd do. 10 do.	5	10	0	6	0	0	7	7	0	8	8	0
95. 3rd do. 9 do.	4	10	0	5	0	0	6	6	0	7	7	0
96. 9.—1st do. 12 do.	7	7	6	8	8	0	9	9	0	10	10	0

Items.	1st Class.			2nd Class.			3rd Class.			4th Class.		
	£	s.	d.	£	s.	d.	£	s.	d.	£	s.	d.
97. 9.—2nd size 10 ins.	5	15	6	6	7	6	8	8	0	8	15	0
98. 3rd do. 9 do.	5	1	0	5	16	0	6	17	6	8	8	0
99. 10.—1st do. 12 do.	7	1	0	8	8	0	9	9	0	10	10	0
100. 2nd do. 10 do.	5	10	6	6	6	0	7	7	0	8	8	0
101. 3rd do. 9 do.	3	16	0	4	4	0	6	6	0	7	7	0
102. 4th do. 8 do.	3	3	0	3	10	0	5	7	6	6	6	0
103. 11.—1st do. 12 do.	9	2	0	10	10	0	11	11	0	12	10	0
104. 2nd do. 10 do.	8	1	6	9	9	0	10	10	0	11	10	0
105. 3rd do. 9 do.	7	0	0	8	8	0	9	9	0	10	10	0
106. 12.—1st do. 12 do.	12	2	0	13	13	0	14	14	0	15	15	0
107. 2nd do. 10 do.	10	2	0	11	11	0	12	12	0	13	13	0
108. 13.—1st do. 12 do.	16	3	0	17	17	0	18	0	0	19	10	0
109. 2nd do. 10 do.	13	2	0	14	14	0	15	15	0	16	16	0
110. 14.—1st do. 12 do.	9	2	0	10	10	0	12	0	0	13	13	0
111. 15.—1st do. 12 do.	12	2	0	13	13	0	14	14	0	15	10	0
112. 16.—1st do. 12 do.	8	1	6	9	9	0	10	10	0	11	11	0
113. 17.—1st do. 12 do.	8	1	6	9	9	0	10	10	0	11	11	0
114. 2nd do. 10 do.	5	1	0	6	6	0	7	0	0	7	7	0
115. 18.—1st do. 12 do.	8	1	6	9	9	0	10	10	0	11	10	0
116. 19.—1st do. 12 do.	12	2	0	13	13	0	14	14	0	15	15	0
117. 20.—1st do. 12 do.	19	4	0	21	10	0	24	0	0	25	0	0
118. 21.—1st do. 12 do.	24	0	0	27	0	0	29	0	0	30	0	0
119. Fixing extra.												
120. Moulding to shelf 14 inches wide, <i>extra</i>							.	.		11	6	
121. Ditto ditto 12 ditto							.	.		10	0	
122. Ditto ditto 10 ditto							.	.		9	0	
123. Ditto ditto 9 ditto							.	.		8	0	

ENAMELLED SLATE, OXFORD FRONTS.—*Square with Ogee Mouldings.*

	Fine Castings.		Black Ground.		Bright with a set each of bright and black moveable bars.	
	s.	d.	s.	d.	s.	d.
124. Size of fire, 14 inches .	17	6	27	0	70	0
125. Ditto ditto, 16 do. .	19	0	29	0	76	0
126. Ditto ditto, 18 do. .	21	0	32	0	84	0
127. Ditto ditto, 20 do. .	24	0	36	0	96	0

Enamelled Slates.

155

Circular Headed.

Items.	s.	d.	s.	d.	s.	d.
128. Size of fire, 14 inches .	20	0	30	0	80	0
129. Ditto ditto, 16 do. .	22	0	33	0	88	0
130. Ditto ditto, 18 do. .	24	0	36	0	96	0
131. Ditto ditto, 20 do. .	26	0	40	0	104	0
132. Ditto ditto, 22 do. .	28	0	42	0	112	0
133. Ditto ditto, 24 do. .	30	0	45	0	120	0
134. Boxed registers, 1st size, 5s.						
135. Ditto ditto, 2nd ditto, 3s. 6d.						
136. Fire stones, per set 1st size, 24s. for extra sized Oxford fronts.						
137. Ditto ditto, 2nd do., 18s. for dining and drawing room fronts.						
138. Ditto ditto, 3rd do., 14s. 6d. for middling sized fronts .						
139. Ditto ditto, 4th do., 12s. 6d. for small ditto.						
140. Ditto ditto, 5th do., 9s. 6d. for bed-room ditto.						
141. Linings, from 7s. to 12s. per set.						

ENAMELLED SLATE COVINGS.—*In Three Pieces, Splayed and fitted to Oxford Fronts.*

	Plain Slate per set.		Black Enamelled.		Variously Ornamented.	
	s.	d.	s.	d.	s.	d.
142. For 2 ft. 6 in. openings	10	0	20	0	40	0
143. For 2 ft. 9 in. ditto .	12	0	24	0	45	0
144. For 3 ft. ditto .	14	0	28	0	50	0
145. For 3 ft. 2 in. ditto .	15	0	30	0	55	0

ARCHED COVINGS.—*In One Piece, for Circular-headed Oxford Fronts.*

	Plain Slate per set.		Black Enamelled.		Variously Ornamented.	
	s.	d.	s.	d.	s.	d.
146. For 2 ft. 6 in. openings	15	0	30	0	40	0
147. For 2 ft. 9 in. ditto .	18	0	35	0	45	0
148. For 3 ft. ditto .	20	0	40	0	52	6
149. For 3 ft. 4 in. ditto .	25	0	45	0	60	0

ENAMELLED SLATE WASH-STAND AND DRESSING-TABLE TOPS.

Items.	Class 1.		Class 2.		Class 3.	
	s.	d.	s.	d.	s.	d.
150. 2 ft. 9 in. by 1 ft. 6 in., 6-in. back	30	0	35	0	45	0
151. 2 ft. 9 in. by 1 ft. 6 in., 10-in. back and shelf	35	0	38	0	47	0
152. 3 ft. by 1 ft. 8 in., 7-in. back	32	0	36	0	50	0
153. 3 ft. by 1 ft. 8 in., 10-in. back and shelf	36	0	41	0	54	0
154. 3 ft. 6 in. by 1 ft. 8 in., 7-in. back	36	0	43	0	54	0
155. 3 ft. 6 in. by 1 ft. 8 in., 10-in. back and shelf	43	0	47	0	63	0
156. 3 ft. 9 in. by 1 ft. 10 in., 7-in. back	43	0	47	0	63	0
157. 3 ft. 9 in. by 1 ft. 10 in., 10-in. back and shelf	47	0	54	0	74	0
158. 4 ft. by 2 ft., 7-in. back	47	0	54	0	74	0
159. 4 ft. by 2 ft., 7-in. back and shelf	50	0	56	0	80	0
160. 4 ft. 6 in. by 2 ft., 7-in. back	50	0	56	9	60	0
161. 4 ft. 6 in. by 2 ft., 10-in. back and shelf	54	0	62	0	92	0
162. Ovolo mouldings, 9d. per foot run extra.						
163. Ogee " 1s. " do.						
164. Rounded corners, 6d. each do.						
165. Plain hole for basin, 1s. do.						
166. Rebated do. do. 2s. do.						

ENAMELLED SLATE, &c., &c., FOR URINALS AT THE MANUFACTORY.

White, Cream Colour, Pea Green, Drab, and all Plain Tints.

	s.	d.
167. $\frac{3}{4}$ in. backs enamelled, 1 face . per foot super.	2	6
168. 1 in. standards, ditto ditto . "	2	9
169. 1 in. ditto ditto, 2 faces . "	3	9
170. $1\frac{1}{2}$ in. ditto ditto, 1 face . "	3	0
171. $1\frac{1}{2}$ in. ditto ditto, 2 faces . "	4	0

LABOUR ON DITTO.

172. Edges, 1 in. thick, squared and filed, or fine sanded	per foot run	0	3
173. Edges, $1\frac{1}{2}$ in. thick, ditto ditto	"	0	4
174. Half-round nosing to $\frac{3}{4}$ and 1 in. slabs	"	0	$2\frac{1}{2}$

Enamelled Slate.

157

		s.	d.
175.	Round nosing, ditto ditto . . . per foot run	0	4
176.	Ditto to 1½ ditto "	0	6
177.	Rebate or groove, 1 in. girt "	0	3
178.	Ditto, 1½ ditto "	0	4
179.	Diagonal groove, with round stopped end, to receive slate aprons each	1	6
180.	Round corner to 1 in. slabs . . . per inch radius	0	2
181.	Ditto 1½ ditto "	0	3
182.	Channelled slate for gutter, 8 in. wide, 2 in. thick per foot run	2	9
183.	5 in. bell trap, and countersinking ditto into slate gutter from 8s. 0d. to 12	0	0
184.	4 in. bell trap, ditto ditto ditto . . . 6	0	0
185.	3 in. ditto ditto ditto ditto . . . 4	6	0

N.B.—The Trade discount is higher on Urinals and Dairy Fittings than on other Enamelled Slate Work.

ENAMELLED SLATE FOR SHELVES AND LININGS FOR DAIRIES AT THE MANUFACTORY.

*Either White, Cream Colour, Pea Green, Drab, or other Self
Colours.*

		s.	d.
186.	½ in. slabs, enamelled, 1 face, not exceeding 3ft. by 2 ft. 6 in. per foot super.	2	4
187.	½ in. slabs, larger, ditto "	2	6
188.	¾ in. ditto, not exceeding 4 ft. by 2 ft. 6 in. "	2	6
189.	¾ in. ditto, larger "	2	8
190.	1 in. ditto, not exceeding 5 ft. by 2 ft. 10 in. "	2	9
191.	1 in. ditto, larger "	2	11
192.	1½ in. ditto "	3	0
193.	Round nosing to 1 in. slabs . . . per foot run	0	4
194.	Ditto 1½ ditto "	0	6

SLATE BATHS.

	Plain Slate.	Enamelled.
	£ s. d.	£ s. d.
195.	Plain form, with inclined back . . . 3 15 0	5 5 0
196.	Ditto, with plain marbled casing to front and end, and capping round the whole 7 7 0	12 12 0
197.	Chiselled to figure, enamelled inside—with seat, marbled casing to front and end, cap- ping all round, and step and riser	18 0 0

Items.

Enamelled.
£ s. d.

198. Complete sarcophagus-formed Bath, enamelled inside as china, supported on lion's claws on raised marbled platform, with panelled marbled casing and ring at each end, capping all round, and ornamental indexes and levers for taps	26	0	0
--	----	---	---

SLATED HEAD STONES, MONUMENTS, TOMBS, &c.

	Plain Black Slate.		Intense Black polished.	
	s.	d.	s.	d.
199. Flat ledgers, 6 ft. 6. in. by 2 ft. 6 in., 2 ins. thick	35	0	...	
200. Ditto, 3 ins. thick	42	0	...	
201. Head stone, 7 ft. 6 in. by 2 ft. 6 in., 2 ins. thick	50	0	84	0
202. Ditto, 7 ft. 6 in. by 2 ft. 6 in., 3 ins. thick	63	0	100	0
203. Foot stone	25	0	35	0
204. Curbing with rounded nosing, 8 ins. deep, <i>per foot run</i>	1	9	4	0
205. Ledgers, plain, 1 in. thick, <i>per foot super</i>	1	4	3	6
206. Ditto ditto, 1½ in. ditto	1	6	4	0
207. Plain cut letters, <i>per dozen</i>	1	9	2	6
208. Gilt ditto, ditto	2	9	3	6

ENAMELLED SLATE DOOR FURNITURE.

	1st Class.		2nd Class.	
	s.	d.	s.	d.
209. Large knob for external door, mounted .	5	0	6	0
210. Large knob for internal door, mounted .	2	6	3	0
211. Small ditto ditto, ditto	1	6	1	9
212. Escutcheon for key-hole and cover . .	1	9	2	0
213. Door plates, plain square, <i>each</i> . . .	1	9	2	0
214. Ditto, carved, ditto	2	0	2	6
215. Shutter knobs with screws	1	0	1	6
216. Ditto, for latch	2	0	2	6
217. Pearl-headed nails, <i>per dozen</i> , 6d.	
218. Complete set of marbled furniture for one side, with pearl-headed studs .	8	6	10	0

Items.

219. Ditto, variously ornamented, from 18s. to 30s.
 220. Finger-plates, black ground, with flowers, 7s. 6d. *per pair*.
 221. Ditto, light ditto ditto, 9s. 6d. ditto.
 222. Bell-pulls and circular plates, 4s. 6d. *each*.
 223. Bell-levers, boxed, 9s. ditto.

PATENT SLATE RIDGES AND HIPS.—*Per foot run.*

	1½ ins.		2 ins.	
	s.	d.	s.	d.
224. Round top, and rebated joint	1	6	1	8
225. Ditto and square ditto	1	4	1	6
226. Square ditto and rebated ditto	1	4	1	6
227. Ditto and square ditto	1	2	1	4

DAY WORK.

228. Slater, <i>per day of 10 working hours</i> :	6	8
229. Slate mason, ditto	8	1
230. Labourer, ditto	4	2
231. Boy, ditto	2	6
232. Slates, <i>per dozen</i> , with copper nails, ladies . .	1	9
233. Ditto ditto, countesses	3	0
234. Ditto ditto, duchesses	4	3
235. Compo fillet, <i>per foot run</i>	0	2

FOR NOTES AND MEMORANDA, SEE APPENDIX.

PLASTERER'S WORK.

RENDERING, LATHING, AND PLASTERING.—*Per yard super.*

Items.	Straight.		Circular.	
	Labour only.	All Materials.	Labour only.	All Materials.
	s. d.	s. d.	s. d.	s. d.
1. Render, only one coat, rough on brick . .	0 2¾	0 6	0 3¼	0 7
2. Ditto, and set . .	0 3½	0 8½	0 4	0 9½
3. Two coats, and set . .	0 4	0 10	0 4¾	0 11½
4. Render, float, and set . .	0 4¾	1 0	0 6	1 1¾
5. Ditto, to groin	0 11	1 5

Items.	Straight.				Circular.			
	Labour only.		All Materials.		Labour only.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
6. Render and set chimneys, each	0	8½	1	8
7. Lath only, single fir laths	0	1½	0	7½	0	3	0	9½
8. Ditto, and plaster, one coat	0	3½	1	2½	0	5	1	6
9. Ditto ditto, and set	0	4½	1	4	0	6½	1	7½
10. Ditto, and plaster, two coats, and set	0	5½	1	6	0	7	1	10
11. Ditto, plaster, float, and set	0	6½	1	8	0	8	2	0
12. If set with gauged putty, add	0	1½	0	2½	0	1½	0	3
13. If lath and half, add	0	0¾	0	3	0	1	0	3½
14. If double lath, add	0	1	0	6	0	1½	0	7
15. If gauged with plaster for each coat, add <i>per yard super</i>	0	1½	0	3½
16. If gauged with cement, ditto, add ditto	0	1	0	3
17. Lath, float, and set to soffites or jambs, <i>per foot super</i>	0	2½	0	4½
18. Ditto to groins, ditto	0	3	0	5½
19. Ditto to backs of niches, ditto	0	3½	0	6½
20. Ditto to heads of niches, ditto	0	5½	0	8½
					Labour only.		All Materials.	
					s.	d.	s.	d.
21. Arris straight, <i>per foot run</i>	0	0¾	0	1	0	1	0	1½
22. Ditto, circular, ditto	0	1	0	1½	0	0¾	0	0¾
23. Quirk, straight ditto	0	0¾	0	1	0	0¾	0	1
24. Ditto, circular, ditto	0	2	0	4½	0	3½	0	6½
25. Bead and double quirk, straight, ditto	0	2½	0	5	0	4	1	2
26. Ditto ditto, circular, ditto	0	2½	0	5	0	4	1	2
27. Pugging, 1½ ins. thick, on sound boarding, <i>per yard super</i>	0	2½	0	5	0	4	1	2
28. Ditto, on single fir laths, ditto	0	4	1	2	0	4	1	2

FLOOR PLASTERING.—*Per yard super.*

Items.	Labour only.		All Materials.	
	s.	d.	s.	d.
29. Malting and other floors, three coats, 2½ ins. thick, floated and trowelled face .	0	6½	2	6
30. Grey plaster, 2 ins. thick	1	2	5	9
31. Red ditto ditto	1	2	7	2
32. Keene's cement, 1½ in. thick, on concrete	1	3	7	6
33. Grey pozzolana	1	1	5	6

STUCCO.—*Per yard super.*

	Straight.		Circular.	
	Labour only.	All Materials.	Labour only.	All Materials.
	s.	d.	s.	d.
34. Bastard, on brick	0	6	0	7
35. Ditto, on lath	0	8	0	9½
36. Ditto, trowelled on brick	0	8	0	10
37. Ditto ditto, on lath	0	9½	0	11½
38. Ditto ditto, for dado add	0	1½	0	3
39. Ditto ditto, for jambs and soffites, <i>per foot super</i>	0	1½	0	2½
40. Groins, on brick, ditto	0	1½
41. Ditto, on lath, ditto	0	2½
42. Stucco on lath to backs of niches, ditto	0	3¾
43. Ditto, heads of niches, ditto	0	6½
44. Arris, <i>per foot run</i>	0	0¾	0	1
45. Quirk, ditto	0	0½	0	0¾
46. Plaster bead and quirk, ditto	0	2½	0	3½
47. Ditto, and double quirk, ditto	0	4½	0	6
48. Reveals to windows, 4½ inches, ditto	0	2	0	2½
49. Ditto, elliptical, ditto	0	3½
50. Ditto, 9 inches, ditto	0	3	0	3¾
51. Ditto, elliptical, ditto	0	4¾
52. Friezes and soffites, floated on brick, <i>per foot super</i>	0	1½	0	2½

Items.	Straight.		Circular.	
	Labour only.	All Materials.	Labour only.	All Materials.
	s. d.	s. d.	s. d.	s. d.
53. Ditto ditto, on lath, ditto	0 2	0 4½	0 3	0 5½
54. Ditto ditto, on brick, elliptical, ditto	0 3	0 5½
55. Ditto ditto, on lath, elliptical, ditto	0 3½	0 6½
56. Circular soffit, bead and flush in panels, ditto	1 4	2 4
57. Elliptical ditto ditto	1 7½	2 9
58. Circular O. G. and bead sunk, ditto	1 10	3 3
59. Elliptical ditto ditto	2 2	3 9

MARGINS, CORNICES, AND MOULDINGS.—*Per foot run.*

60. Raised margins, to form panels, 4 inches wide	0 2	0 3½	0 4	0 5½
61. Ditto ditto, 5 ins. ditto	0 2½	0 5	0 5	0 7½
62. Ditto ditto, 6 ins. ditto	0 3½	0 6½	0 6	0 9½
63. Ditto ditto, for each additional inch in width, add	0 1	0 1½	0 1½	0 1½
64. Ditto, moulded, add .	0 1½	0 2½	0 3	0 4½
65. Impost moulding, or plain cornice, not exceeding 4 inches girt, <i>per foot run</i>	0 2½	0 5	0 3½	0 6½
66. Ditto, 5 inches, ditto .	0 3½	0 6	0 4	0 7½
67. Ditto, 6 ditto ditto .	0 4	0 7	0 5	0 9
68. Cornices with spaces for frieze or soffit, to be girted and taken at, <i>per foot super</i>	0 6	1 0	0 7½	1 3
69. Fancy plain, or reeded, ditto ditto	0 7	1 1½	0 9	1 5
70. Mouldings, astragals, O. G. or ovolo, <i>per foot run</i>	0 1½	0 2½	0 2	0 3½
71. Ditto, small reeds, ditto	0 2	0 3½	0 2½	0 4
72. Ditto, mixed, 3 inches girt, ditto	0 2½	0 4½	0 3	0 5

Items.	Straight.				Circular.			
	Labour only.		All Materials.		Labour only.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
73. Ditto ditto, 4 do. do. .	0	3	0	5½	0	3½	0	7
74. Ditto ditto, 5 do. do. .	0	3¼	0	6½	0	4¼	0	8
75. Ditto ditto, 6 do. do. .	0	3¾	0	7½	0	5	0	9½
76. Ditto, for every inch additional girt, add .	0	0½	0	1	0	0¾	0	1½

CORNICE ENRICHMENTS.—*Per foot run.*

	Fixing only.		All Materials.	
	s.	d.	s.	d.
77. Enriched mouldings, cast solid, <i>per inch girt</i>	0	1	0	2
78. Ditto ditto, circular on plan	0	1¼	0	3
79. Ditto ditto, undercut	0	1¼	0	3½
80. Ditto ditto, ditto, circular on plan	0	1½	0	4½
81. Ditto, members put up single	0	1¼	0	3
82. Ditto ditto, circular on plan	0	1½	0	4
83. Enriched soffite, string, or frieze, <i>per inch width</i>	0	1	0	2
84. Ditto ditto, circular on plan	0	1¼	0	2½
85. Plain sunk blocks, not exceeding 3 inches diameter, <i>each</i>	0	2	0	6
86. Ditto, for every half inch above 3 inches diameter, <i>add</i>	0	0¾	0	1½
87. Cast pateræ, or flowers, put up singly to 3 inches diameter, <i>each</i>	0	2½	0	6
88. Ditto ditto, 4 do. do.	0	3	0	9
89. Ditto ditto, 5 do. do.	0	4	1	0
90. Ditto ditto, 6 do. do.	0	5½	1	6
91. Ditto ditto, 7 do. do.	0	9	2	2
92. Ditto ditto, 8 do. do.	1	0	3	0
93. Ditto ditto, 9 do. do.	1	3	4	2
94. Ditto ditto, 10 do. do.	1	6	5	6
95. Ditto ditto, 12 do. do.	1	10	11	0
96. Ditto ditto, 15 do. do.	2	4	14	0
97. Ditto ditto, 18 do. do.	2	10	17	0
98. Ditto ditto, 24 do. do.	3	10	21	6
99. Ditto ditto, 30 do. do.	6	6	28	0
100. Ditto ditto, 36 do. do.	9	0	37	6

FRENCH PLASTER.—*Per yard super.*

Items.	Straight.		Circular.	
	Labour only.	All Materials.	Labour only.	All Materials.
	s. d.	s. d.	s. d.	s. d.
101. Render, one coat on brick . . .	0 2½	0 6½	0 3¼	0 8½
102. Ditto, and set . .	0 4½	0 9½	0 6	1 0½
103. Ditto, float, and set .	0 6½	1 1	0 8½	1 5
104. Ditto ditto, and stucco for painting . .	0 10	1 7	1 1½	2 1
105. Render, one coat on lath and half, zinc nails .	0 4½	1 1½	0 6	1 6
106. Ditto, and set, ditto .	0 6½	1 4	0 8½	1 9½
107. Ditto, float, and set, ditto . . .	0 8½	1 9	0 11½	2 4
108. Ditto ditto, and stucco for painting, ditto .	1 0	2 3	1 4	3 0
109. For ceilings, ditto, <i>add</i> .	0 1¼	0 2½	0 1¾	0 3¼
110. Arris, quirk, and external angles, &c., <i>per foot run</i> . . .	0 0¾	0 1¼	0 1	0 1¼

OUTSIDE WORK.—*Per yard super.*

111. Rough cast on brick, one coat . . .	0 5	0 10½	0 6	1 0
112. Ditto, floated . . .	0 7	1 3½	0 8	1 5
113. One coat on lath . . .	0 6½	1 6	0 8½	1 9
114. Ditto, floated . . .	0 7½	1 11	0 10	2 2
115. Ditto, on lath and half .	0 8½	2 3	0 11	2 6
116. Rough stucco, blue lias lime and clean river sand, on brick . .	0 7	1 8	0 9	2 0
117. Ditto, on lath, ditto .	0 9	2 5	1 0	2 10
118. Ditto, on lath and half .	0 10	2 8	1 1	3 1
119. Facia and pilasters on brick, <i>per foot super</i> .	0 1½	0 3	0 2¼	0 4½
120. Plain mouldings, ditto .	0 7	1 2	0 9	1 5
121. Arris, <i>per foot run</i> . .	0 1¼	0 1½	0 1½	0 1¾

POZZOLANA.—*Per yard super.*

Items.	Straight.		Circular.	
	s.	d.	s.	d.
122. Plain face on brick	4	0	4	9
123. Ditto, jointed with white	4	9	5	6
124. Ditto, with facing of fine Pozzolana	5	3	6	4
125. Arris edges, <i>per foot run</i>	0	3	0	3½

CEMENT WORK.

	Straight.		Circular.	
	Labour only. s. d.	All Materials. s. d.	Labour only. s. d.	All Materials. s. d.
126. ROMAN CEMENT, rough render, <i>per yard super</i>	0 6	1 4	0 8	1 8
127. Ditto, plain face, on brick, jointed, ditto	0 9	1 10	1 0	2 7
128. Ditto ditto, on lath, do.	0 10	2 9	1 2	3 6
129. Ditto ditto, on lath and half, ditto .	0 11	3 3	1 3	4 0
130. Ditto, colouring, <i>add per yard</i>	0 2½	0 4½	0 3¼	0 5½
131. Ditto, shading or party colouring, ditto . .	0 3½	0 6½	0 4½	0 8½
132. Ditto, plain moulding, <i>per foot super</i>	0 8	1 3	0 10	1 7
133. Ditto, plain fascia, string, or pilasters, ditto .	0 2½	0 5	0 3¼	0 6½
134. Ditto ditto, if less than 9 ins. wide, <i>per foot run</i>	0 1½	0 2¾	0 2	0 4
135. Ditto, spikes and twine for projections, <i>add per foot super</i>	0 2	0 4	0 2½	0 5
136. Ditto, grooves and mouldings, not exceeding 3 ins. girt, <i>per foot run</i>	0 1¾	0 3½	0 2¼	0 4½
137. Ditto ditto, 4 ins. do.	0 2¼	0 4½	0 2¾	0 5½
138. Ditto ditto. 6 do. do.	0 3½	0 6½	0 4½	0 8½

Items.	Straight.				Circular.			
	Labour only.		All Materials.		Labour only.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
139. Ditto, window sills, throated, 4 ins. thick, ditto	0	5	0	9 $\frac{1}{2}$	0	6 $\frac{1}{4}$	1	0
140. Ditto, arris, ditto	0	1	0	1 $\frac{1}{2}$	0	1 $\frac{1}{4}$	0	1 $\frac{3}{4}$
141. Ditto, rustics, ditto	0	2	0	3	0	2 $\frac{1}{2}$	0	3 $\frac{3}{4}$
142. Ditto, reveals or margins, 4 $\frac{1}{2}$ ins. ditto	0	2 $\frac{1}{2}$	0	3 $\frac{3}{4}$	0	3 $\frac{1}{4}$	0	4 $\frac{3}{4}$
143. Ditto ditto, 9 inches, ditto	0	3 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	8 $\frac{1}{2}$
144. Ditto, balusters, chimney pots, and trusses, <i>per in. in height or length</i>	0	1	0	1 $\frac{1}{2}$
145. PORTLAND CEMENT, plain face on brick, jointed, <i>per yard super</i>	0	9	2	2	0	10	2	8
146. Ditto ditto, pilasters, facias, &c., <i>per foot super</i>	0	2	0	4	0	2 $\frac{1}{2}$	0	5
147. Ditto, plain moulding, ditto	0	8	1	2	0	10	1	6
148. Ditto, plain facia, &c., under 9 ins. wide, <i>per foot run</i>	0	1 $\frac{1}{2}$	0	3 $\frac{1}{2}$	0	2	0	4 $\frac{1}{2}$
149. Ditto, small mouldings, not exceeding 3 ins. girt, ditto	0	2	0	4 $\frac{1}{2}$	0	2 $\frac{1}{2}$	0	5 $\frac{1}{2}$
150. Ditto, arris, ditto	0	1	0	1 $\frac{1}{2}$	0	1 $\frac{1}{4}$	0	1 $\frac{3}{4}$
151. Ditto, rustics, ditto	0	2	0	2 $\frac{1}{2}$	0	2 $\frac{1}{2}$	0	3
152. Ditto, margins or reveals, 4 $\frac{1}{2}$ ins., ditto	0	2 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	3 $\frac{1}{4}$	0	5 $\frac{3}{4}$
153. Ditto, 9 ins. ditto	0	3 $\frac{1}{2}$	0	6 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	8
154. Ditto, laid as paving, 2 ins. thick, <i>per foot super</i>	0	2	0	6	0	2 $\frac{1}{2}$	0	7 $\frac{1}{2}$
155. PATENT PAINT CEMENT, rough • render, one coat, <i>per yard super</i>	0	8	1	9	0	10	2	2
156. Ditto, plain face on brick, jointed, ditto	0	11	2	6	1	2	3	2

Cement Work.

167

Items.	Straight.				Circular.			
	Labour only.		All Materials.		Labour only.		All Materials.	
	s.	d.	s.	d.	s.	d.	s.	d.
157. Ditto ditto, on single fir laths, ditto .	1	1	3	3	1	4	4	1
158. Ditto ditto, on lath and half, ditto .	1	2	3	8	1	5½	4	7
159. Ditto ditto, on double lath, ditto .	1	3	4	0	1	7	5	0
160. Ditto, plain string facia, pilaster, &c., ditto, <i>per foot super</i>	0	2½	0	6½	0	3½	0	8
161. Ditto, plain mouldings, ditto .	0	8	1	10	0	10	2	4
162. Ditto, plain facia, &c., under 9 ins. width, <i>per foot run</i> .	0	1	0	4½	0	2	0	5½
163. Ditto, small mouldings, not exceeding 3 ins. girt, ditto .	0	2½	0	6½	0	3½	0	8
164. Ditto, arris, ditto .	0	1½	0	2	0	2	0	2½
165. Ditto, rustics, ditto .	0	2½	0	3½	0	3½	0	4½
166. Ditto, reveals or margins, 4½ ins., ditto .	0	2½	0	4½	0	2½	0	5½
167. Ditto ditto, 9 ins. ditto .	0	3½	0	8	0	4½	0	10

PATENT MARBLE CEMENT.

Items.	Straight.		Circular.	
	s.	d.	s.	d.
168. Common quality, on brick, <i>per yard super</i> .	2	2	2	8
169. Ditto, on lath, ditto .	3	3	3	9
170. Ditto, paving 1½ in. thick, on concrete, ditto .	5	0	...	
171. Ditto, panels moulded (small), <i>per foot super</i> .	0	9½	1	0
172. Ditto, facias, jambs, pilasters, architraves, &c., ditto .	0	6½	0	8½
173. Ditto, plain moulding, ditto .	1	5	1	10
174. Ditto, arris, <i>per foot run</i> .	0	1½	0	2½

Items.	Straight.		Circular.	
	s.	d.	s.	d.
175. Ditto, skirting 9 inches high, with 3-inch girt moulding, ditto	0	8½	0	10½
176. Fine quality, plain face and polished on lath, <i>per foot super</i>	2	8	3	2
177. Ditto ditto, pilasters, panels, shafts, friezes, &c., ditto	2	10	3	6
178. Ditto, pedestals and shafts, ditto		3	10
179. Ditto, plain mouldings, ditto	3	6	4	8
180. Ditto, arris, <i>per foot run</i>	0	2½	0	2¾
181. Ditto, enriched members, cast solid, <i>per inch girt</i> , ditto	0	5½	0	6½
182. Ditto ditto, undercut, ditto	0	6½	0	7½
183. PARIAN CEMENT, on brick, <i>per yard super</i>	2	2	2	8
184. Ditto, on lath, ditto	3	2	3	8
185. Ditto, polished, white, <i>per foot super</i>	0	10½	1	1
186. Ditto ditto, buff, ditto	1	1½	1	4
187. Ditto ditto, green, ditto	1	10	2	1
188. Ditto ditto, blue, ditto	2	8	3	0
189. Ditto ditto, in imitation of marbles, &c., ditto	3	9	4	9
190. Ditto, mouldings, ditto	1	4	1	9
191. Ditto ditto, polished, ditto	2	2	3	0
192. Ditto ditto, in colours, ditto	3	2	4	0
193. Ditto ditto, in imitation of marbles, &c., ditto	5	0	6	3
194. MARTIN'S CEMENT, rendered on brick, <i>per yard super</i>	1	3	1	5
195. Ditto, trowelled for painting on, ditto	2	2	2	6
196. Ditto ditto, and jointed, ditto	2	4	2	7
197. Ditto do., floated and set on lath, ditto	3	2	3	6
198. Ditto ditto, ditto, fine, ditto, ditto	3	8	4	0
199. Ditto ditto, ditto, finest, ditto, ditto	4	1	4	6
200. Ditto, floors, 1 inch thick, ditto	4	2	...	
201. Ditto, reveals, 4 inches, <i>per foot run</i>	0	4	0	6
202. Ditto, skirting, plain, 9 inches wide, ditto	0	4½	0	5
203. Ditto ditto, ditto, 12 ditto, ditto	0	6	0	7
204. Ditto, angle beads, quirked, ditto	0	3½	0	4½
205. Ditto, mouldings, <i>above</i> 4 inches, <i>per foot super</i>	1	5	1	10

Lime-whiting, &c.

169

Items.	Straight.		Circular.	
	s.	d.	s.	d.
206. Ditto ditto, 4 inches and less, <i>per inch girt, per foot run</i>	0	1½	0	2½
207. METALLIC CEMENT, floated and jointed, <i>per yard super</i>	2	8	3	2
208. Ditto, facia, pilasters, &c., <i>per foot super</i>	0	4½	0	6½
209. Ditto, plain mouldings, ditto	1	7	2	2
210. Ditto, arris, <i>per foot run</i>	0	1½	0	2½
211. Ditto, rustics, ditto	0	3½	0	5½
212. Ditto, margins, reveals, &c., 4 inches, ditto	0	4½	0	6½
213. MASTIC, plain face, jointed, <i>per yard super</i>	3	2	3	8
214. Ditto, plain mouldings, <i>per foot super</i>	1	10	2	4
215. Ditto, arris, <i>per foot run</i>	0	1½	0	2½
216. Ditto, margins, reveals, facia, &c., <i>per inch wide, ditto</i>	0	1½	0	1½

LIME-WHITING, WHITE-WASHING, AND REPAIRING.

Per yard super.

	s.	d.
217. Lime-whiting walls, &c., once	0	1½
218. Ditto ditto, twice	0	2½
219. Washing and stopping	0	2
220. Wash, stop, and white to new work, once	0	1½
221. Ditto ditto, ditto ditto, twice	0	2
222. Ditto ditto, ditto ditto, to old work, once	0	3
223. Ditto ditto, ditto ditto, twice	0	4
224. Ditto ditto, drab, stone, buff, or salmon colour, once	0	4
225. Ditto ditto, ditto ditto, twice	0	5
226. Ditto ditto, lemon, or straw colour, once	0	4¾
227. Ditto ditto, ditto ditto, twice	0	6½
228. Ditto ditto, gray colour, once	0	5½
229. Ditto ditto, ditto ditto, twice	0	8½
230. Ditto ditto, blue colour, once	0	7½
231. Ditto ditto, ditto ditto, twice	0	11
232. Ditto ditto, green (verditer), once	0	8½
233. Ditto ditto, ditto ditto, twice	1	2½

Items.	s.	d.
234. Washing and stopping plain cornices, 12 inches girt or less, <i>per foot run</i>	0	1
235. Washing, stopping, and white, ditto ditto	0	1½
236. Ditto ditto, and distemper, ditto ditto	0	2
237. Ditto ditto, enriched cornices, ditto	0	2
238. Ditto ditto, and white, ditto ditto	0	2½
239. Ditto ditto, and distemper, ditto ditto	0	3½
240. Ditto ditto, enriched cornice and soffit, ditto	0	2½
241. Ditto ditto, and white, ditto ditto	0	3½
242. Ditto ditto, and distemper, ditto ditto	0	4½
243. Ditto ditto, Ionic, black cornice, ditto	0	1½
244. Ditto ditto, and white, ditto ditto	0	2½
245. Ditto ditto, and distemper, ditto ditto	0	3½
246. Ditto ditto, enriched Ionic, black cornice, ditto ditto	0	2½
247. Ditto ditto, and white, ditto ditto	0	3½
248. Ditto ditto, and distemper, ditto ditto	0	5½
249. Ditto ditto, Corinthian cornice, ditto ditto	0	3½
250. Ditto ditto, and white, ditto ditto	0	5½
251. Ditto ditto, and distemper, ditto ditto	0	7½
252. Ditto ditto, ornaments, <i>per foot super</i>	0	1½
253. Ditto ditto, and white, ditto ditto	0	2½
254. Ditto ditto, and distemper, ditto ditto	0	3½
255. Cornices and other members, picked out in colour, <i>per foot extra</i>	0	1½
256. Ornamented soffit or frieze	0	2½

PLASTERER'S DAY WORK.

257. Plasterer, <i>per day</i> of 10 working hours	6	8
258. Ditto, <i>per hour</i>	0	8
259. Labourer, <i>per day</i>	4	2
260. Ditto, <i>per hour</i>	0	5
261. Modeller, <i>per day</i>	7	6
262. Ditto, <i>per hour</i>	0	9
263. Hawk boy, <i>per day</i>	2	1
264. Ditto, <i>per hour</i>	0	2½

Day-Prices.

171

Items.	s.	d.
265. Lime and hair, <i>per hod</i>	0	9
266. Ditto, for outside work	0	9½
267. Fine stuff, <i>per hod</i>	1	3
268. Putty, ditto	1	7
269. Stucco, <i>per hod</i>	1	6
270. Plaster, coarse, <i>per bag</i>	0	8
271. Ditto ditto, <i>per cwt.</i>	4	4
272. Ditto, fine, <i>per bag</i>	0	9½
273. Ditto ditto, <i>per cwt.</i>	5	6
274. Ditto, superfine, <i>per bag</i>	1	1
275. Ditto ditto, <i>per cwt.</i>	8	6
276. Ditto, French, <i>per bag</i>	0	6
277. Ditto ditto, <i>per cwt.</i>	3	3
278. Cement, Roman, <i>per bushel</i> 1s. 6d. to	2	0
279. Ditto, Sheppey, ditto	3	3
280. Ditto, Atkinson's, ditto	4	3
281. Ditto, Portland, ditto 2s. 3d. to	2	9
282. Ditto, metallic, ditto	1	7
283. Ditto, Keene's, ditto	4	6
284. Ditto ditto, fine, ditto	7	0
285. Ditto, Parian, ditto	4	9
286. Ditto ditto, fine, ditto	7	6
287. Ditto, Martin's, ditto	4	3
288. Ditto ditto, fine, ditto	5	3
289. Ditto ditto, superfine, ditto	7	0
290. Chalk lime, ditto	0	9
291. Dorking lime, ditto	0	10
292. Thames sand, washed, ditto	0	4½
293. Gypsum, ditto	1	10
294. Mastic, <i>per cwt.</i>	5	3
295. Linseed oil, <i>per gallon</i>	3	8
296. Ditto, boiled, ditto	4	10
297. Laths, single, <i>per bundle</i>	2	1
298. Ditto ditto, and nails, ditto	2	6
299. Laths and half, ditto	3	2
300. Ditto, and nails, ditto	3	7
301. Laths, double, ditto	4	2
302. Ditto, and nails, ditto	4	10
303. Whiting, <i>per dozen</i>	0	4½
304. Ditto, best, ditto	0	6½
305. Hair, <i>per bushel</i>	1	5

Items.	s.	d.
306. Single size, <i>per gallon</i>	0	9
307. Ditto, <i>per firkin</i>	4	6
308. Double size, <i>per gallon</i>	1	0
309. Ditto, <i>per firkin</i>	6	0
310. Double size, <i>per lb.</i>	0	4
311. Blue black, ditto	0	4½
312. Whitewash, with size, <i>per pail</i>	1	0
313. Colour, common, ditto, ditto	1	6
314. Ditto, lemon, straw, orange, ditto, ditto	2	6
315. Ditto, blue, ditto, ditto	3	0
316. Ditto, blue verditer, ditto, ditto	3	6
317. Ditto, green verditer, ditto, ditto	4	0
318. Wax for moulds, to enrichments, &c., <i>per lb.</i>	3	6
319. Carting, <i>per single load</i>	3	6
320. Ditto, <i>per double load</i>	5	6

FOR NOTES AND MEMORANDA, SEE APPENDIX.

GLAZIER'S WORK AND MATERIALS. PRICES OF GLASS, EXCLUSIVE OF GLAZING.

CROWN GLASS—Per foot super.

IN SQUARES.

Items.	Usual Thickness.				C.C.C.				Extra Thickness.				C.C.C.			
	1st.	2nd.	3rd.	4th.	s. d.	s. d.	s. d.	s. d.	1st.	2nd.	3rd.	4th.	s. d.	s. d.	s. d.	s. d.
1 All squares, under 6 by 4.....
2 Quarries
3 6 by 4 and under	0 6	0 5	0 4	0 3	0 2½	0 2½	0 2½	0 2½	0 7	0 6	0 5	0 4	0 3	0 3	0 2½	0 2½
4 9 by 7 and not above 10 by 8	0 7	0 6	0 5	0 3½	0 3½	0 3½	0 3½	0 3½	0 8	0 7	0 6	0 5½	0 4½	0 4½	0 3½	0 3½
5 above 10 by 8 "	0 8	0 7	0 6	0 4½	0 3½	0 3½	0 3½	0 3½	1 0	0 10	0 9	0 7	0 6	0 6	0 4½	0 4½
6 " 12 by 10 "	0 9	0 8	0 6½	0 5	0 3½	0 3½	0 3½	0 3½	1 2	1 0	0 10	0 8	0 6½	0 6½	0 5	0 5
7 " 14 by 10 "	0 10	0 9	0 7½	0 6	0 4½	0 4½	0 4½	0 4½	1 4	1 2	0 11	0 9	0 7	0 7	0 6	0 6
8 " 2 feet "	0 11	0 10	0 8	0 6½	0 5	0 5	0 5	0 5	1 6	1 4	1 1	0 11	0 8½	0 8½	0 8	0 8
9 " 2½ " "	1 1	1 0	0 10	0 7½	0 6½	0 6½	0 6½	0 6½	1 8	1 6	1 3	1 0	0 9½	0 9½	0 8	0 8
10 " 3 " "	1 3	1 2	1 0	0 8½	0 6½	0 6½	0 6½	0 6½	1 11	1 9	1 6	1 2	0 11	0 11	0 9½	0 9½

Glazier's Work.

173

FLATTENED SQUARES.

Items.	Usual Thickness.				C.C.C.				Extra Thickness.				C.C.C.			
	1st.	2nd.	3rd.	4th.	s. d.	s. d.	s. d.	s. d.	1st.	2nd.	3rd.	4th.	s. d.	s. d.	s. d.	s. d.
11 10 by 8 and not above 12 by 10	0 11	0 10	0 9	0 7½	0 6½	0 6½	0 6½	0 6½	1 3	1 1	1 0	0 10	0 9	0 9	0 7½	0 7½
12 above 12 by 10 "	1 0	0 11	0 9½	0 8	0 6½	0 6½	0 6½	0 6½	1 5	1 3	1 1	0 11	0 9½	0 9½	0 8	0 8
13 " 14 by 10 "	1 1	1 0	0 10½	0 9	0 7½	0 7½	0 7½	0 7½	1 7	1 5	1 2	1 0	0 10	0 10	0 9	0 9
14 " 2 feet "	1 2	1 1	0 11	0 9½	0 8	0 8	0 8	0 8	1 9	1 7	1 4	1 2	0 11½	0 11½	0 10	0 10
15 " 2½ feet "	1 4	1 3	1 1	0 10½	0 8½	0 8½	0 8½	0 8½	1 11	1 9	1 6	1 3	1 0½	1 0½	0 11	0 11
16 " 3 " "	1 6	1 5	1 3	0 11½	0 9½	0 9½	0 9½	0 9½	2 2	2 0	1 9	1 5	1 2	1 2	1 0½	1 0½

Items.	s.	d.
17. Bending, extra, <i>per foot super</i>	0	6
18. Obscuring, extra, ditto	0	4

FLUTED SHEET GLASS.

Per foot super.

	Weighing 15 oz. to the foot.	Weighing 21 oz. to the foot.
	s. d.	s. d.
19. In squares, 10 by 8 and under	0 6	0 8
20. Ditto, above 10 „ and not above $1\frac{1}{2}$ feet	0 8	0 11
21. Ditto, above $1\frac{1}{2}$ feet and not above 2 feet	0 9	1 1
22. Ditto, above 2 feet and not above 33 by 30 inches	0 11	1 3
23. Extra on sheets and squares when above 40 inches long, or 30 inches wide, <i>per foot super</i>	0	3

SHEET GLASS.—Per foot super.

Items.		WEIGHING 15 OZ. TO THE FOOT.					WEIGHING 21 OZ. TO THE FOOT.					WEIGHING 26 OZ. TO THE FOOT.				
		Best.	2nd.	3rd.	4th.	Hor.	Best.	2nd.	3rd.	4th.	Hor.	Best.	2nd.	3rd.	4th.	Hor.
		d. a.	d. a.	d. a.	d. a.	d. a.	d. a.	d. a.	d. a.	d. a.	d. a.	d. a.	d. a.	d. a.	d. a.	d. a.
In Squares not exceeding 48 inches long.																
24.	All under 6 by 4	0 2	0 3	0 4
25.	6 by 4 and under 9 by 4	0 60	50 4	0 3	0 2 3	0 71	0 61	0 51	0 41	0 4	0 10	0 81	0 7	6	0 5	0 5
26.	9 by 7 " 12 by 9	0 70	60 5	0 4	0 3	0 9	0 8	0 7	0 5 3	0 5	1 00	100	8	7	0 6	0 6
27.	12 by 9 " 14 by 10	0 80	70 51	0 4	0 3 1	0 11	0 9	0 8	0 6 3	0 5 1	1 21	00	10	8	0 6 1	0 6 1
28.	14 by 10 and not above 2 feet	0 110	90 7	0 51	0 4	1 10	110	9 0 71	0 6	1 41	21	0	91	0 71	0 71	0 71
29.	above 2 feet " 3 "	1 10	110 8	0 51	0 4 1	1 31	10	100 71	0 6	1 61	41	1	10	0 71	0 71	0 71
30.	" 3 " 4 "	1 31	109 0	0 6	0 4 1	1 41	30	110 8	0 6 1	1 81	51	2	10 3	0 8	0 8	0 8
31.	" 4 " 5 "	1 41	20 10	0 61	0 4 1	1 61	40	110 8	0 6 1	1 101	71	3	11	0 8	0 8	0 8
32.	" 5 " 6 "	1 51	30 11	0 61	0 4 1	1 81	61	0 81	0 7	2 01	91	4	11 3	0 8 1	0 8 1	0 8 1
33.	" 6 " 8 "	1 61	41 0	0 7	0 5 1	1 91	71	10 91	0 7 1	2 21	11	101	51	0 9	0 9	0 9
34.	" 8 " 10 "	1 71	51 1	0 71	0 5 1	1 11	91	30 100 71	2 21	11	11	101	61	1	0 10	0 10
35.	" 10 " 11 "	1 91	61 2	0 8	0 6 1	2 11	101	50 110 81	2 42	01	71	3	01	71	3	01
36.	" 11 " 12 "	1 111	81 3	0 9	0 7 1	2 32	01	71 0 91	2 62	31	101	4	1	1	1	1
37.	" 12 " 13 "	2 01	91 4	0 100 81	2 52	21	91	2 01	11	2 82	42	01	5	1	2	2
Add per foot super for Squares when above																
38.	43 inches, and not above 50 inches long	0 10	10 01	0 01	0 01	0 10	10	01	0 01	0 01	0 20	20	1	0	1	1
39.	50 " " 55 "	0 20	20 1	0 1	0 1	0 20	20	1 0 1	0 1	0 40	40	2	0	2	0	2
40.	55 " " 60 "	0 40	40 2	0 2	0 2	0 60	60	3 0 3	0 3	0 80	80	4	0	4	0	4
41.	60 " " 65 "	0 80	80 8	0 8	0 8	1 01	00	100 8	0 6	1 31	31	00	100	8	0	8
42.	65 " " 70 "	1 01	01 0	1 0	1 0	1 61	61	4 1 3	1 0	2 02	01	21	6	1	3	3
43.	70 " " 75 "	1 61	61 6	1 6	1 6	2 02	01	9 1 6	1 3

HARTLEY'S PATENT ROUGH PLATE.—Per foot super.

Items.	OUT TO THE SIZES ORDERED.	PLAIN.										FLUTED.									
		Thickness in parts of an inch.					No. 2.—SMALL PATTERN.					Thickness in parts of an inch.					No. 1.—LARGE PATTERN.				
		s.	d.	s.	d.	s.	s.	d.	s.	d.	s.	s.	d.	s.	d.	s.	s.	d.	s.	d.	s.
61.	Under 8 by 6	4	5	6	8	10	5	6	7	9	11	6	7	8	10	1	6	7	8	10	1
62.	8 by 6 and under 10 by 8	5	6	7	9	10	6	7	8	10	11	7	8	9	11	2	7	8	9	11	2
63.	10 by 8	6	7	8	9	10	7	8	9	10	11	8	9	10	11	3	8	9	10	11	4
64.	14 by 10	6	8	9	11	12	7	8	9	10	11	8	9	10	11	3	8	9	10	11	4
65.	14 ft. sup. 1 1/4 ft. sup. if not above 20 in. long	7	8	9	11	13	8	9	10	11	12	9	10	11	12	4	9	10	11	12	5
66.	3 or 4 above 20 and not above 30 in.	7	8	9	10	11	8	9	10	11	12	9	10	11	12	4	9	10	11	12	5
67.	4 " " 20 " "	7	8	9	10	11	8	9	10	11	12	9	10	11	12	4	9	10	11	12	5
68.	5 " " 30 " "	8	9	10	11	12	8	9	10	11	12	9	10	11	12	4	9	10	11	12	5
69.	6 " " 35 " "	8	10	11	12	14	9	10	11	12	13	10	11	12	13	4	10	11	12	13	6
70.	8 " " 40 " "	9	10	11	12	15	9	10	11	12	14	10	11	12	14	4	10	11	12	14	6
71.	10 " " 45 " "	9	10	11	12	15	10	11	12	13	15	10	11	12	14	4	10	11	12	14	6
72.	12 " " 55 " "	9	10	11	12	16	10	11	12	13	16	10	11	12	14	4	10	11	12	14	6
73.	15 " " 65 " "	10	11	12	13	17	10	11	12	13	17	10	11	12	14	4	10	11	12	14	6
74.	20 " " 75 " "	11	12	13	14	18	11	12	13	14	18	11	12	13	15	4	10	11	12	14	6
75.	20 " " 90 " "	11	12	13	14	18	11	12	13	14	18	11	12	13	15	4	10	11	12	14	6
76.	QUARRIES	6	7	9	10	11	8	9	10	11	12	8	9	10	11	2	8	9	10	11	2
	BENDING, ordinary curves	6	7	9	10	11	8	9	10	11	12	8	9	10	11	2	8	9	10	11	2

NOTE.—Squares are charged according to the superficial contents, except where the length exceeds the restriction above, in which case the higher price is charged irrespective of the contents. Irregular Shapes are charged as squares from extreme points.

77. GRINDING EDGES, 1/4d. per lineal inch, net.
78. GRINDING on one side, 4d. per foot gross.

The Patent Rough Plate, one-eighth of an inch thick, weighing about 2 lbs. to the foot, has now become an article of very extensive consumption for Ridge-and-Furrow Roofs, Greenhouses, Factories, Workshops, and all such-like purposes; and is a cheap and efficient substitute for Fluted or Obscured Glass, where the object is to intercept the vision without diminishing the light.

HARTLEY'S PATENT QUARRY AND DIAMOND ROUGH PLATE GLASS—

Per foot super.

Items.	SQUARES CUT TO THE SIZES ORDERED.	QUARRY.						DIAMOND.					
		No. 1.—LARGE PAT. No. 2.—SMALL PAT.			No. 3.—SMALL PAT.			No. 4.—SMALL PAT.			No. 5.—SMALL PAT.		
		Thickness in parts of an inch.			Thickness in parts of an inch.			Thickness in parts of an inch.			Thickness in parts of an inch.		
		$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{3}{4}$	$\frac{1}{2}$
79.	Under 8 by 6	0	9	1	0	1	3	0	9	0	11	1	1
80.	8 by 6 and " 10 by 8	1	0	1	3	1	6	0	10	1	1	4	0
81.	10 by 8 " 14 by 10	1	0	1	3	1	6	0	10	1	1	4	0
82.	14 by 10 " 14 ft. sup., if not above 20 in. long	1	1	1	4	1	7	0	11	1	2	1	5
83.	14 ft. sup., if not above 20 in. long	1	1	1	4	1	7	0	11	1	2	1	5
84.	14 feet sup. " 3 " or $\frac{1}{4}$ above 20 and not above 30 in. long	1	1	1	4	1	7	0	11	1	2	1	5
85.	3 " 4 " " 20 " " " 30 " " " 35 " " " 40 " " " 45 " " " 55 " " " 65 " " " 70 " " " 75 " " " 85 " " "	1	1	1	4	1	7	0	11	1	2	1	5
86.	4 " " " 30 " " " 35 " " " 40 " " " 45 " " " 55 " " " 65 " " " 70 " " " 75 " " " 85 " " "	1	1	1	4	1	7	0	11	1	2	1	5
87.	5 " " " 30 " " " 35 " " " 40 " " " 45 " " " 55 " " " 65 " " " 70 " " " 75 " " " 85 " " "	1	1	1	4	1	7	0	11	1	2	1	5
88.	6 " " " 30 " " " 35 " " " 40 " " " 45 " " " 55 " " " 65 " " " 70 " " " 75 " " " 85 " " "	1	1	1	4	1	7	0	11	1	2	1	5
89.	8 " " " 30 " " " 35 " " " 40 " " " 45 " " " 55 " " " 65 " " " 70 " " " 75 " " " 85 " " "	1	1	1	4	1	7	0	11	1	2	1	5
90.	10 " " " 30 " " " 35 " " " 40 " " " 45 " " " 55 " " " 65 " " " 70 " " " 75 " " " 85 " " "	1	1	1	4	1	7	0	11	1	2	1	5
91.	12 " " " 30 " " " 35 " " " 40 " " " 45 " " " 55 " " " 65 " " " 70 " " " 75 " " " 85 " " "	1	1	1	4	1	7	0	11	1	2	1	5
92.	14 " " " 30 " " " 35 " " " 40 " " " 45 " " " 55 " " " 65 " " " 70 " " " 75 " " " 85 " " "	1	1	1	4	1	7	0	11	1	2	1	5
93.	15 " " " 30 " " " 35 " " " 40 " " " 45 " " " 55 " " " 65 " " " 70 " " " 75 " " " 85 " " "	1	1	1	4	1	7	0	11	1	2	1	5
94.	Iron Saddle Bars, 2d. per running foot, set, Stained Ornamental Quarry Glass, treble price.	2	0	2	2	2	5	1	10	2	0	2	4

For Churches, Chapels, Schools, Lecture Rooms, Government Offices, Banks, Asylums, &c.

HARTLEY'S PATENT ROUGH PLATE AND SHEET PERFORATED
GLASS FOR VENTILATION.

Per foot super.

(Manufactured under Lochhead's Patent, for Offices, Ware-
houses, Factories, Public Rooms, Schools, Churches,
Chapels, &c.)

Items.	Patent Rough Plate. 1 in. thick.		SHEET.					
			21 oz.		26 oz.		32 oz.	
	s.	d.	s.	d.	s.	d.	s.	d.
95. Squares cut to the sizes ordered, not above 10 by 8	1	3	1	3	1	9	2	3
96. Ditto, above 10 by 8, and not above 14 by 10	1	4	1	4	1	10	2	4
97. Ditto, above 14 by 10, and not above 1½ feet	1	5	1	5	1	11	2	5
98. Ditto, 1½ feet, and not above 3 feet	1	6	1	6	2	0	2	6
99. Ditto, above 3 feet, and not above 4 feet	1	7	1	7	2	1	2	7
100. Ditto, above 4 feet, and not above 5 feet	1	8	1	8	2	2	2	8
101. Ditto, above 5 feet, and not above 6 feet	1	9	1	9	2	3	2	9
102. Ditto, above 6 feet, and not above 8 feet	2	0	2	0	2	6	3	0
103. Add <i>per foot super</i> , for squares when above 40 ins., and not above 45 ins. long	0	1	0	2	0	3	0	4
104. Ditto, above 45 ins., and not above 50 ins. long	0	2	0	3	0	5	0	7
105. Ditto, above 50 ins., and not above 55 ins. long	0	3	0	4	0	7	0	10
106. Ditto, above 55 ins., and not above 60 ins. long	0	4	0	6	0	9	1	0
107. Coloured ; ruby, blue, or green, double price.								

PATENT PLATE GLASS.—Per foot super.

No. 1 averages 1-16th of an inch thick, and 18 oz. to the foot.
 No. 2 averages 1-12th of an inch thick, and 17 oz. to the foot.
 No. 3 averages 1-10th of an inch thick, and 21 oz. to the foot.
 No. 4 averages full 1-9th of an inch thick, and 24 oz. to the foot.

GLAZING QUALITY.

ITEMS.	B.	SECONDS.				THIRDS.			
		C.		C.		C.C.		C.C.	
		No. 1.	No. 2.	No. 3.	No. 4.	No. 1.	No. 2.	No. 3.	No. 4.
109.	6 by 4 and under 7 by 5	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
110.	7 — 5 do. 8 — 6	1 1	1 3	1 4	1 5	0 11	1 0	1 1	1 2
111.	8 — 6 do. 9 — 7	1 2	1 3	1 4	1 5	1 0	1 1	1 1	1 3
112.	9 — 7 do. 10 — 8	1 4	1 5	1 6	1 7	1 2	1 3	1 4	1 5
113.	10 — 8 do. 12 — 9	1 5	1 6	1 7	1 8	1 3	1 4	1 5	1 6
114.	12 — 9 and not above 1 ft.	1 8	1 9	1 10	1 11	1 5	1 6	1 7	1 8
115.	Above 1 foot do. 1½ —	1 11	2 1	2 3	2 5	1 10	1 11	1 10	1 11
116.	1½ — do. 2 —	2 3	2 4	2 6	2 8	2 0	2 1	2 2	2 4
117.	2 — do. 3 —	2 6	2 8	2 10	3 1	2 2	2 4	2 6	2 8
118.	3 — do. 4 —	2 8	2 11	3 1	3 3	2 6	2 8	2 10	3 0
119.	4 — do. 6 —	2 10	3 1	3 3	3 5	2 8	2 10	3 0	3 2
120.	6 — do. 8 —	3 2	3 4	3 6	3 9	2 11	3 1	3 3	3 6
121.	8 — do. 10 —	3 6	3 9	4 0	4 3	3 3	3 6	3 9	4 0
122.	10 — do. 12 —	3 9	4 0	4 3	4 6	3 6	3 8	3 11	4 2
123.	SILVERED PLATES of each quality and substance, 10d. per foot extra under 2 feet, and 1s. per foot extra 2 feet and above.	4 0	4 3	4 6	4 9	3 8	3 10	4 1	4 4

Of the Sizes as Manufactured.

ITEMS.	B.	SECONDS.				THIRDS.			
		C.		C.		C.C.		C.C.	
		No. 1.	No. 2.	No. 3.	No. 4.	No. 1.	No. 2.	No. 3.	No. 4.
124.	From 4 to 6½ feet	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
125.	— 6½ to 8½ —	2 6	2 8	2 11	3 2	2 2	2 4	2 7	2 10
126.	— 8½ to 10 —	2 8	2 10	3 1	3 4	2 4	2 6	2 9	3 0
127.	All sizes beyond 48 inches long, or 34 inches wide, to be charged by special agreement.	2 10	3 0	3 4	3 8	2 6	2 8	3 0	3 4
128.	No Patent Plates are made larger than 48 by 30, 46 by 32, or 44 by 34, of Nos. 1, 2, and 3, and 44 by 30, or 42 by 32, of No. 4.								
128.	Ground Edges, ¼d. per lineal inch.								

BRITISH POLISHED PLATE GLASS.—*Per foot super.*

IN PLATES.		POLISHED.				SILVERED.					
		Glazing Quality.		Seconds Sil- vering Quality.		Best Sil- vering Quality.		Seconds Quality.		Best Quality.	
Items.		s.	d.	s.	d.	s.	d.	s.	d.	s.	d.
129.	Not above 1 ft. sup.	2	0	2	3	2	6	2	11	3	4
130.	Ditto 2 ditto	2	6	2	9	3	0	3	7	3	10
131.	Ditto 3 ditto	2	9	3	3	3	6	4	2	4	5
132.	Ditto 4 ditto	3	0	3	6	3	9	4	5	4	8
133.	Ditto 5 ditto	3	3	3	9	4	0	4	8	4	11
134.	Ditto 6 ditto	3	6	4	0	4	6	4	11	5	5
135.	Ditto 8 ditto	3	9	4	4	5	0	5	4	6	0
136.	Ditto 10 ditto	4	0	4	9	5	6	5	10	6	7
137.	Ditto 15 ditto	4	3	5	3	6	0	6	8	7	5
138.	Ditto 20 ditto	4	6	5	9	6	6	7	4	8	1
139.	Ditto 30 ditto	4	9	6	3	7	0	8	3	9	0
140.	Ditto 40 ditto	5	0	7	0	7	6	9	5	9	11
141.	Ditto 50 ditto	5	3	7	6	8	0	10	3	10	9
142.	Ditto 60 ditto	5	6	8	0	8	6	11	2	11	8
143.	Ditto 70 ditto	6	0	8	6	9	0	12	2	12	8
144.	Ditto 80 ditto	7	0	9	0	10	0	13	2	14	2
145.	Ditto 90 ditto	8	0	10	0	12	0	14	8	16	8

Thickness of glazing quality from $\frac{3}{16}$ ths to $\frac{1}{4}$ th of an inch.

146. Long narrow slips, charged at the rate per foot of plates of the same length, and whose breadth is a third of the length; thus, 100 by 20 would be charged at the same price per foot as 100 by 34; 60 by 14 at the price of 60 by 20; and so on.

EXTRA-THICK POLISHED PLATE GLASS.—Per foot super.

Items.	IN PLATES.	THICKNESS.			
		Above $\frac{1}{2}$ in. and not above $\frac{3}{4}$ in. s. d.	Above $\frac{1}{2}$ in. and not above $\frac{3}{4}$ in. s. d.	Above $\frac{1}{2}$ in. and not above $\frac{3}{4}$ in. s. d.	Above $\frac{1}{2}$ in. and not above 1 in. s. d.
147. Not above 3 feet	.	4 0	5 0	6 0	7 0
148. Ditto 6 do.	.	4 6	5 6	6 6	7 6
149. Ditto 12 do.	.	5 0	6 0	7 0	8 0
150. Ditto 20 do.	.	5 6	6 6	7 6	8 6
151. Ditto 30 do.	.	6 0	7 0	8 0	9 0
152. Above 30 feet, special prices.	.				10 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0
					9 6
					9 0
					8 6
					8 0
					7 6
					7 0
					6 6
					6 0
					5 6
					5 0
					4 6
					4 0
					3 6
					3 0
					2 6
					2 0
					1 6
					1 0

Items.	IN PLATES.	THICKNESS.					
		$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.	$\frac{1}{2}$ in.	$\frac{3}{4}$ in.
157.	Not above 100 ins. long .	1 4	1 5	1 9	4 0	5 0	...
158.	Above 100, not exceeding 120 .	1 5	1 6	1 10	4 3	5 3	...
159.	Grinding one side	6d. per foot	.	.
160.	Ditto both sides	1s. do.	.	.
161.	Rough Cast Plate Glass, Ground on one or both sides, charged its thickness <i>before</i> Grinding. Thus— $\frac{1}{4}$ in. thick, when <i>Ground</i> , charged as $\frac{3}{8}$ ths each <i>Rough</i> , and the charge for Grinding <i>additional</i>

For all lengths and thicknesses.

BENDING, POLISHED, AND ROUGH CAST PLATE.—*Per foot super.*

Items.		Polished.		Rough.	
		s.	d.	s.	d.
162.	Not above 3 feet super.
163.	Ditto 8 ditto .	2	6	2	0
164.	Ditto 12 ditto .	3	0	2	3
165.	Ditto 20 ditto .	3	9	2	9
166.	Ditto 35 ditto .	4	6	3	3
167.	Ditto 50 ditto .	5	6	4	0
168.	Ditto 70 ditto .	6	6	4	6
169.	Difficult or unusual curves, special prices.	7	6	5	0
170.	In cutting irregular shapes, the Plate will be measured as the square out of which it can be cut.

171. All fractional parts of inches charged as full inches.

172. Grinding Edges, 6d. *per lineal foot net*.

GLASS TILES.—*Each.*

Items.	ROUGH PLATE.	PLAIN.		FLUTED.		SHEET.	<i>s.</i>	<i>d.</i>
		<i>s.</i>	<i>d.</i>	No. 2. Small Pattern.	No. 1. Large Pattern.			
173. $\frac{1}{8}$ in. thick	.	0	10	0 10 $\frac{1}{2}$	0 11	16 oz. per foot thick	.	0 6
174. $\frac{1}{16}$ ditto	.	0	11	0 11 $\frac{1}{2}$	1 0	21 ditto	.	0 8
175. $\frac{1}{4}$ ditto	.	1	0	1 0 $\frac{1}{2}$	1 1	26 ditto	.	0 10
176. $\frac{3}{8}$ ditto	.	1	6	1 8	1 10	32 ditto	.	1 0
177. $\frac{1}{2}$ ditto	.	2	0	2 2	2 4			

GLASS SLATES.—*Each.*

		$\frac{1}{8}$ in. thick.		$\frac{1}{4}$ in. thick.		$\frac{3}{8}$ in. thick.		$\frac{1}{2}$ in. thick.		16 oz.		21 oz.		26 oz.		32 oz.	
		<i>s.</i>	<i>d.</i>	<i>s.</i>	<i>d.</i>	<i>s.</i>	<i>d.</i>	<i>s.</i>	<i>d.</i>	<i>s.</i>	<i>d.</i>	<i>s.</i>	<i>d.</i>	<i>s.</i>	<i>d.</i>	<i>s.</i>	<i>d.</i>
179. Duchess	. 24 by 12	1	3	1	6	1	9	2	1	0	8	0	9	1	1	0	8
180. Small Imperials	. 20 " 14	1	2	1	5	1	8	2	0	0	8	1	0	1	4	1	8
181. Small Duchess	. 22 " 12	1	2	1	5	1	8	2	0	0	7	1	0	1	3	1	7
182. Countess	. 20 " 10	0	11	1	1	1	3	1	6	1	10	0	7	0	10	1	6
183. Viscountess	. 18 " 10	0	10	1	0	1	1	1	4	0	6	0	9	0	11	1	3
184. Large Ladies	. 16 " 10	0	9	0	11	1	0	1	3	0	6	0	8	0	10	1	1
185. Ladies	. 16 " 8	0	8	0	9	0	10	1	0	0	6	0	7	0	8	0	10
186. Doubles	. 13 " 7	0	6	0	7	0	8	0	10	0	5 $\frac{1}{2}$	0	5	0	7	0	8

CROWN GLASS, GLAZED IN NEW SASHES, SKYLIGHTS, &c.

Per foot super.

Items.	12 oz. to Superficial Foot.							
	Best.		Seconds.		Thirds.		Fourths.	
	s.	d.	s.	d.	s.	d.	s.	d.
187. Squares, 6 by 4 ins. and under 10 by 8 ins. .	0	8	0	7	0	6½	0	5
188. Ditto, 10 by 8 ins. and not above 12 by 10 ins.	0	10½	0	9½	0	8½	0	6½
189. Ditto, above 12 by 10 ins. and not above 2 feet	1	0½	0	11½	0	10	0	8
190. Ditto, above 2 feet and not above 2 ft. 6 ins.	1	1½	1	0½	0	10½	0	8½
191. Ditto, above 2 ft. 6 ins. and not above 3 ft. .	1	4	1	2½	1	0½	0	9½
192. Ditto, above 3 ft. and not above 3 ft. 9 ins.	1	6	1	4½	1	2½	0	10½
	16 oz. to Superficial Foot.							
	Best.		Seconds.		Thirds.		Fourths.	
	s.	d.	s.	d.	s.	d.	s.	d.
193. Squares, 6 by 4 ins. and under 10 by 8 ins.	
194. Ditto, 10 by 8 ins. and not above 12 by 10 ins.	1	2½	1	0½	0	11½	0	9
195. Ditto, above 12 by 10 ins. and not above 2 feet	1	7	1	4½	1	1½	0	11
196. Ditto, above 2 ft. and not above 2 ft. 6 ins.	1	9	1	7	1	3½	1	1
197. Ditto, above 2 ft. 6 ins. and not above 3 ft. .	1	11	1	9	1	6	1	2
198. Ditto, above 3 ft. and not above 3 ft. 9 ins.	2	2	2	0	1	9	1	4
199. If ground, add, <i>per foot super</i>							0	4½
200. If bent, add, ditto							0	6½
201. If flatted, add, ditto							0	3½
202. Stopping squares in old sashes, extra, <i>per foot super</i>							0	4½
203. Re-laying old glass in new sashes, (breakage at risk of employer,) extra, <i>per foot super</i>							0	3½

Items.	s.	d.
204. Puttying skylights or sashes, <i>per dozen squares</i>	0	3
205. Cleaning ditto ditto	0	6
206. Lead lights, new, set with quarries and $\frac{3}{8}$ lead, <i>per foot super</i>	1	1
207. Ditto, new leading old lights, ditto	0	10
208. Ditto, repairing, including part leading, ditto	0	7
209. Cementing lights, new or old, ditto	0	3

FOR NOTES AND MEMORANDA, SEE APPENDIX.

PAINTER'S WORK.

Items.	Once.		Twice.		Three times.		Four times.	
	s.	d.	s.	d.	s.	d.	s.	d.
1. Painting in common colours, <i>per yard super</i> , including knotting and stopping	0	3½	0	6	0	8	0	10
2. For each additional coat, add	0	2
3. If flatted, add	0	3
4. If sanded, add	0	6
5. If finished in party colours, add	0	1½
6. If gold size knotting, add	0	0½
7. Grounds for imitations, add	0	1
8. Grey, drab, salmon, add	0	1½
9. Brunswick green, add	0	1½
10. Olive and light green, lilac, and peach blossom, add	0	2
11. Indian red, add	0	4½
12. Blue verditer, patent green, & yellow, add	0	6½
13. Lake or vermillion, add	1	9
14. For splashing to imitate granite, add	0	6
15. Carved work, <i>per foot super</i>	0	2½	0	3½	0	4½	0	5½

Running Work, &c.

187

Items.	Once.		Twice.		Three times.		Four times.	
	s.	d.	s.	d.	s.	d.	s.	d.
16. For each additional coat, add . . .	0	1 $\frac{1}{4}$
17. If flatted, add . . .	0	1 $\frac{1}{4}$

RUNNING WORK.—Per foot run.

18. Skirtings, narrow, plain, not exceeding 9 ins. wide . . .	0	0 $\frac{3}{4}$	0	1 $\frac{1}{4}$	0	1 $\frac{1}{4}$	0	2 $\frac{1}{4}$
19. For each additional coat, add . . .	0	0 $\frac{1}{2}$
20. If flatted, add . . .	0	0 $\frac{1}{2}$
21. Hand-rail, newels, skirting, 9 to 12 ins. wide, plinth, base, surbase, string, stair-margins, and chair-rail . . .	0	1	0	1 $\frac{1}{2}$	0	2	0	2 $\frac{1}{2}$
22. For each additional coat, add . . .	0	0 $\frac{1}{2}$
23. If flatted, add . . .	0	0 $\frac{1}{2}$
24. Cornices, under 12 ins. girt, frames and bars to skylights and hot-houses, and moulded skirtings . . .	0	1	0	1 $\frac{1}{2}$	0	1 $\frac{3}{4}$	0	2
25. For each additional coat, add . . .	0	0 $\frac{1}{2}$
26. If flatted, add . . .	0	0 $\frac{1}{2}$
27. Cornices, 12 to 18 ins. girt, water trunks, and arris gutters . . .	0	1 $\frac{1}{2}$	0	2	0	2 $\frac{1}{2}$	0	3
28. For each additional coat, add . . .	0	0 $\frac{1}{2}$
29. If flatted, add . . .	0	0 $\frac{1}{4}$
30. Reveals to windows and doors, 4 $\frac{1}{2}$ ins. . .	0	1 $\frac{1}{4}$	0	1 $\frac{3}{4}$	0	2	0	2 $\frac{1}{4}$
31. Ditto, 9 do. . .	0	1 $\frac{1}{4}$	0	2 $\frac{1}{4}$	0	2 $\frac{1}{2}$	0	3
32. For each additional coat, add to item 30 . . .	0	0 $\frac{1}{2}$
33. Ditto, add to item 31 . . .	0	0 $\frac{1}{4}$

Items.	Once.		Twice.		Three times.		Four times.	
	s.	d.	s.	d.	s.	d.	s.	d.
34. If flatted, add to item 30	0	0 $\frac{1}{2}$
35. Ditto, add to item 31	0	0 $\frac{3}{4}$
36. Stone strings and plinths, window sills, edge of coping, &c.	0	2	0	3 $\frac{1}{4}$	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$
37. For each additional coat, add to item 36	0	1
38. Rain water pipes, and gutters	0	1 $\frac{1}{4}$	0	2 $\frac{1}{2}$	0	3	0	3 $\frac{1}{2}$
39. For each additional coat, add to item 38	0	0 $\frac{1}{4}$
40. Picking out mouldings or black lines	0	0 $\frac{1}{2}$
41. Broad lines for panels	0	1
42. Light and shadowed lines	0	1 $\frac{1}{2}$
43. Graining, moulding, se- parately	0	2
44. Cross-banded margins	0	3 $\frac{1}{2}$
45. Enriched cornices, friezes, chimney caps, and other enrichments, <i>per foot super</i>	0	2 $\frac{1}{4}$	0	3 $\frac{1}{4}$	0	4 $\frac{1}{4}$	0	5 $\frac{1}{4}$
46. For each additional coat, add	0	1 $\frac{1}{4}$
47. If flatted, add	0	1 $\frac{1}{4}$
48. Item 45, in party co- lours, ditto	0	3 $\frac{1}{2}$	0	5	0	6 $\frac{1}{2}$	0	8
49. Graining hand-railing, add to price of paint- ing, <i>per foot run</i>	0	3
50. Varnishing ditto, <i>each coat</i>	0	1

SASH FRAMES AND SQUARES.—*Each.*

51. Frames, not exceeding 24 super feet	0	8	1	0	1	4	1	8
52. For each additional coat, add	0	4
53. If flatted, add	0	4 $\frac{1}{2}$

Items.	Once.		Twice.		Three times.		Four times.	
	s.	d.	s.	d.	s.	d.	s.	d.
54. Large frames, exceeding 24 super feet, and Venetian frames .	0	11	1	4	1	9	2	2
55. For each additional coat, add	0	6
56. If flatted, add	0	6 $\frac{3}{4}$
57. Squares, not exceeding 2 $\frac{1}{2}$ feet super each, per dozen	0	8	1	0	1	4	1	8
58. For each additional coat, add	0	4
59. If flatted, add	0	4 $\frac{1}{2}$
60. Squares, exceeding 2 $\frac{1}{2}$ feet super each, per dozen	1	0	1	5	1	10	2	3
61. For each additional coat, add	0	5
62. If flatted, add	0	6
63. Casement lights, each .	0	4	0	5 $\frac{1}{2}$	0	7	0	8 $\frac{1}{2}$
64. For each additional coat, add	0	11 $\frac{1}{2}$
65. If flatted, add	0	14 $\frac{1}{2}$
66. Bars and scrapers, each .	0	3 $\frac{1}{2}$	0	4 $\frac{1}{2}$	0	5 $\frac{1}{2}$	0	6 $\frac{1}{2}$
67. For each additional coat, add	0	1
68. If flatted, add	0	1 $\frac{1}{4}$
69. Chimney pieces, plain, each	1	2	1	8	2	2	2	8
70. For each additional coat, add	0	6
71. If flatted, add	0	9
72. Chimney pieces, boxed, each	1	8	2	4	3	0	3	8
73. For each additional coat, add	0	8
74. If flatted, add	1	1
75. Graining sash frames and squares, oak, wainscot, or mahogany; frames, each; squares, per dozen .	1	3

Items.	Once.		Twice.		Three times.		Four times.	
	s.	d.	s.	d.	s.	d.	s.	d.
76. Ditto ditto, satin and rosewood, &c. . .	1	10	
77. Cleaning mahogany or wainscot squares and varnishing, <i>per dozen</i>	2	4	
78. Ditto, beads, <i>per set</i>	0	10	

IMITATION MARBLING, &c., done in best manner.

Per foot super.

	Per Foot Super.		Frames, each Sqrs. per doz.	
	s.	d.	s.	d.
79. Oak or wainscot	0	2	1	1
80. Mahogany, sycamore, and common maple	0	2½	1	3
81. Satinwood	0	3	1	4
82. Pollard oak, rosewood, bird's eye maple	0	3½	1	7
83. Walnut, Amboyna, and yew	0	4	1	10
84. For carved work and enrichments, add to items 79 to 83, inclusive, <i>one-fourth</i> , respectively.				
85. Edges or mouldings cut in of same wood, <i>per foot run</i>	0	1½		
86. Cross bands, ditto, ditto	0	2½		
87. Black and single shadowed lines to form panels, ditto	0	1½		
88. Ditto, double shadows, ditto	0	2½		
89. Veined marble, with dead white ground, <i>per foot super</i>	0	3		
90. Black and gold, dove, and Bardillo, ditto	0	5½		
91. Venetian, French, Sienna, Brocatella, Devonshire, or Rouge Royal, ditto	0	8		
92. Verde Antique, Oriental, Jasper, &c., ditto	0	9		
93. Blue and gold, or lapis lazuli	1	0		
94. Columns, add <i>one-half</i> of above prices.				
95. Ditto, fluted, <i>double them</i> .				
96. For carved and enriched work in marbling, add <i>one-fourth</i> to above prices.				

VARNISHING.—*Per yard super.*

Items.		Per Yard Super.		Frames, each, Sqrs. per doz.	
		s.	d.	s.	d.
97.	Spirit varnish, each coat	0	5	0	4
98.	Best copal, <i>once</i>	0	7	0	6
99.	Ditto, <i>twice</i>	0	11	0	9
100.	Ditto, <i>three times</i>	1	3	1	0
101.	Ditto, <i>each coat extra</i>	0	4	0	3
102.	Ditto, on the real wood, add	0	4	0	3
103.	Old work cleaned and sized, <i>per foot super.</i>	0	8	0	10
104.	Hand polishing, ditto	0	6	...	
105.	Ditto, columns, ditto	1	0	...	
106.	Ditto ditto, fluted, ditto	1	6	...	
107.	French polishing	0	6	...	
108.	Ditto, hand rails, <i>per foot run</i>	0	4	...	

WRITING.—*Per inch run.*

Items.	3 ins. or less.	HEIGHT OF LETTERS.				From 9 to 12 ins.
		From 3 to 6 ins.	From 6 to 9 ins.	From 9 to 12 ins.	From 12 to 15 ins.	
	s. d.	s. d.	s. d.	s. d.	s. d.	
109.	Plain letters	0 0 $\frac{1}{2}$	0 0 $\frac{3}{4}$	0 1	0 1 $\frac{1}{4}$	
110.	Egyptian ditto	0 0 $\frac{3}{4}$	0 1	0 1 $\frac{1}{4}$	0 1 $\frac{1}{2}$	
111.	Sunk ditto	0 1	0 1 $\frac{1}{4}$	0 1 $\frac{1}{2}$	0 1 $\frac{3}{4}$	
112.	Bronze ditto with gilt edges	0 1 $\frac{1}{2}$	0 1 $\frac{1}{2}$	0 1 $\frac{3}{4}$	0 2	
113.	Gold, plain	0 1 $\frac{1}{2}$	0 2	0 2 $\frac{1}{2}$	0 3	
114.	Ditto, Egyptian	0 2	0 2 $\frac{1}{2}$	0 3	0 3 $\frac{1}{2}$	
115.	Ditto, sunk	0 2 $\frac{1}{2}$	0 3	0 3 $\frac{1}{2}$	0 4	
116.	Shading, add	0 0 $\frac{1}{4}$	0 0 $\frac{1}{4}$	0 0 $\frac{1}{4}$	0 1	
117.	Double ditto, add	0 0 $\frac{1}{2}$	0 0 $\frac{1}{4}$	0 1	0 1 $\frac{1}{4}$	
118.	If to imitate project- ing letters, add	0 1	0 1 $\frac{1}{2}$	0 2	0 2 $\frac{1}{2}$	
119.	Writing on glass, plain, burnished gold, with two shades	0 3	0 4	0 5	0 6	
120.	Ditto, with three ditto	0 4 $\frac{1}{2}$	0 6	0 7 $\frac{1}{2}$	0 9	
121.	Embossing and gild- ing ornamental let- ters, with two shades	0 5	0 6 $\frac{1}{2}$	0 8	0 9 $\frac{1}{2}$	
122.	For ancient letters, add <i>one-half</i> to pre- ceding items.					

Plumber's Work.*GILDING, including preparing.*

Items.	s.	d.
123. In oil gold, <i>per foot super</i>	3	0
124. In burnished gold, ditto	4	0
125. Mouldings, $\frac{1}{2}$ inch, <i>per foot run</i>	0	2 $\frac{1}{2}$
126. Ditto $\frac{3}{4}$ do. do.	0	3 $\frac{1}{2}$
127. Ditto 1 do. do.	0	4 $\frac{1}{2}$
128. Ditto, for each $\frac{1}{4}$ in. beyond, add, ditto	0	0 $\frac{1}{2}$
129. Bronze mouldings not more than 2 ins. girt, <i>per foot run</i>	0	2

DAY WORK.

130. Painter, <i>per day of 10 working hours</i>	6	8
131. Ditto, <i>per hour</i>	0	8
132. Gilder, <i>per day</i>	7	6
133. Ditto, <i>per hour</i>	0	9
134. Putty, <i>per lb.</i>	0	3
135. Cement, ditto	0	6
136. Colour, ditto	0	6
137. Pots, <i>each</i>	0	7
138. Ditto, <i>small each</i>	0	5
139. Brushes, <i>each</i>	3	0
140. Tools, <i>each</i>	1	3
141. Gold leaf, <i>per book</i>	2	3
142. Parchment size, <i>per lb.</i>	0	9
143. Old gold size, ditto	3	2

FOR NOTES AND MEMORANDA, SEE APPENDIX.

PLUMBER'S WORK.

1. Milled lead, <i>per cwt.</i> (in the sheet)	30	0
2. Ditto, cut to dimensions, ditto	32	0
3. Ditto, laid in gutters and on hips, ridges, and flats ditto	34	0
4. Ditto, in step and other flashings, ditto	37	0
5. Pig lead, <i>per cwt.</i>	25	0
6. Window lead	40	0
7. Old lead in exchange, allow (4lbs. per. cwt. allowed for waste.)	8	0
8. Solder, <i>per lb.</i>	0	10
9. Block tin, ditto	1	4

Items.	Common.		Middling.		Strong.	
	s.	d.	s.	d.	s.	d.
10. Drawn lead pipe, $\frac{1}{2}$ in., <i>per foot</i> .	0	4	0	5	0	6
11. Ditto, $\frac{3}{4}$ in. ditto	0	6 $\frac{1}{2}$	0	7 $\frac{1}{2}$	0	8 $\frac{1}{2}$
12. Ditto, 1 do. ditto	0	9	0	10 $\frac{1}{2}$	1	0
13. Ditto, 1 $\frac{1}{2}$ do. ditto	0	11	1	1	1	3
14. Ditto, 1 $\frac{1}{2}$ do. ditto	1	3 $\frac{1}{2}$	1	6	1	9
15. Ditto, 2 do. ditto	1	8	2	0	2	4
16. Ditto, 2 $\frac{1}{2}$ do. ditto	2	0	2	5	2	10
17. Soldered pipe, 1 in. ditto . .	1	3
18. Ditto, 1 $\frac{1}{2}$ do. ditto	2	1
19. Ditto, 2 do. ditto	2	10
20. Ditto, 2 $\frac{1}{2}$ do. ditto	3	9
LEAD.						
	6 lbs. to foot.		7 lbs. to foot.		8 lbs. to foot.	
21. Rain water pipes, 2 in. ditto .	1	7	1	10	2	1
22. Ditto, 2 $\frac{1}{2}$ do.	1	8 $\frac{1}{2}$	2	0	2	3 $\frac{1}{2}$
23. Ditto, 3 do. ditto	1	11	2	3	2	7
24. Ditto, 3 $\frac{1}{2}$ do. ditto	2	1 $\frac{1}{2}$	2	6	2	10 $\frac{1}{2}$
25. Ditto, 4 do. ditto	2	4	2	8 $\frac{1}{2}$	3	1
26. Ditto, 4 $\frac{1}{2}$ do. ditto	2	7 $\frac{1}{2}$	3	0	3	5
27. Ditto, 5 do. ditto	3	0	3	6	4	0
28. Ditto, 5 $\frac{1}{2}$ do. ditto	3	5	3	11	4	6
29. Ditto, 6 do. ditto	3	10	4	4	5	0
30. Socket pipes for sinks, 1 $\frac{1}{2}$ in. ditto
31. Ditto, 2 do. ditto	1	3	1	7	1	9
32. Ditto, 2 $\frac{1}{2}$ do. ditto	1	9	1	11 $\frac{1}{2}$	2	2
33. Ditto, 3 do. ditto	2	1	2	3 $\frac{1}{2}$	2	6
34. Ditto, 3 $\frac{1}{2}$ do. ditto	2	5	2	8	2	11
35. Ditto, 4 do. ditto	2	9	3	0	3	3
36. Joints made complete, $\frac{1}{2}$ in. <i>each</i>	1	6
37. Ditto, $\frac{3}{4}$ in. ditto	2	0
38. Ditto, 1 do. ditto	2	6
39. Ditto, 1 $\frac{1}{2}$ do. ditto	3	0
40. Ditto, 1 $\frac{1}{2}$ do. ditto	3	6
41. Ditto, 2 do. ditto	4	0
42. Ditto, 2 $\frac{1}{2}$ do. ditto	4	8
43. Ditto, socket, 3 do. ditto . .	2	6
44. Ditto, ditto, 3 $\frac{1}{2}$ do. ditto . .	2	9
45. Ditto, ditto, 4 do. ditto . .	3	0
46. Ditto, ditto, 4 $\frac{1}{2}$ do. ditto . .	3	6
47. Ditto, ditto, 5 do. ditto . .	4	0
48. Ditto, ditto, 5 $\frac{1}{2}$ do. ditto . .	4	6
49. Ditto, ditto, 6 do. ditto . .	5	0

Items.	s.	d.
75. Air traps, iron, with brass bell grates, <i>each</i> , $2\frac{1}{2}$ ins.
76. Ditto iron, " 3 do.	1	6
77. Ditto ditto " $3\frac{1}{2}$ do.	2	1
78. Ditto ditto " 4 do.	2	8
79. Ditto ditto " $4\frac{1}{2}$ do.	3	3
80. Ditto ditto " 5 do.	4	0
81. Ditto ditto " $5\frac{1}{2}$ do.	4	9
82. Ditto ditto " 6 do.	5	6
83. Brass grates " $1\frac{1}{2}$ do.	0	5
84. Ditto ditto " 2 do.	0	6
85. Ditto ditto " $2\frac{1}{2}$ do.	0	7
86. Ditto ditto " 3 do.	0	8
87. Ditto ditto " $3\frac{1}{2}$ do.	0	10
88. Ditto ditto " 4 do.	1	1
89. Ditto ditto " $4\frac{1}{2}$ do.	1	4
90. Ditto ditto " 5 do.	1	8
91. Ditto ditto " $5\frac{1}{2}$ do.	2	0
92. Ditto ditto " 6 do.	2	4
93. Brass washers and wastes or plugs, <i>each</i> , $\frac{1}{2}$ in.	1	4
94. Ditto ditto, <i>each</i> , $\frac{3}{4}$ in.	1	8
95. Ditto ditto " 1 do.	2	8
96. Ditto ditto " $1\frac{1}{4}$ do.	3	8
97. Ditto ditto " $1\frac{1}{2}$ do.	4	6
98. Ditto ditto " 2 do.	6	9
99. Ditto ditto " 3 do.	18	0
100. Long spindle or shoe valves, <i>each</i> , $1\frac{1}{2}$ ins.	5	6
101. Ditto ditto, <i>each</i> , 2 ins.	7	6
102. Ditto ditto " $2\frac{1}{2}$ do.	11	6
103. Ditto ditto " 3 do.	16	6
104. Short spindle valves, <i>each</i> , $\frac{3}{4}$ in.	1	8
105. Ditto ditto, <i>each</i> , 1 in.	2	4
106. Ditto ditto " $1\frac{1}{4}$ do.	3	3
107. Ditto ditto " $1\frac{1}{2}$ do.	4	6
108. Ditto ditto " 2 do.	7	0
109. Ditto ditto " $2\frac{1}{2}$ do.	10	6
110. Ditto ditto " 3 do.	15	0
111. Driving ferrules, <i>each</i> , $\frac{1}{2}$ in.	1	0
112. Ditto ditto, <i>each</i> , $\frac{3}{4}$ do.	1	6
113. Ditto ditto " 1 do.	2	6
114. Ditto ditto " $1\frac{1}{4}$ do.	3	3
115. Ditto ditto " $1\frac{1}{2}$ do.	4	3
116. Ditto ditto " 2 do.	12	6

Items.		s.	d.
117.	Union joints for lead pipes, <i>each</i> , $\frac{1}{2}$ in.	1	7
118.	Ditto ditto „ $\frac{3}{4}$ do.	2	4
119.	Ditto ditto „ 1 do.	3	10
120.	Ditto ditto „ $1\frac{1}{4}$ do.	4	8
121.	Ditto ditto „ $1\frac{1}{2}$ do.	6	3
122.	Ditto ditto „ 2 do.	9	4
123.	Boiler screws „ $\frac{1}{2}$ do.	1	4
124.	Ditto ditto „ $\frac{3}{4}$ do.	1	9
125.	Ditto ditto „ 1 do.	2	8
126.	Ditto ditto „ $1\frac{1}{4}$ do.	4	0
127.	Ditto ditto „ $1\frac{1}{2}$ do.	5	4
128.	Screws with nuts and unions for stone or slate cisterns, <i>each</i> , $\frac{1}{2}$ in.	3	6
129.	Ditto ditto „ $\frac{3}{4}$ do.	4	9
130.	Ditto ditto „ 1 do.	6	3
131.	Washer and waste, ditto ditto, <i>each</i> , $\frac{1}{2}$ in.	3	9
132.	Ditto ditto „ $\frac{3}{4}$ do.	5	6
133.	Ditto ditto „ 1 do.	7	3
134.	Spindle valves, ditto ditto, <i>each</i> , $\frac{1}{2}$ in.	4	0
135.	Ditto ditto „ $\frac{3}{4}$ do.	5	8
136.	Ditto ditto „ 1 do.	7	6

FOR NOTES AND MEMORANDA, SEE APPENDIX.

Plumber's Work.—Cocks.

BALL, BIB, AND STOP COCKS, &c., &c.—Each.

Items.	3 in. s. d.	7 in. s. d.	8 in. s. d.	3 in. s. d.	1 in. s. d.	1½ in. s. d.	2 in. s. d.	2½ in. s. d.	3 in. s. d.
Common square way	2 2	2 5	2 11	3 8	6 9	9 6	12 0	15 0	18 0
Ditto ditto, screw ferrule .	2 8	3 0	4 0	4 9	8 0	11 3
Ditto, round way .	3 7	4 4	5 4	6 11	11 6	18 6	23 6	28 0	32 0
Ditto ditto, screw bottom .	4 2	5 0	6 0	7 6	12 4	21 0
Range boiler cocks .	3 10	4 8	5 3	6 3	8 9
Lambert's patent .	2 10	3 10	4 8	5 8	9 6	17 0
Ditto, with T key .	3 10	4 8	5 3	6 9	11 6	20 6
Ditto, self-acting bib and stop .	5 2	5 8	6 8	8 0	10 6	13 0
For screw bosses or bottoms, add .	0 6	0 7	0 8	0 9	1 6	2 0
Chrimes' patent .	2 10	3 8	4 6	5 9	8 0
Ditto, round head .	2 4	3 0	3 6	4 3	7 3
Jennings' India rubber tube cocks	3 4	4 10	8 2	15 6
Gun metal nut and swivel for hose	5 8	8 0	9 6

BALL, BIB, AND STOP COCKS, &c., &c.—*Each.*

(Continued.)

Items.	s.	d.
150. Gun metal sluice cocks, $1\frac{1}{2}$ in.	40	0
151. Ditto ditto, 2 ins.	50	0
152. Ditto ditto, $2\frac{1}{2}$ do.	62	6
153. Ditto ditto, 3 do.	72	6
154. Ditto ditto, 4 do.	85	0
155. Ditto ditto, 6 do.	125	0
156. Ditto ditto, 8 do.	165	0
157. Ditto ditto, 10 do.	205	0
158. Ditto ditto, 12 do.	245	0
159. Copper ball and rod for $\frac{1}{2}$ in. cock	2	2
160. Ditto ditto, $\frac{3}{4}$ in. do.	2	8
161. Ditto ditto, 1 in. do.	4	3
162. Ditto ditto, $1\frac{1}{4}$ in. do.	8	0
163. Ditto ditto, $1\frac{1}{2}$ in. do.	9	6
164. Pan closet with valve	42	0
165. Ditto, with ivory sunk handle and white basin	50	0
166. Ditto, patent valve and apparatus, from 60s. to	120	0
167. Patent sink traps (Lowe's) from 2s. 2d. to	3	9
168. Patent sewer traps, ditto, from 3s. 4d. to	42	0

LIGHTNING CONDUCTORS.

169. Patent galvanic band conductor, <i>per foot</i> , 9d. to	1	0
170. Silver alloy reproducing points, <i>each</i>	15	0
171. Glass insulator with attachments, <i>each</i>	0	6
172. Steel magnetic insulating clips, <i>each</i>	0	2
173. Copper wire, at <i>per 100 feet</i> , 75s. to	100	0

PLUMBER'S DAY WORK.

174. Plumber, <i>per day</i> of 9 working hours	7	0
175. Labourer, ditto ditto	4	0
176. Leaded nails, <i>each</i>	0	$1\frac{1}{4}$
177. Ditto, large, <i>each</i>	0	2
178. Holdfasts and wallhooks, <i>each</i>	0	2
179. Clout nails, <i>per hundred</i>	0	$3\frac{1}{2}$
180. Solder, <i>per lb.</i>	0	10
181. Coals, <i>per cwt.</i>	2	0

TURRET CLOCKS.

The following prices of Turret Clocks have been kindly furnished by Mr. J. BAILEY, Albion Works, Salford, Manchester.

Turret Clock, to go eight days, dead beat escapement, maintaining power, compensation inserted in pendulum to counteract the effects of temperature, set dial to move the hands, improved carriers so adapted that the clock can be taken in pieces without moving the frame work, dial movement, hands, one skeleton iron dial, weights, patent wire rope, hammers, &c., for striking, made and finished in a superior and workmanlike manner.

To strike the hours on one and the quarters on two bells, with brass wheels and steel pinions, the dial eight feet diameter, brass bushes, main wheels 24 inches diameter, £260; same size with cast-iron wheels and bearings, £200; with brass wheels and steel pinions, the dial six or eight feet diameter, brass bushes, main wheels 18 inches diameter, £200; same size with cast-iron wheels and bearings, £120; with brass wheels and steel pinions, the dial four or six feet diameter, brass bushes, main wheels 15 inches diameter, £160; same size with cast-iron wheels and bearings, £90.

To Strike the Hours, with brass wheels and steel pinions, dial eight feet diameter, brass bushes, main wheels 24 inches diameter, £200; same size, iron wheels and bearings, £150; with brass wheels and steel pinions, dial six or eight feet diameter, brass bushes, main wheels 18 inches diameter, £170; same size, iron wheels and bearings, £120; with brass wheels and steel pinions, dial four or six feet diameter, brass bushes, main wheels 15 inches diameter, £120; same size, iron wheels and bearings, £65.

TURRET TIMEPIECES suitable for Railway Stations, Schools, Mills, &c., with brass wheels and steel pinions, dial eight feet diameter, brass bushes, main wheel 24 inches diameter, £100; same size, iron wheels and bearings, £70; with brass wheels and steel pinions, dial six or eight feet diameter, brass bushes, main wheel 18 inches diameter, £80; same size, iron wheels and bearings, £50; with brass wheels and steel pinions, dial four or six feet diameter, brass bushes, main wheel 15 inches diameter, £45; same size, in iron, £32; with brass wheels and steel pinions, dial four feet diameter, brass bushes, main wheel 12 inches diameter, £35; same size, iron wheels and bearings, £25; smaller sizes varying in price from £5 to £20.

SMITH AND FOUNDER'S WORK, &c.

Exclusive of patterns, fittings, and fixings.

Items.	s.	d.
1. Cast-iron in stanchions, standards, girders, and similar plain castings, <i>per cwt.</i>	10	0
2. Ditto, hollow columns, ditto	11	3
3. Ditto, arched and trellis pattern girders, bearers, and beams, cast with openings or voids, and with or without fillets or margins round openings, do.	11	0
4. Ditto, in tank and plain covering plates, ditto	10	9
5. Ditto, in sash weights, ditto	8	0
6. Ditto, in palisade bars, &c., from ditto	11	0
7. Ditto, in balcony bars, &c., from ditto	13	0
8. Ditto, in furnace bars, ditto	10	3
9. Ditto, in lamp and gun posts, ditto	10	6
10. Ditto, in floor plates, raised surface, from ditto	13	0
11. Ditto, ditto, if perforated, from ditto	16	0
12. Ditto, in area gratings, ditto	10	3
13. Ditto, in stable fittings, viz. : ramp rails, sills, posts, mangers, racks, grates, and frames, ditto	9	9
14. Ditto, in roof-castings, viz. : rafters, struts, shoes, heads, couplings, louvre and ridge standards, capping, flashing plates, ridge plates, joints, and covers, braces, and union pieces	14	0
15. Ditto, in common socket pipes, 2 and 2½ in. bore, ditto	12	0
16. Ditto ditto, 3, 3½, and 4 in., ditto	11	6
17. Ditto ditto, 5 and 6 in., ditto	11	0
18. Ditto ditto, 7, 8, and 9 in., ditto	10	6
19. Ditto ditto, 10, 11, and 12 in., ditto	10	0
20. Ditto ditto, 15 and 18 in., ditto	9	9
21. Ditto, in cantilevers, plain, from <i>per cwt.</i>	16	6
22. Ditto ditto, moulded or ornamental, ditto	18	6
23. Ditto, in air-traps, <i>each</i> , 3 in., 7d. ; 4 in., 1s. 1d. ; 5 in., 1s. 4d. ; 6 in., 1s. 8d. ; 7 in., 2s. 8d. ; 8 in., 3s. 3d. ; 9 in., 6s.		
24. Ditto, in air-bricks, small size, <i>each</i>	0	6
25. Ditto ditto, large size, ditto	1	2
26. Ditto, in plain coping for 9 in. walls, <i>per foot run</i> , ditto	1	4
27. Ditto, moulded ditto ditto, from	2	3

to, in coal plates, with hook, <i>each</i> , from	s.	d.
to, in-door scrapers, common dibber, <i>each</i>	1	1
to, in ditto, oval pans, <i>each</i>	2	3
to, in ditto, large, <i>each</i>	3	3

IRON PIPES AND GUTTERS, &c.—*Exclusive of fixing.*

	Plain.		Galvanised.	
	s.	d.	s.	d.
es, <i>per yard lineal</i> , diameter 2 ins.	1	1	1	7
to ditto, $2\frac{1}{2}$ ins.	1	4	1	11
to ditto, 3 do.	1	7	2	3
to ditto, $3\frac{1}{2}$ do.	1	11	2	9
to ditto, 4 do.	2	3	3	3
to ditto, $4\frac{1}{2}$ do.	2	8	3	9
to ditto, 5 do.	3	3	4	4
to ditto, $5\frac{1}{2}$ do.	4	0	5	3
to ditto, 6 do.	4	10	6	4
ters, ditto, 3 ditto.	0	10 $\frac{1}{2}$	1	3
to ditto, $3\frac{1}{2}$ do.	1	0 $\frac{1}{2}$	1	6
to ditto, 4 do.	1	3	1	9 $\frac{1}{2}$
to ditto, $4\frac{1}{2}$ do.	1	6	2	2
to ditto, 5 do.	1	9	2	7
to ditto, $5\frac{1}{2}$ do.	2	1	3	0
to ditto, 6 do.	2	5	3	5
to ditto, $6\frac{1}{2}$ do.	2	10	3	11
to ditto, 7 do.	3	3	4	6
ads, <i>each</i> , 2 ins.	1	7	2	3
to ditto, $2\frac{1}{2}$ do.	1	10	2	8
to ditto, 3 do.	2	1 $\frac{1}{2}$	3	1
to ditto, $3\frac{1}{2}$ do.	2	4 $\frac{1}{2}$	3	4
to ditto, 4 do.	2	8	3	7 $\frac{1}{2}$
to ditto, $4\frac{1}{2}$ do.	2	11	4	0
to ditto, 5 do.	3	3	4	4
to ditto, $5\frac{1}{2}$ do.	3	8	4	10
to ditto, 6 do.	4	2	5	6
oes, <i>each</i> , 2 ins.	1	0	1	6
to ditto, $2\frac{1}{2}$ do.	1	2	1	9
to ditto, 3 do.	1	4 $\frac{1}{2}$	2	0
to ditto, $3\frac{1}{2}$ do.	1	7	2	3
to ditto, 4 do.	1	11	2	7
to ditto, $4\frac{1}{2}$ do.	2	4	3	1
to ditto, 5 do.	2	10	3	9

Items.	Plain.		Galvanised.	
	s.	d.	s.	d.
66. Ditto ditto, $5\frac{1}{2}$ do.	3	6	4	6
67. Ditto ditto, 6 do.	4	4	5	6
68. Angle-gutters, ditto, 3 do.	1	1	1	7
69. Ditto ditto, $3\frac{1}{2}$ do.	1	4	1	11
70. Ditto ditto, 4 do.	1	7	2	3
71. Ditto ditto, $4\frac{1}{2}$ do.	1	11	2	9
72. Ditto ditto, 5 do.	2	3	3	3
73. Ditto ditto, $5\frac{1}{2}$ do.	2	8	3	9
74. Ditto ditto, 6 do.	3	2	4	3
75. Ditto ditto, $6\frac{1}{2}$ do.	3	9	4	10
76. Ditto ditto, 7 do.	4	5	5	8
77. Paving channels, <i>per yard</i> , 3 ins.	4	4	5	6
78. Ditto ditto, $3\frac{1}{2}$ do.	4	11	6	6
79. Ditto ditto, 4 do.	5	8	7	9
80. Ditto ditto, $4\frac{1}{2}$ do.	6	6	9	0
81. Ditto ditto, 5 do.	7	6	10	6
82. Nails for pipes, &c., as above, <i>per dozen</i>	1	6
83. Brackets for gutters, &c., ditto, <i>each</i>	0	6
84. Plain clips, ditto, <i>each</i>	0	8
85. Lion clips, ditto, <i>each</i>	0	10

WROUGHT AND MALLEABLE IRON WORK.

Per pound, exclusive of fixing.

86. Straps, ties, and plates in roofs and floors	0	3
87. Ditto twisted or cranked	0	$3\frac{1}{2}$
88. Pile shoes	0	$3\frac{1}{4}$
89. Stirrups, gibs, keys, and washers	0	4
90. Screw bolts, nuts, and washers, less than 1 inch diameter	0	$3\frac{1}{2}$
91. Ditto ditto, less than $1\frac{1}{2}$ in. ditto	0	4
92. Ditto ditto, ditto 2 in. ditto	0	$4\frac{1}{2}$
93. Ditto ditto, ditto 2 in. ditto or above	0	5
94. Framed gratings, plain bars	0	$3\frac{1}{2}$
95. Cradling bars or rods, framed	0	4
96. Ditto trussed with screwed ends, nuts, &c.	0	5
97. Chain bars, keyed at ends	0	4
98. Ditto, screwed at ends	0	$4\frac{1}{2}$
99. Plain square balusters	0	$3\frac{1}{2}$
100. Drawn do., with straps and holes countersunk, &c.	0	$5\frac{1}{2}$

Stable Fittings.

203

Items.	s.	d.
101. Hand rail and balusters, including fixing and lead	0	5½
102. 1½ inch rail fitted to mahogany hand-rail, <i>per foot</i> <i>run</i>	0	10
103. Ditto, when ramped and wreathed, ditto	1	3

ST. PANCRAS IRON WORK COMPANY'S STABLE FITTINGS.

	Plain.			Galvanised or Enamelled.		
	£	s.	d.	£	s.	d.
104. Manger, rack, and water-trough, enamellar top plate, and brass plug and washer	3	12	6	4	10	0
105. Manger and rack, with enamellar top plate	3	7	6	4	0	0
106. Manger, rack, and water-trough, with brass plug and washer	2	12	6	3	10	0
107. Manger and rack	2	7	6	3	0	0
108. Cart-horse manger, rack, and water-trough, with brass plug and washer	3	2	6	4	12	6
109. Cart-horse manger and rack	2	17	6	3	17	6
110. Manger, rack, and water-trough, for loose box, with enamellar top plate, and brass plug and washer	3	15	6	4	13	0
111. Manger and rack for loose box, with enamellar top plate	3	3	0	3	15	0
112. Manger, rack, and water-trough, for loose box, with brass plug and washer	2	12	6	3	10	0
113. Manger and rack for loose box	2	5	6	2	17	6
114. Manger, 3 feet long	0	12	0	...		
115. Corner manger, 2 feet 6 inches	0	9	6	...		
116. Ditto ditto, 3 feet	0	12	0	...		
117. Wrought corner rack	0	9	0	...		
118. Varnell manger, for hay, corn, and water	3	0	0	4	7	6
119. Wrought iron post, cast ramp, and wrought cill	2	3	6	...		
120. Cast iron post, ramp, and cill	1	18	0	...		
121. Ditto ditto ditto, for 1½ inch work	1	13	0	...		
122. Wrought iron post, ventilating ramp, with patent bars, and wrought cill	4	6	6	Ornamental.		
				4	17	6

Items.	Plain.			Ornamental.		
	£	s.	d.	£	s.	d.
123. Cast iron post, ventilating ramp, and cill	4	3	0	4	18	0
124. Wrought iron loose box posts	2	0	0	2	7	6
125. Cast iron loose box posts	1	18	0	2	7	6
126. Wrought grating and cill, for loose box posts, <i>per foot run</i>	0	8	9	0	9	6
127. Cast grating and cills for loose box posts, ditto			0	9	6
128. Wrought iron gutter and cap, <i>per foot run</i>	0	2	6	...		
129. Angles and tees, <i>each</i>	0	3	6	...		
130. Cast iron gutter and cap, <i>per foot run</i>	0	2	6	...		
131. Angles and tees, <i>each</i>	0	3	6	...		
	Plain.		Galvanised.	Covered.		
	£	s.		£	s.	d.
132. Patent harness brackets for single harness, <i>per set</i>	8	8	0 12 0	1	8	6
133. Patent harness brackets for double harness, ditto	17	4	1 4 0	2	17	0
134. Patent saddle brackets for gentlemen's saddles, do.	12	9	0 17 4	1	11	0
135. Patent saddle brackets for ladies' saddles, do.	15	9	0 19 10	1	15	6

IRON ROOFING—*Per square, fixed complete.**See also TUPPER & CARR'S Price List for Corrugated Iron.*

136. Circular corrugated, galvanised tinned iron roofs, with tie rods, 20 feet span and under, Iron, No. 24 gauge	3	5	0
137. Ditto ditto, No. 22 gauge	3	11	0
138. Ditto ditto, No. 20 do.	4	0	0
139. Ditto ditto, No. 18 do.	4	15	0
140. Ditto ditto, No. 16 do.	5	12	0
141. Ditto ditto, No. 14 do.	6	12	0
142. Plain wrought iron roofs	5	15	0
143. Ditto, including duchess slating, complete	7	10	0
144. Ditto, framed for skylights	6	0	0
145. Ditto ditto, including skylights and duchess slating, complete	8	0	0

Iron Roofing and Sundries.

205

18.	£	s.	d.
Wrought-iron roofs, framed for louvres and skylights	6	5	0
Ditto, including skylights and duchess slating, complete	8	10	0
Cast-iron columns and girders for supporting roof, fixed complete, including gutters and rain-water pipes; columns 20 feet apart and 14 feet high, <i>per foot run</i> , measured on each eave from 14s. to	0	19	0

	s.	d.
Furnace work, <i>per lb.</i> , namely, cast-iron frame, recessed, with fitted doors, for coppers, hot-house stoves, &c.	0	2½
Ditto, for small stoves and furnaces	0	3½
Wrought-iron frames and doors for ditto	0	6
Small plain cast-iron furnace bars	0	1½
Feather-edge ditto ditto	0	2
Wrought-iron plain furnace bars	0	2¼
Ditto, feather-edge, ditto ditto	0	2¾
Doors with frames for ash-pits, No. 1, <i>each</i>	2	4
Ditto ditto, No. 2, do.	2	10
Ditto ditto, No. 3, do.	3	6
Ditto ditto, No. 4, do.	4	3
Ditto ditto, extra strong, No. 1, do.	4	9
Ditto ditto, No. 2, do.	5	6
Ditto ditto, No. 3, do.	6	6
Ditto ditto, No. 4, do.	8	0
Soot doors, No. 1, do.	2	9
Ditto, No. 2, do.	3	6
Ditto, No. 3, do.	4	5
Ditto, No. 4, do.	5	6
Stove bottoms and backs, <i>per lb.</i>	0	2¼

SUNDRIES.

Cast-iron tanks, cisterns, &c., fixed complete, including stay rods, bolts, nuts, cement, &c., <i>per cwt.</i>	17	6
Wrought-iron lamp irons, with braces and straps, <i>per lb.</i>	0	2½
Ditto ditto, framed, do.	0	3½

Items.	Wire Gauge.	Sizes of Sheets.	Weight per sq. of 100 feet super. about.			Sq. ft. per ton, about.	Price per ton. £	Extra per ton.
	No.		Cwt.	qrs.	lbs.			
228.	22	Doubles.	1	2	7	1550	31	If in sheets of extra size, 1l. <i>per ton.</i>
229.	24	6 ft. by 2 ft. to 7 ft. by 2 ft. 6 in.	1	0	24	1880	33	Best quality, 1l. 10s. <i>per ton.</i>
230.	26		1	0	6	2170	35	Best charcoal do. 6l. <i>per ton.</i>

231. Tie and king rods for curved roofs, up to about 30 feet span, from 20s. to 30s. *per set.*

232. Rivets and burrs, 56s. *per cwt.*

233. Slating nails, 38s. 6d. to 50s. ditto.

234. Ridge capping, 10d. *per foot.*

235. Roll capping, 3d. ditto.

236. Plain sheets, not corrugated, 2l. *per ton* less than corrugated sheets.

	£	s.	d.
237. Ungalvanised corrugated sheets, to 20 gauge .	13	0	0
238. Ditto ditto, 22 gauge and 24 gauge .	14	10	0
239. Painted corrugated sheets, 20 do. .	14	0	0
240. Ditto ditto, 22 gauge and 24 do. .	15	10	0
241. Painted ridge capping, <i>per foot</i> .	0	0	8

IRON GUTTERING.—*Per yard.*

	3 in.		3½ in.		4 in.		4½ in.		5 in.		6 in.	
	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.
242. Wrought iron (half round) .	0	9	0	11	1	1	1	4	1	7	2	2
243. O. G. & moulded	1	4	...		1	10	...		2	4	2	10
244. Elbows (half round) <i>each</i>							s.	d.			s.	d.
							1	6			3	8
245. Ditto, O. G. do.							2	0			3	4
246. Outlets (half round) do.							1	7			3	4
247. Ditto, O. G. do.							2	0			3	4

RAIN-WATER PIPE.—*Per yard.*

	2 in.		2½ in.		3 in.		3½ in.		4 in.		5 in.	
	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.
248. Wrought iron	1	2	1	4	1	7	1	11	2	3	2	9

RAIN-WATER HEADS.—*Each.*

	2 in.		2½ in.		3 in.		3½ in.		4 in.	
	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.
249. Wrought iron	2	0	2	6	2	9	3	3	3	6
250. O. G. & moulded (wrought iron)	2	4	2	9	3	0	3	6	4	0

SMITH'S DAY WORK PRICES.

	s.	d.
251. Smith, <i>per day</i> of 10 working hours	6	8
252. Ditto, <i>per hour</i>	0	8
253. Labourer, <i>per day</i>	4	2
254. Ditto, <i>per hour</i>	0	5
255. Bar iron, <i>per lb.</i>	0	1½
256. Round iron, <i>per lb.</i>	0	1½
257. Plate and hoop iron, <i>per lb.</i>	0	2
258. Steel, <i>per lb.</i>	0	9
259. Iron wire, <i>per lb.</i>	0	9
260. Binding wire, <i>per lb.</i>	1	1
261. Copper wire, <i>per lb.</i>	1	8
262. Oil, <i>per pint</i>	1	3
263. Old wrought iron in exchange, <i>per cwt.</i>	3	6
264. Ditto, cast ditto, <i>per cwt.</i>	1	9

FOR NOTES AND MEMORANDA, SEE APPENDIX.

BELL-HANGER'S WORK.

Items.	s.	d.
1. Bell-hanger, <i>per day</i> of 10 working hours	7	0
2. Ditto, <i>per hour</i>	0	9
3. Assistant, <i>per day</i>	4	6
4. Ditto, <i>per hour</i>	0	6
5. Pulls of bells hung complete, with copper wire, <i>each</i>	19	6
6. 14 oz. bell, with steel spring and brass T plate, back spring carriage do.	4	6
7. Surbase bell levers do.	4	8
8. Dado ditto do.	6	6
9. Flat or end purchase cranks do.	0	5
10. T plate-leader cranks, single do.	0	9
11. Ditto ditto double do.	1	0
12. Ditto ditto treble do.	1	5
13. Ditto ditto quadruple do.	1	9
14. Pillar and half-mortice cranks, single do.	1	0
15. Ditto ditto double do.	1	5
16. Ditto ditto treble do.	1	9
17. Ditto ditto quadruple do.	2	2
18. Flat mortice cranks, single do.	1	3
19. Ditto ditto double do.	1	6
20. Ditto ditto treble do.	1	10
21. Ditto ditto quadruple do.	2	3
22. Return end mortice cranks, single do.	1	5
23. Ditto ditto double do.	1	9
24. Two-crank reverse mortice cranks do.	2	2
25. External & internal angle mortice cranks, single do.	1	7
26. Ditto ditto double do.	2	2
27. Angle mortice and pillar do.	2	9
28. Rose purchase cranks do.	1	6
29. Reverse ditto do.	2	1
30. Strong box rose purchase cranks do.	2	9
31. Reverse ditto do.	3	2
32. Flat quadrant mortice cranks, single do.	1	9
33. Ditto ditto double do.	2	3
34. Return end mortice cranks, single do.	1	10
35. Ditto ditto double do.	2	4
36. Flat mounted wheel and chain do.	1	0
37. Mortice ditto do.	1	0

Electrical Bells, &c.

211

Items.	s.	d.
38. Pillar wheel and chain, single, <i>each</i>	1	0
39. Ditto ditto ditto double, <i>each</i>	1	9
40. 10-inch T plate for outside work, <i>each</i>	1	6
41. Pillar cranks, <i>each</i>	1	10
42. Flat mortice, <i>each</i>	2	0
43. Copper wire, <i>per lb.</i>	1	7
44. Copper tubing, <i>per foot</i>	0	6
45. Counter-sunk brass-headed nails, <i>per dozen</i>	0	6
46. Lath screws, <i>per dozen</i>	0	6
47. Check springs, <i>each</i>	0	1½
48. Tin staples, <i>per dozen</i>	0	1½
49. Best strike bells, <i>each</i>	6	6
50. Pendulums with springs, <i>each</i>	0	11
51. Bone bell-pulls, <i>each</i>	1	1
52. Crank roses, <i>each</i>	0	4½

ELECTRICAL BELLS AND APPARATUS FOR DOMESTIC USE, &c.

	£	s.	d.
1. Trembling bell, in mahogany or oak case, complete, No. 1, <i>each</i>	0	15	0
2. Ditto ditto ditto, No. 2, <i>each</i>	0	18	0
3. Ditto ditto ditto, No. 3, <i>each</i>	1	2	0
4. Ditto ditto ditto, No. 4, <i>each</i>	1	7	0
5. Ditto ditto ditto, No. 5, <i>each</i>	2	0	0
6. Ditto ditto ditto, with two bells, <i>each</i>	2	10	0
7. Indicator-boxes of polished mahogany and ebony fronts, containing six indicators or less, at <i>per indicator</i>	0	15	0
8. Ditto, if containing above six, <i>each extra</i>	0	12	0
9. Indicator-boxes, on the repeating system, in addition to the price as above, <i>each indicator extra</i>	0	6	0
10. Call buttons for fixing in the different apartments made of woods of all descriptions, <i>each</i>	0	3	0
11. Ditto ditto, in porcelaine, <i>each</i> , from 3s. to	0	4	0
12. Ditto ditto, with gold lines, <i>each</i>	0	5	0
13. Ditto ditto, ivory, <i>each</i> , from 6s. to	0	10	0
14. Ditto ditto, lever pulls to use with a cord, <i>each</i>	0	6	0
15. Ditto ditto, pear shaped in various woods for attaching to a flexible electric wire, may be placed upon a table or otherwise, <i>each</i>	0	3	6

v. 2

Items.	£	s.	d.
16. Ditto ditto, ivory, <i>each</i>	0	11	0
17. Silk-covered cord, with two electric wires for the above, <i>per yard</i>	0	3	0
18. Communicator, containing five buttons, to ring to as many rooms (portable), and may be placed upon a table, or suspended from ceiling. Patented in France and Great Britain, <i>each</i> .	2	0	0
19. For each button above five, extra, <i>each</i>	0	4	0
20. Silk cord for the above, <i>per yard</i> , for each wire contained, <i>each</i>	0	1	6
21. Patent electric indicating button, with indicating needle, showing that the bell is ringing and maintaining the current until arrested at the bell, made in all kinds of wood cases. Pa- tented in France and Great Britain, <i>each</i> .	0	12	0
22. Ditto ditto, in ivory, <i>each</i>	1	10	0
23. Ditto ditto, double current system, for the re- peating indicator boxes, <i>extra, each</i>	0	1	0
24. Out-door circular bell-pull, for entrance, halls, park-gates, &c., from $2\frac{1}{2}$ in. to $5\frac{1}{2}$ in. in diameter, <i>extra, from 7s. to</i>	0	11	0
25. Ditto ditto, square, mounted on marble plinth, small, <i>each</i>	2	0	0
26. Ditto ditto, large, <i>each</i>	2	15	0
27. Electric apparatus for opening entrance doors from any distance, <i>each</i>	2	15	0
28. Locks for ditto, <i>each</i> , from 7s. 6d. to	1	0	0
29. Springs for doors, <i>each</i>	0	6	0

BATTERIES.

30. Improved Daniell Battery, with reservoir for maintaining a continuous current for a long period without requiring attention, <i>per cell</i> .	0	3	0
31. Ditto ditto, charged with sulphate of copper, <i>per cell</i>	0	4	0
32. Ordinary Daniell Battery, <i>per cell</i>	0	1	6
33. Marie Davy Battery, not charged, <i>per cell</i>	0	2	0
34. Sulphate of mercury for ditto, <i>per lb.</i>			
35. Sulphate of copper, <i>per lb.</i>			

WIRES.

Items.	s.	d.
36. Copper-wire covered with an insulating material and two coats of cotton, any colour, <i>per yard</i> .	0	1
37. Cable composed of any number of wires as above, each wire, <i>per yard</i>	0	1
38. Copper-wire covered with silk, any colour, <i>per yard</i>	0	2
39. Isolators, in bone, for fixing the wires, different colours, <i>per dozen</i>	1	6
40. Copper-wire coated with gutta-percha, for out-door work, damp places, &c., <i>per yard</i> , from 1½d. to .	0	3

ZINC-WORKER'S PRICES.

1. Belgian roll zinc, laid with fine rolls, complete, <i>per foot super</i> , gauge No. 10, or 14 oz. <i>per foot</i> .	0	5½
2. Ditto ditto, No. 11, or 16 oz. <i>per foot</i>	0	6
3. Ditto ditto, No. 12, or 18 oz. ditto	0	6½
4. Ditto ditto, No. 13, or 21 oz. ditto	0	7½
5. Ditto ditto, No. 14, or 24 oz. ditto	0	8½
6. Ditto ditto, No. 15, or 27 oz. ditto	0	9½
7. Ditto ditto, No. 16, or 30 oz. ditto	0	10½
8. Ditto, if corrugated, add to items 1 to 6	0	1½
9. Ditto, in gutters, add to items 1 to 6	0	0½
10. Ditto, in verandahs, &c., add to items 1 to 6	0	1
11. Ditto, for iron stays and ties, &c., add	0	3½
12. Perforated plates for safes, &c., <i>per foot super</i>	0	4½
13. Ditto, fitted, ditto	0	5½
14. Fan and skylights, ditto, from 2s. to	3	6
15. Ditto, for hip baths, add <i>per foot run</i> , from 1s. to	1	6
16. Ditto, ventilators, extra, <i>each</i> , from 15s. to	22	0
17. Trap and hopper for water-closet, <i>each</i> , from 9s. to	13	0
18. Zinc-worker, <i>per day</i>	6	8
19. Labourer, ditto	4	2
20. Fine solder, <i>per lb.</i>	1	0
21. Bell-tubing, rolls, and caps, for verandahs, &c., do.	0	7
22. Zinc nails for slating, ditto	0	8
23. Zinc tacks, ditto	0	10½

Items.	2 in.	1½ in.	1¼ in.	1 in.	¾ in.	⅝ in.	½ in.	⅜ in.	¼ in.	
	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	
22. Angle elbows, with 2 unions	20 0	10 6	9 3	7 9	...	per doz.
23. Cross joints, with 4 do. . .	48 0	36 0	20 0	12 0	...	23 6	18 6	14 0	...	do.
24. Strong caps, equal or diminishing linings	5 0	...	4 0	3 6	...	do.
25. Bracket lantern cocks, for copper or brass	12 6	11 3	...	do.
26. Do. do. strong, for iron	17 6	...	14 3	12 9	11 3	do.
27. Lantern cocks, nuts and linings	18 6	14 0	12 6	...	do.
28. Pendant cocks, female ends	12 0	8 3	7 0	...	do.
29. Twiggings do., tinned or screwed male do.	7 0	...	do.
30. Nose-piece do., male and female do.	12 0	8 6	7 3	...	do.
31. Do. for iron do.	24 0	...	16 6	12 0	8 6	do.
32. Pillar lantern cocks, for iron pipe	17 0	...	13 9	12 3	11 0	do.
33. Do. do. for brass pipe	12 0	11 0	do.
34. Cigar-light cocks	7 0	do.
35. Do. do. small . . .	40 0	32 0	24 0	20 0	6 0	do.
36. Pillar cocks, for brass	44 0	36 0	27 0	22 0	do.
37. Do. for iron . . .	132 0	66 0	50 0	28 0	18 0	...	14 0	11 0	6 0	do.
38. Union joints, do.	do.
39. Do. do. for metal pipe	10 6	6 0	4 4	3 6	...	do.
40. Union tee joints, do.	18 0	10 6	9 0	7 6	...	do.
41. Do. do. with 8 unions	22 6	14 6	12 0	10 6	...	do.
42. Coupling joints, equal or diminishing	4 6	3 4	2 0	...	do.
43. Tee do. do.	6 9	6 0	4 6	3 9	...	do.
44. Single swivels for brass	21 0	14 6	12 0	9 3	...	do.
45. Do. for iron, equal	34 6	...	21 0	15 0	12 0	do.
46. Do. do. reducing	28 6	...	17 0	13 0	...	do.
47. Bronzing or lacquering swivels, extra	4 0	3 6	3 6	3 0	3 0	do.
48. Bracket backs, for brass	40 0	27 0	24 0	22 0	...	do.
49. Do. for iron	72 0	...	54 0	39 0	24 0	do.
50. Bronzing or lacquering do., extra	7 6	6 6	5 0	4 6	4 6	do.

51. Pendant tops, for brass	28 0	22 0	19 6	17 0	...	do.
52. Do.	51 0	...	37 6	25 6	21 0	do.
53. Bronzing or lacquering do., extra	8 0	6 0	5 0	4 0	4 0	do.
54. Swivel cocks, for brass	42 0	30 0	20 0	16 0	...	do.
55. Do.	42 0	...	36 0	30 0	20 0	do.
56. Double swivels, for brass	16 9	12 6	10 0	...	do.
57. Do.	50 0	...	26 0	19 6	12 6	do.
58. Do.	45 0	...	24 0	17 6	...	do.
59. Bronzing or lacquering do., extra	6 0	4 6	4 0	3 0	3 0	do.
60. Tightened unions, tinned	11 0	8 3	6 0	4 6	4 0	do.
61. Regulating cocks, with large-way tightened unions	20 0	16 6	13 6	...	do.
62. Strong ceiling plates, for iron	16 0	...	12 0	do.
63. Loose necks, for do.	20 0	16 0	...	12 0	6 6	5 6	5 3	...	do.
64. Pillar bases	20 0	16 0	...	12 0	9 0	do.
65. Counter plates	20 0	10 6	do.
66. Cup and ball joints	108 0	40 0	30 0	do.
67. Backs with lugs, for iron	16 0	12 9	do.
68. Do. do. for brass	12 9	10 6	do.
69. Do. do. keyed	18 9	15 6	do.
70. Universal balance joints, for brass	30 0	24 0	do.
71. Do. do. do. iron	36 0	30 0	...	do.
72. Two-light bodies, for brass, reducing	144 0	108 0	24 0	do.
73. Do. do. iron, do.	144 0	108 0	48 0	...	30 0	24 0	...	do.
74. Cast nose-pieces, for brass	4 0	3 0	2 3	...	do.
75. Do. do. iron	5 0	4 0	3 0	do.

Items.	s.	d.
76. Plain bracket, single jointed, 12 ins. long, $\frac{1}{2}$ -in. tube <i>each</i>	4	6
77. Do. do. do. $\frac{5}{8}$ -in., do.	6	0
78. Do. do. do. $\frac{3}{4}$ -in., do.	8	0
79. Do. double jointed, 24 ins. long, $\frac{1}{2}$ -in. \times $\frac{7}{8}$ -in., do.	7	0
80. Do. do. do. $\frac{5}{8}$ -in. \times $\frac{1}{2}$ -in., do.	9	0
81. Do. do. do. $\frac{3}{4}$ -in. \times $\frac{5}{8}$ -in., do.	11	0
82. Do. treble jointed, 24 to 30 ins., $\frac{5}{8}$ -in. \times $\frac{1}{2}$ -in. \times $\frac{7}{8}$ -in. do.	10	6
83. Do. do. 36 ins., $\frac{3}{4}$ -in. \times $\frac{5}{8}$ -in. \times $\frac{1}{2}$ -in., do.	13	6
84. Extra, per inch in length, on items 76, 77, 79, 80, and 82	0	1
85. Do. do. on items 78, 81, and 83	0	1 $\frac{1}{2}$
86. Cork slide, 1-light pendant, swing joint, 3 ft. long, $\frac{5}{8}$ tube <i>each</i>	7	6
87. Do. do. do. do.	9	0
88. Do. 2-light do. stiff joint, do.	14	0
89. Do. do. swing do. do.	15	0

	18 ins. long.	24 ins. long.	30 ins. long.
90. Pillar, $\frac{5}{8}$ tube . . . <i>each</i>	s. d. 4 0	s. d. 4 6	s. d. 5 0
91. Do. $\frac{3}{4}$. . . do.	6 0	6 9	7 6
92. Do. $\frac{7}{8}$. . . do.	6 6	7 0	7 6
93. Do. 1-in. . . do.	7 6	8 0	9 0
94. Do. 1 $\frac{1}{4}$. . . do.	11 0	12 6	14 0
95. Do. 1 $\frac{1}{2}$. . . do.	13 0	14 6	16 0
96. Do. 2 . . . do.	23 0	25 0	27 0

97. Plain pendants, with hydraulic joints, *each* from 15s. to 40s.

N.B. The above fittings are of the simplest character. Ornamental patterns according to value. Glasses and burners charged extra.

	s.	d.
98. Common stem burners, No. 1, 3 or 6 jets, <i>per doz.</i>	19	0
99. Do. 4, 10 or 12 „	22	0
100. Do. 6, 15 „	24	0

Items.				s.	d.
101.	Common Argand spout burners, No. 1, 3 or 6 jets				
			<i>per doz.</i>	21	0
102.	Do.	4, 10 or 12 jets, do.		24	0
103.	Do.	6, 15	„ do.	26	0
104.	Moon-holders, extra		do.	4	0
105.	Crutch socket, with union jet, $\frac{3}{8}$ in.		do.	3	6
106.	Do.	with bat's-wing, $\frac{3}{8}$ in.	do.	4	0
107.	Elbow socket, with union jet or bat's-wing, $\frac{3}{8}$ in.		do.	4	0
108.	Patent Albert burners, with chimney holders, $\frac{3}{4}$ in.,		do.	18	0
109.	Do.	do.	do.	1 in., do.	20 0
110.	Do.	do.	do.	1 $\frac{1}{4}$ in., do.	32 0
111.	Part and all ground jet moons		<i>per doz.</i>	7	6
112.	Do.	do.	do.	9	6
113.	Fine striped jet moons		do.	12	0
114.	Broad do.	do.	do.	14	0
115.	Fine striped melon do.		do.	15	0
116.	Broad do.	do.	do.	16	6
117.	Richly cut or engraven melon		do.	24	0
118.	Common Argand chimneys		do.	4s. 6d. to	8 0
119.	Brass-cased tubing, lacquered, <i>per foot</i> , $\frac{3}{8}$ in.			0	6
120.	Do.	do.	do.	$\frac{1}{2}$ in.	0 7
121.	Do.	do.	do.	$\frac{3}{4}$ in.	0 8 $\frac{1}{2}$
122.	Do.	do.	do.	$\frac{7}{8}$ in.	0 11
123.	Do.	do.	do.	1 in.	1 1
124.	Do.	do.	do.	1 in.	1 2 $\frac{1}{2}$
125.	Burnished and lacquered or bronzed brass tubing,				
			<i>per foot</i> , $\frac{3}{8}$ in.	0	6
126.	Do.	do.	do.	$\frac{1}{2}$ in.	0 8
127.	Do.	do.	do.	$\frac{3}{4}$ in.	0 9
128.	Do.	do.	do.	$\frac{7}{8}$ in.	0 11
129.	Do.	do.	do.	1 in.	1 0 $\frac{1}{2}$
130.	Do.	do.	do.	1 in.	1 2
131.	Do.	do.	do.	1 $\frac{1}{2}$ in.	1 10
132.	Do.	do.	do.	1 $\frac{1}{2}$ in.	2 0
133.	Do.	do.	do.	2 in.	2 6
134.	Tin pipe, best quality, <i>per lb.</i>			1	10
135.	Composition do.	do.	do.		0 4
136.	Copper tube	do.	do.		1 8
137.	Brass do	do.	do.		1 8

Items.		s.	d.
138. Gasfitter, <i>per day of 10 hours</i>	.	7	6
139. Do. <i>per hour</i>	.	0	9

CASTINGS, *per ton.*Average Weight of Cast Iron Gas Pipes, *per yard.*

1½ in.	2 in.	2½ in.	3 in.	4 in.	5 in.	6 in.	7 in.	8 in.	9 in.	10 in.	12 in.
16	21	28	33	51	70	89	107	126	149	177	208 lbs.

N.B. The following are the prices *at the foundry*, carriage to be charged extra.

	London.			Glasgow.			New-castle.			Wales.			Yorksh., Derbysh., and Staffordshire.		
	£	s.	d.	£	s.	d.	£	s.	d.	£	s.	d.	£	s.	d.
1½-in. and 2-in. socket-pipes	7	14	0	6	12	0	6	17	6	7	3	0	7	8	6
2½-in. and 3-in. do.	7	3	0	6	1	0	6	6	6	6	12	0	6	17	6
4-in. and 5-in. do.	6	12	0	5	10	0	5	15	6	6	1	0	6	6	6
6-in. and upwards	6	6	6	5	4	6	5	10	0	5	15	6	6	1	0
Retorts, 1st fusion, hot blast	6	1	0	4	19	0	5	4	6	5	10	0	5	15	6
Do., 2nd do., cold do.	7	3	0	5	15	6	6	1	0	6	12	0	6	17	6
Tank plates, ½-in. thick and above	6	12	0	5	10	0	5	15	6	6	1	0	6	1	0

FIRE-CLAY RETORTS.

Ordinary D pattern, *per foot run* . . . 5s. 6d. to 7s. 6d.

	£	s.	d.
English pig lead, <i>per ton</i>	25	0	0
Best white lead, <i>per cwt.</i>	1	18	6
Do. red do. do.	1	16	0
Tarred rope yarn, do.	1	6	0

PAPER-HANGER'S PRICES.

At per Piece.

Items.	s.	d.
1. Cutting down joints of old paper, stripping the edges, pumicing and sizing the walls	0	6
2. Pumicing, stopping, and clearcoaling in acid to kill paint	1	2
3. Clearcoaling on old paper or walls	0	9
4. Taking down old canvas, ripping out the tacks, and properly scraping the battens or wainscoting . .	1	1
5. Re-straining old canvas, sizing down the edges, and slipping over tacks with brown paper	2	0
6. Strong new canvas of the best quality, including sewing, straining, sizing down the edges, and slipping over tacks with brown paper	6	9
7. Best elephant lining paper and hanging	1	11
8. Pumicing lining to receive satin papers	0	4
9. Best elephant paper and hanging on ceiling or walls, and pumicing for distemper or paint	2	6
10. Papers on body ground, the pattern of one colour set, trail, or small and large damask, including sizing walls and hanging, cut close or for border	from 3	4 to 4 6
11. Ditto ditto, of two colours, &c., ditto ditto	„ 3	10 „ 5 0
12. Ditto ditto, of three colours, whether self, party, &c., ditto ditto	„ 4	6 „ 6 0
13. Ditto ditto, of four colours, &c., ditto ditto	„ 5	0 „ 6 3
14. Papers on satin grounds, the pattern of one colour set, trail, or small and large damask, including sizing walls and hanging, cut close or for border	„ 5	6 „ 6 9
15. Ditto ditto, of two colours, &c., ditto	„ 6	0 „ 7 0
16. Ditto ditto, of three colours, whether self, party, &c., ditto ditto	„ 6	6 „ 8 0
17. Ditto ditto, of four colours, &c., ditto	„ 7	0 „ 8 6
18. <i>Add, if watered or embossed grounds . .</i>	„ 0	8 „ 1 6
19. <i>Ditto, crimson grounds</i>	„ 0	8 „

Items.	s.	d.	s.	d.
20. Satin papers, the pattern of five colours, set, trail, or small damask, including sizing walls and hanging, cut close or for border	from 7	9	to 12	0
21. Crimson flock, ditto	13	0	18	0
22. Satin and gold	18	0	24	0
23. Rich flock on gold ground	26	0	40	0
24. Granite papers, red, grey, or any other ordinary colours, plain or lined out to form blocks, including sizing walls and hanging horizontally, cut close	3	0	5	0
25. Ditto ditto, and hanging in separate blocks with joint lines on edges, cut close	3	6	5	6
26. Best granite papers, red, grey, or any other ordinary colours, frosted, including sizing walls and hanging in separate blocks with joint lines on edges, cut close	4	0	6	0
27. Papers in imitation of wainscot, including sizing walls and hanging, cut close or for border	2	6	4	0
28. Ditto ditto, glazed or overgrained, including sizing walls and hanging, cut close or for borders	3	6	5	6
29. Ditto of marble, with lines to form slabs on the piece, including sizing walls and hanging horizontally, cut close	3	3	5	3
30. Ditto ditto, superior, including sizing walls and hanging in separate slabs, joint lines on edge, cut close	4	9	7	6

Per dozen yards.

31. Imitation mouldings, cords, gymps, fillets, and flower borders on body grounds, made in colours to harmonize with the patterns of papers and hanging (14 overs inclusive)	1	6	2	9
32. Ditto ditto, flock for satin papers and hanging (14 overs inclusive)	2	9	4	0

Items.	<i>Per piece.</i>		<i>s. d.</i>		<i>s. d.</i>	
33. Common or body ground papers cleaned, repaired, edges and rents pasted down, &c.	from	1 3	to	2 0		
34. Satin papers cleaned, repaired, edges and rents pasted down, &c.	„	1 6	„	2 6		
35. Gold, flock, or flock and gold papers cleaned, repaired, edges and rents pasted down, &c.	„	1 9	„	3 0		
36. Twice securing with parchment size, and once varnishing with the best copal on granite, marble, or other papers, <i>per yard super</i>					0	8
37. Cleaning, sizing, and revarnishing granite, marble, or other papers, ditto					0	10
38. Add, if twice varnished, ditto					0	5

BLACK STAINED MOULDINGS.

39. $\frac{1}{2}$ -inch mitred and fixed complete, including needle points, &c., <i>per yard run</i>	0	4 $\frac{1}{2}$
40. $\frac{3}{8}$ -inch ditto, ditto	0	5
41. $\frac{3}{4}$ -inch ditto, ditto, ditto	0	5 $\frac{1}{2}$
42. $\frac{7}{8}$ -inch ditto, ditto, ditto	0	6
43. Inch ditto, ditto, ditto	0	6 $\frac{1}{2}$
44. $1\frac{1}{4}$ -inch ditto, ditto, ditto	0	7 $\frac{1}{2}$
45. $1\frac{1}{2}$ -inch ditto, ditto, ditto	0	8 $\frac{1}{2}$
46. $1\frac{3}{4}$ -inch ditto, ditto, ditto	0	9 $\frac{1}{2}$
47. 2-inch ditto, ditto, ditto	0	10 $\frac{1}{2}$
48. Old black mouldings taken down, cleaned, and re-fixed, including needle points, &c., from $\frac{1}{2}$ in. to 2 ins., ditto	0	3

DISTEMPERING.

49. White twice done on papered ceilings, <i>per yard super</i>	0	5
50. Ditto, to plain mouldings above 12 ins. girt, ditto	0	5
51. Ditto, to plain mouldings under 12 ins. girt, <i>per foot super</i>	0	1 $\frac{1}{2}$
52. Ditto, to carved mouldings, ditto	0	2

Items.	s.	d.
53. Add, if finished cream, buff, or fawn tints, including cornices, plain and enriched mouldings, <i>per yard super</i>	0	0½
54. Ditto, French white, fine blue, peach blossom, lilac, lavender, green, &c., ditto	0	1½
55. Ditto, full rich ultramarine blue, crimson, or scarlet, ditto	0	5

DAY WORK.

56. Paper-hanger, <i>per day of 10 working hours</i>	6	8
57. Ditto, <i>per hour</i>	0	8
58. Paste, <i>per quartern</i>	1	2
59. Double size, <i>per lb.</i>	0	2
60. Parchment or patent size, ditto	0	5
61. Mixed distemper colours, ditto	0	6
62. Best washed whiting, ditto	0	2
63. Stainers, ditto	1	10
64. Best strong canvas, <i>per yard super</i>	0	10
65. Elephant lining paper, <i>per piece</i>	1	2
66. Flemish tin tacks, <i>per thousand</i>	1	6
67. French ditto, ditto	1	8

FOR NOTES AND MEMORANDA, SEE APPENDIX.

PAVING, ASPHALTING, &c.

1. Digging and throwing out common soils for concrete or paving, <i>per cubic yard</i>	0	6
2. Add for filling and carting away	2	0
3. Taking up old 5 in. paving and levelling ground, <i>per yard super</i>	0	2
4. Ditto, 7, 8, and 9 ins. do.	0	3
5. Add for stacking, to item 3	0	0½
6. Ditto for ditto, to item 4	0	1

PAVING.—*Laid on Screened Gravel, including the forming of the Ground.*

Items.	Pebble.		5 inch Granite.		7, 8, and 9 inch Granite.	
	s.	d.	s.	d.	s.	d.
7. Taking up and relaying paving with gravel, <i>per yard super</i> .	0	9	1	0	1	2
8. Aberdeen new granite, laid in parallel courses, no course to exceed 5 ins. in width on the face, <i>per yard super</i>	9	4	11	6	12	6
9. Ditto, courses, 3 ins. ditto	14	0	16	0	18	0
10. Grouting and forming foundation for paving, with six parts of screened ballast and one of stone or Dorking lime properly mixed, <i>per cubic yard</i> .					6	3
11. Grouting to granite paving, with lime and sand, <i>per yard super</i>					0	6
12. Granite (broken) through 1½ in. sieve, <i>per cubic yard</i>					16	6
13. Aberdeen granite curb, 12 by 6 ins., laid complete, <i>per foot run</i>					1	10
14. Ditto, 12 by 8 ins., ditto ditto					2	2
15. Granite channel course, 7 by 5 ins., dressed in joints and face, ditto					1	3

DAY WORK.

16. Paviour, <i>per day</i>	5	6
17. Labourer, ditto	3	9
18. Navigator, ditto	4	0
19. Ditto, working in water, ditto	4	6
20. Pebbles, <i>per ton</i>	14	0
21. Aberdeen granite, ditto	28	0
22. Purbeck squares, ditto	27	0
23. Clay, <i>per cubic yard</i>	4	0

Items.	s.	d.
24. Gravel, or ballast, unscreened, <i>per yard</i>	4	9
25. Ditto ditto, coarse screened, <i>per yard</i>	6	3
26. Ditto ditto, fine screened, or sand	5	3
27. Red pit gravel, <i>per cubic yard</i>	9	6
28. One horse, cart, and carter, <i>per day of 10 working hours</i>	11	6
29. Two horses, cart, and carter, ditto	18	0
30. Three horses, cart, or waggon, and carter, ditto	24	6
31. Standing cart, or waggon, ditto	2	0
32. One horse, spring-van, and carter	13	6
33. Two horses, spring-van, and carter	20	0
34. Removing rubbish, including filling, <i>per cubic yard</i>	2	9
35. Soil got out, and carted away, including allowances to men, <i>per ton</i>	16	0
36. Birch brooms, <i>each</i>	0	9
37. Rubbish baskets, ditto	1	9

SEYSSSEL ASPHALTE,—Claridge's Patent.

FOR PAVEMENT AND FLOORING—on the level of ground.

QUANTITY.	THICKNESS.							
	$\frac{1}{2}$ inch.		$\frac{5}{8}$ inch.		$\frac{3}{4}$ inch.		1 inch.	
	s.	d.	s.	d.	s.	d.	s.	d.
38. 5000 and upwards, rate <i>per foot</i>	0	6 $\frac{1}{2}$	0	7 $\frac{3}{4}$	0	8 $\frac{3}{4}$	0	11
39. 3000 and under 5000, do.	0	6 $\frac{1}{2}$	0	7 $\frac{3}{4}$	0	8 $\frac{3}{4}$	1	0
40. 1000 „ 3000, do.	0	6 $\frac{3}{4}$	0	8 $\frac{1}{2}$	0	9 $\frac{1}{4}$	1	1
41. 300 „ 1000, do.	0	7 $\frac{1}{2}$	0	8 $\frac{3}{4}$	0	10	1	1 $\frac{1}{2}$

FOR ROOFING, &c.

42. 5000 and upwards, do. :	0	8	0	9 $\frac{1}{4}$	0	10 $\frac{1}{2}$	1	1
43. 3000 and under 5000, do.	0	8 $\frac{1}{4}$	0	9 $\frac{1}{2}$	0	10 $\frac{3}{4}$	1	2
44. 1000 „ 3000, do.	0	8 $\frac{1}{2}$	0	9 $\frac{3}{4}$	0	11	1	3
45. 300 „ 1000, do.	0	9	0	10	0	11 $\frac{1}{4}$	1	4

46. Items 42 to 45 include hoisting, &c., to 30 feet height. If above 30 and not exceeding 50 feet, add for each super foot 0 0 $\frac{1}{4}$
47. Ditto ditto, above 50 and not exceeding 70 feet 0 0 $\frac{1}{4}$

	s.	d.
If roof exceeds in steepness, a fall of one in eight, the rate of $\frac{5}{8}$ in. is charged for $\frac{1}{2}$ in.		
Ditto ditto, $\frac{3}{4}$ do. ditto $\frac{5}{8}$ do.		
Ditto ditto, 1 do. ditto $\frac{3}{4}$ do.		
The above rates for roofing are applicable to the covering of external curves of arches, by <i>adding per foot</i> for each thickness	0	2
Asphalte channels, under 6 ins. in width, extra, <i>per foot run</i>	0	1
Ditto ditto, 6 ins. and under 9 ins., do.	0	1 $\frac{1}{2}$
Ditto ditto, 9 do. ditto 12 do., do.	0	2
Ditto, fillets, 1 $\frac{1}{2}$ ins. do.	0	2
Ditto ditto, 3 do., do.	0	3 $\frac{1}{2}$
Ditto, skirtings ($\frac{1}{2}$ in.) 4 ins. high, do.	0	5
Ditto ditto, „ 6 ins., do.	0	7
Ditto ditto, „ 9 ins., do.	0	10
Ditto ditto, „ 12 ins., do.	1	0
Concrete, not exceeding 1 $\frac{1}{2}$ in. thick, <i>per foot super</i>	0	1
Workmen, spreader, <i>per day</i>	6	0
Ditto, cauldron man, ditto	4	0

METALLIC LAVA.—*Per square yard.*FOR FOOT PAVEMENT.—*Out-door Work.*

	s.	d.	s.	d.
Critted metallic lava, $\frac{5}{8}$ of an in. thick, from	3	6 to	4	0
Ditto ditto, $\frac{3}{4}$ of an in. do. „	4	0 „	4	6
Ditto ditto, 1 in. do. „	4	6 „	5	0
Brown metallic lava, $\frac{5}{8}$ of an in. thick, from	3	0 „	3	6
Ditto ditto, $\frac{3}{4}$ of an in. do. „	3	6 „	4	0
Ditto ditto, 1 in. ditto „	4	0 „	4	6

OR COVERING ARCHES, ROOFS, TERRACES, AND TUNNELS.

Per square yard.

Metallc lava, $\frac{1}{2}$ an in. thick	from	2	9 to	3	0
Ditto ditto, $\frac{3}{4}$ of an in. do.	„	3	0 „	3	6
Ditto ditto, 1 in. do.	„	3	6 „	3	9

In-door work.—Per square yard.

Items.		s.	d.	s.	d.
71. Brown metallic lava, $\frac{5}{8}$ in. thick	from	3	0	to	3 6
72. Ditto ditto, $\frac{3}{4}$ in. do.	„	3	6	„	3 9

POZZOLANA.

Per ton of
20 cwt.

73. Pozzolana is used in the preparation of mortar for docks, quays, cisterns, wells, foundations, and in hydraulic works required to be kept dry, or where it may be desired to prevent filtration. It is sold by the cargo, on board, and delivered at any port of the United Kingdom, at, <i>per ton</i>	32 0
74. Ditto, in smaller quantities, from the depôt . . .	36 0
75. Ditto, screened, to be used in other works, or for making mortar for houses, internal walls, &c.; is also sold by the cargo, as before, at . . .	42 0
76. Ditto, in smaller quantities, from the depôt . . .	46 0

FELT.

77. Asphalted roofing felt, weighing 3 lbs. <i>per yard super</i> , made in rolls 32 ins. wide, and up to 35 feet in length, at <i>per foot super</i>	0 1
78. Ditto, <i>per yard run</i>	0 8

Non-conducting Felt for clothing Boilers, Steam-Pipes, &c.

79. <i>Per sheet</i> , 1 ft. 8 in. by 2 ft. 8 in., No. 1, 16 oz.	0 6
80. Ditto ditto, No. 2, 24 oz.	0 8
81. Ditto ditto, No. 3, 32 oz.	0 10
82. Ditto ditto, No. 4, 40 oz.	1 0
83. Ditto ditto, No. 5, 48 oz.	1 2
84. Best thick purified coal tar, <i>including the barrel</i> , at <i>per barrel</i> of 27 gallons	10 6
85. Half-barrel ditto	7 0
86. Iron-bound tar-brushes, <i>each</i> 1s. 9d. to	2 0
87. A wrought-iron strong tar kettle, holding upwards of six gallons	5 0
88. Strong wrought iron tar buckets, suitable for carrying the tar on the roof, <i>each</i>	2 6
89. Suitable clout nails (rather larger than twopenny clout), 2 lbs. to the thousand, <i>per thousand</i>	1 2
90. Scupper nails, of 3 lbs. and 4 lbs. to the thousand: from 1s. 7d. to 1s. 11d. <i>per thousand</i> .	

2 inch Single Strap, <i>per foot</i>	<i>s.</i>	<i>d.</i>	4 inch Double Strap, <i>per foot</i>	<i>s.</i>	<i>d.</i>
3 ditto ditto, do.	0	9	5 ditto ditto, do.	.	3 6
4 ditto ditto, do.	1	2	6 ditto ditto, do.	.	3 10
5 ditto ditto, do.	1	8	8 ditto ditto, do.	.	4 8
6 ditto ditto, do.	2	0	4 inch Edge Strap, do.	.	6 4
3 inch Double Strap, do.	2	5	6 ditto ditto, do.	.	2 10
	2	4		.	3 0

LEATHER HOSE PIPE.—*Per foot.*

1½ inch	1	0	2½ inch	.	2 4
2 do.	1	11	3 do.	.	2 8
2½ do.	2	1	3½ do.	.	2 10

White and Brown Laces, 2s. 6d. to 3s. *per dozen.*

LIST OF PRICES OF WROUGHT-IRON SCREWED TUBES, &c., FOR GAS, STEAM, OR WATER.

SIZES.	2 ins.		1½ in.		1 in.		¾ in.		¾ in.		¾ in.		¾ in.	
	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.
Tubes, in length from 4 to 12 feet, <i>per foot</i>	1	8	1	1	0	10	0	7	0	5	0	3½	0	3
Tubes, from 2 to 4 feet, 1d. <i>per foot extra.</i>														
Short pieces under 2 feet, <i>each</i>	3	0	2	0	1	9	1	3	1	0	0	9	0	7
Bends and elbows, wrought iron, ditto	3	9	2	3	1	9	1	0	0	10	0	8	0	7
Flanges, ditto ditto	2	0	1	9	1	6	1	4	1	2	1	0	0	10

Wire Ropes, &c.

SUNDRY PRICES OF ARTICLES OCCASIONALLY REQUIRED BY BUILDERS AND CONTRACTORS, WHICH MAY
BE USEFULLY QUOTED.

Price of Wire Strand, for Fencing and Signal Cord.

	No. 3.		No. 4.		No. 5.		No. 6.		No. 7.		
	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.	
Ungalvanised 6 Wire	.	.	12	0	16	6	19	6	23	0	} per 100 yards, or 56s. and 66s. per cwt.
Ditto 4 ditto .	.	.	8	0	11	0	13	6	15	6	
Galvanised 6 ditto .	.	.	14	0	19	0	23	6	27	6	
Ditto 4 ditto .	.	.	9	6	12	6	15	6	19	0	

Round Wire Ropes, for Inclined Planes, Mines, Collieries, Ships' Standing Rigging, &c. &c.

HEMP ROPE.		WIRE ROPE OF EQUIVALENT STRENGTH.			Price per cwt.
Circumference.	lbs. weight per fathom.	Circumference.	lbs. weight per fathom.	Working Load.	
2½	2	1	1	2 tons.	6 cwt.
3½	4	1½	1½	3 do.	9 do.
4½	5	1¾	2	4 do.	12 do.
5½	7	1¾	2½	5 do.	15 do.
		1¾	3	6 do.	18 do.
		2	3½	7 do.	21 do.

Flat Wire Ropes, for Pits, Hoists, &c. &c.

HEMP.			WIRE.				Price per Cwt.
Size in Inches.	lbs. weight per fathom.	Size in Inches.	lbs. weight per fathom.	Breaking Strain.	Working Load.		
4½ × 1⅛	20	2½ × ½	11	19½	44	} 70s.	
5 × 1¼	24	2¾ × ⅝	13	23	52		
5½ × 1⅜	26	3 × ⅝	15	27	60		
6 × 1½	28	3½ × ⅝	18	32	72		
7 × 1⅞	36	3¾ × ⅞	20	36	80		
8¼ × 2⅛	40	4 × ⅞	22	40	88		
8½ × 2¼	45	4¼ × ¾	25	45	100		
9 × 2½	50	4½ × ¾	28	50	112		
9½ × 2¾	55	4¾ × ¾	30	53½	120		

Galvanised, 80s. per cwt.

Round and flat pit pulleys, suitable for the wire ropes; patent springs for ditto.

Plain and galvanised ropes, for crabs, guide ropes in pits, suspension bridges, &c. &c.

Standing rigging for ships fitted up to order.

Price and Strain of Copper Window Sash Line.

No.	1.	1 $\frac{1}{4}$.	1 $\frac{1}{2}$.	1 $\frac{3}{4}$.	2.	3.	4.
Breaking strain in lbs. .	1260	960	690	480	300	180	125
Working load in lbs. .	336	224	168	112	75	45	31
Price, per 100 ft. .	60s.	40s.	30s.	25s.	15s.	12s. 6d.	10s.

Brass axle pulleys, per doz.	20s.	15s. 6d.	15s. 6d.	10s. 6d.	9s.	7s. 6d.
Hot-house pulleys.	—	—	15s. 6d.	8s. 6d.	.8s.	—

Picture Cords.

	No.	5.	6.	7.	8.	9.	10.
Breaking strain in lbs.	45	20	120	128	180	300	
Working load	„	11	22	30	32	45	75
Price, per 100 feet		3s. 6d.	7s. 6d.	12s. 6d.	21s.	45s.	75s.

Others made to order.

Lightning conductor, $\frac{3}{8}$ diameter, any length in one piece at 75s. per 100 feet, or with copper point and fittings complete, 1s. per foot.

Patent Wire Strand Railway Fencing.

Six-strand fence, varnished, with posts three yards apart, fixed complete, 1s. 8d. per yard.

Five-strand fence, varnished, with posts three yards apart, fixed complete, 1s. 6d. per yard.

*Patent Twisted Signal Cord for Working Distant Signals on
Railways, &c., &c*

Varnished strand, No. 2, per 100 yards	.	.	.	s.	d.
				16	6
Galvanised „ No. 2, ditto	.	.	.	19	6
Varnished „ No. 3, ditto	.	.	.	15	0
Galvanised „ No. 3, ditto	.	.	.	18	0
Galvanised side pulleys, with brass wheels, extra strong,					
per dozen	.	.	.	6	6

Price per Foot of India-rubber Hose Pipe, Rubber and Strong Canvas combined, for sustaining great pressure.

UNVULCANISED OR COMMON MAKE.				PATENT VULCANISED.					
Internal diameter.		Delivery.		Suction wired.		Delivery.		Suction wired.	
		s.	d.	s.	d.	s.	d.	s.	d.
$\frac{1}{4}$ in.	.	0	9	1	0	1	0	1	2
$\frac{3}{8}$ "	.	0	10	1	0	1	1	1	2
$\frac{1}{2}$ "	.	1	0	1	2	1	2	1	4
$\frac{5}{8}$ "	.	1	2	1	4	1	4	1	7
$\frac{3}{4}$ "	.	1	4	1	6	1	7	1	10
$\frac{7}{8}$ "	.	1	6	1	10	1	9	2	2
1 "	.	1	8	2	1	2	0	2	6
$1\frac{1}{4}$ "	.	1	11	2	5	2	4	2	10
$1\frac{1}{2}$ "	.	2	2	2	9	2	8	3	2
$1\frac{3}{4}$ "	.	2	6	3	2	3	0	3	8
2 "	.	2	10	3	7	3	4	4	2
$2\frac{1}{4}$ "	.	3	1	3	11	3	8	4	6
$2\frac{1}{2}$ "	.	3	4	4	2	4	0	4	10
$2\frac{3}{4}$ "	.	3	7	4	6	4	4	5	2
3 "	.	3	10	4	9	4	8	5	6
$3\frac{1}{4}$ "	.	4	1	5	0	4	11	5	9
$3\frac{1}{2}$ "	.	4	4	5	3	5	3	6	0
$3\frac{3}{4}$ "	.	4	7	5	6	5	6	6	3
4 "	.	4	10	5	9	5	10	6	6
$4\frac{1}{4}$ "	.	5	1	6	0	6	2	6	9
$4\frac{1}{2}$ "	.	5	4	6	3	6	6	7	0
$4\frac{3}{4}$ "	.	5	7	6	6	6	10	7	3
5 "	.	5	10	6	9	7	2	8	0
$5\frac{1}{4}$ "	.	6	1	7	0	7	6	8	4
$5\frac{1}{2}$ "	.	6	4	7	3	7	10	8	8
$5\frac{3}{4}$ "	.	6	7	7	6	8	2	9	0
6 "	.	6	10	7	9	8	6	9	5
$6\frac{1}{4}$ "	.	7	1	8	0	8	10	9	10
$6\frac{1}{2}$ "	.	7	5	8	5	9	2	10	4
$6\frac{3}{4}$ "	.	7	11	8	10	9	7	10	11
7 "	.	8	6	9	4	10	0	11	6

N.B.—These sizes are all internal diameter, and of the length most generally used for fire engines, brewer's work, &c. other strengths be required, the price will be more or less proportion. Made any length up to 100 feet; but when required to exceed 60 feet in one length, the price is five per cent. extra.

	s.	d.
ound and flat vulcanized India-rubber washers, made any size to order, for the joints of main pipes, for gas-works, water-works, hot-water apparatus, steam pipes, &c., &c., from 2 ins. bore and upwards, per lb.	6	0
nder 2 ins. bore, and less than $\frac{1}{2}$ in. thick, from 8s. to	14	0
ulcanised sheet rubber, for joints of all kinds, in sheets, from 10 to 20 yards long, 1 yard wide, and of any thickness, ditto	6	0
astic India-rubber and canvas compound packing for pistons, pumps, &c., any length, 1 yard wide, and about $\frac{3}{4}$ of an in. thick, per yard	42	0
Other thicknesses in the same proportion; and circular gland packings, for stuffing boxes, cut to order, of any size.		
urston's patent vulcanised India-rubber billiard cushions, 6 feet long, $1\frac{1}{2}$ inch wide, and $\frac{3}{4}$ of an in. thick, per set	100	0
ulcanised India-rubber valve canvas, for all kinds of flap valves and side boxes of marine and other steam engines, in sheets, 1-4ths, 5-16ths, 3-8ths, and $\frac{1}{2}$ in. thick, 13 ins. wide and 6 feet long, at, per lb.	6	0
India-rubber solution (or liquid India-rubber), supplied in cans, 2 lb.	4	0
itto ditto, 1 lb.	2	0
itto ditto, $\frac{1}{2}$ lb.	1	0

CONTRACTOR'S TOOLS, SHOVELS, ETC.

	£	s.	d.
Double purchase crane, without break	12	12	0
Ditto ditto, with break	14	14	0
Travelling crane to lift 10 to 12 tons (complete)	55	0	0
Single purchase crab complete	5	5	0
Double purchase crab	7	7	0
Double purchase travelling crab, to lift 10 to 12 tons, with cast iron cheeks, wheels, &c., complete, except chains and blocks	30	0	0
Ditto, capable of lifting 10 to 12 tons, including travelling crab complete, except chains and blocks, 4 wheels, frame and pedestals, cog wheels, pinions, handles, tension bars, complete	76	0	0

RAILWAY TURNABLES.

13 ft. diameter	92	0	0
15 ft. ditto	115	0	0

Best hammered and ridged round mouth railway spades.

Price 27s.	28s. 6d.	30s. per dozen net.
No. 3.	No. 4.	No. 5.
Size 11½ in.	12 in.	2½ in. broad.
" 13 "	13½ "	4 " long.

Strong planished round mouth railway spades.

Price 25s.	25s. 6d.	27s. per dozen net.
No. 3.	No. 4.	No. 5.
Size 11½ in.	12 in.	12½ in. broad.
" 13 "	13½ "	14 " long.

Best hammered railway hollow spades, picks, hammers, &c.

	s.	d.
No. 1 size, 6½ in. bottom, 6½ in. top, 6 in. long, per dozen net	25	0
No. 2 size, 7½ in. bottom, 6½ in. top, 12½ in. long, do.	26	0
Mason's picks, mattocks, or hacks, per lb. net.	0	4½
Ditto, hammers, ditto	0	4
Gavelocks and stone getter's wedges, ditto	0	3

Ballast Creased Shovels.

	24s.	26s.	28s.	30s.	32s.	34s.	36s.	38s. per doz.
No. 000.	00.	0.	1.	2.	3.	4.	5.	
Size, 8 $\frac{1}{4}$	8 $\frac{1}{2}$	9 $\frac{1}{4}$	9 $\frac{3}{4}$	10 $\frac{1}{4}$	10 $\frac{3}{4}$	11 $\frac{1}{4}$	11 $\frac{3}{4}$	in. broad.
„ 10 $\frac{1}{4}$	10 $\frac{3}{4}$	11 $\frac{1}{4}$	11 $\frac{3}{4}$	12 $\frac{1}{4}$	12 $\frac{3}{4}$	13 $\frac{1}{4}$	13 $\frac{3}{4}$	„

	40s.	42s.	44s.	46s.	48s.	50s.	52s. per doz.
No. 6.	7.	8.	9.	10.	11.	12.	
Size, 12 $\frac{1}{4}$	12 $\frac{3}{4}$	13 $\frac{1}{4}$	13 $\frac{3}{4}$	14 $\frac{1}{4}$	14 $\frac{3}{4}$	15 $\frac{1}{4}$	in. broad.
„ 14 $\frac{1}{4}$	14 $\frac{3}{4}$	15 $\frac{1}{4}$	15 $\frac{3}{4}$	16 $\frac{1}{4}$	16 $\frac{3}{4}$	17 $\frac{1}{4}$	in. long.

Ditto hammered and ridged, 4s. per doz. extra.

Box handles, 2s. per doz.

Ditto, clasped, 2s. per doz.

Ditto, treaded, 2s. per doz. extra.

Ditto, all steel, 12s. per doz. extra.

Locomotive Engine Firing Shovels.

With sockets and box handles, 10 in. broad, 18 in. long,
each, net 3s. 6d.

GWYNNE & CO.'S PATENT CENTRIFUGAL PUMP.

Number or size of pump.	Diameter of discharge pipe.	Diameter of suction pipe.	Horse-power to work the pump 50 feet high.	Gallons of water raised per minute.	Price of the pumps. £	Places and Purposes for which the Pumps are especially applicable.
1	2	2	$1\frac{1}{2}$	25	10	Dwelling houses, wash houses, private and public baths, paper, pulp, and fulling mills, cotton mills, sugar mills, breweries, distilleries, tanneries, starch works, chemical works, steam ships, for builders and contractors, for supplying water to towns and cities, and manufactories in general.
2	3	4	$1\frac{3}{4}$	70	14	
3	4	5	2	150	18	
*4	5	6	$2\frac{3}{4}$	300	27	
*5	6	7	6	500	45	
*6	9	10	$16\frac{1}{2}$	1400	75	
*7	12	13	$35\frac{1}{4}$	3000	130	
*8	15	16	$62\frac{1}{2}$	5000	240	
1 A	$2\frac{1}{2}$	$3\frac{1}{2}$	$1\frac{3}{4}$	125	40	Fire engines, coal pits, mines, deep wells, water works, &c. &c.
2 A	$4\frac{1}{2}$	$5\frac{1}{2}$	6	500	75	
3 A	$6\frac{1}{2}$	$7\frac{1}{2}$	$16\frac{1}{2}$	1400	250	
4 A	$9\frac{1}{2}$	11	36	3000	500	
B	6	7	6	500	33	Works of drainage and irrigation, dry docks, coffer dams, canals, marshes, lowlands, lakes, rivers, coffee, cotton, indigo, sugar cane, and rice estates, reservoirs, for builders, contractors, local boards of health, &c. &c.
1 B	8	9	$16\frac{1}{2}$	1400	45	
2 B	12	12	35	3000	95	
3 B	16	15	62	5310	180	
4 B	20	22	141	12000	400	
5 B	28	30	248	21000	650	

To sustain a pressure equal to a column of water 70 feet high.

250 feet.

30 feet.

Fan-Blowers, and Valves.

GWYNNE AND CO.'S PATENT FAN-BLOWERS.

Size.	Price.	No. of Smiths' Fires.	Wt. of metal melted per hour.	Revolutions per minute.	Horse-power required.	Diameter of pulley.
	£ s. d.				Horse.	Inch.
1	4 5 0	3	6	2,800	.333	2
2	7 10 0	6	12	2,200	.880	3½
3	10 10 0	11	19	2,000	1.333	5½
4	14 0 0	15	25	1,800	1.830	6½
5	18 15 0	19	37	1,700	2.330	9
6	25 0 0	30	55	1,600	3.101	9½
7	31 0 0	46	84	1,500	4.20	11
8	35 0 0	72	125	1,400	5.65	12½

IMPROVED PATENT FOOT-VALVES.

Prices with flange, socket, or screwed joints.

2 inches in diameter .	at 28s. each.	6 inches in diameter	at 60s. each.
2 ditto ditto .	32s. do.	7 ditto ditto .	65s. do.
2½ ditto ditto .	36s. do.	8 ditto ditto .	80s. do.
3 ditto ditto .	40s. do.	9 ditto ditto .	88s. do.
4 ditto ditto .	50s. do.	10 ditto ditto .	100s. do.

PORTABLE STEAM ENGINES.

Four-horse power, cleaded, felted, and fitted with governor	£
and iron wheels, net cash	185
Five ditto ditto	205
Six ditto ditto	227
Eight ditto ditto	247
Ten ditto ditto	275
Ten ditto ditto, double cylinder	296
Twelve ditto ditto, ditto	325

If fitted with wooden wheels, £5 extra.

These engines are invariably of greater power than is stated, although this should not be calculated on by the purchaser. The cylinder and crank-shaft bearings are placed upon the same base-plate or frame, which is bolted to the boiler, and gives greater strength and steadiness of motion, and also renders the engine compact and firm.

At the prices quoted above, the boiler is covered with hair felt, and then with a wood casing, tongued with iron; the cylinder is also covered in the same manner. The engines have iron wheels, and are fitted with safety valve, and patent pressure gauge, governor, water gauge, two gauge cocks, three mudholes for blowing off, an ash pan and drag shoe, and supplied with a set of stoking tools, flue brush, and a waterproof cover.

High pressure engines, of best construction, from two to eight-horse power, at £28 to £32 per horse power, including boiler and fittings. From eight-horse power upwards at £25 to £27 per horse, also including boiler and fittings.

High and low pressure (or condensing engines), from £30 to £35 per horse power, including boiler and condensing apparatus, with fittings.

Mr. Henry Gough, of 49, Albert Street, Manchester, manufactures several varieties of cranes, derricks, hoisting machines, pile drivers, &c., to be worked by steam, which will be found of great use to the builder or contractor.

APPENDIX.

IMPERIAL STANDARD MEASURES OF GREAT BRITAIN.

MEASURES OF LENGTH.

12 inches.....	1 foot.
3 feet.....	1 yard.
5½ yards.....	1 pole or rod.
40 poles.....	1 furlong.
8 furlongs, or 1760 yards..	1 mile.

Land Measure.

7.92 inches.....	1 link.
100 links, or 22 yards.....	1 chain.
80 chains.....	1 mile.
69.121 miles.....	1 geo. degree.

Cloth Measure.

2½ inches.....	1 nail.
4 nails.....	1 quarter.
4 quarters.....	1 yard.
5 quarters.....	1 ell.

Angular Measure; or, Divisions of the Circle.

60 seconds.....	1 minute.
60 minutes.....	1 degree.
30 degrees.....	1 sign.
90 degrees.....	1 quadrant.
360 degrees, or 12 signs..	1 circumference.

Nautical Measure.

1 nautical mile.....	6082.66 feet.
3 miles.....	1 league.
20 leagues.....	1 degree.
360 degrees.....	the earth's circumference.

Particular Measures of Length.

4 inches.....	1 hand.*
6 feet.....	1 fathom.†
120 fathoms.....	1 cable's length.
6 points.....	1 line.‡
12 lines.....	1 inch.‡
3 inches.....	1 palm.
9 inches.....	1 span.

MEASURE OF SURFACE FOR LAND.

62.7264 square inches.....	1 square link.
10'00 square links.....	1 sq. chain.
10 square chains.....	1 acre.
640 acres.....	1 square mile.
144 square inches.....	1 square foot.
9 square feet.....	1 square yard.
30½ square yards.....	1 square pole.
40 poles.....	1 rod.
4 rods, or 4840 square yards	1 acre.

SOLID OR CUBIC MEASURE.

1728 cubic inches.....	1 cubic foot.
27 cubic feet.....	1 cubic yard.

Note.—A cubic foot is equal to 2304 cylindrical inches, or 3300 spherical inches, or 6900 conical inches.

- * Used for the height of horses.
- † Used in measuring depths.
- ‡ Used for pendulums.

MEASURE OF CAPACITY FOR LIQUIDS, GRAIN, FRUIT, ETC.

Liquid.

8.655 cubic inches.....	1 gill.
4 gills.....	1 pint.
2 pints.....	1 quart.
4 quarts, or 277.274 cubic inches..	1 gallon.

Dry.

2 gallons.....	1 peck.
4 pecks, or 2218.192 cubic in... 1 bushel.	
8 bushels.....	1 quarter.
5 quarters.....	1 load.

MEASURE OF WEIGHT.

Troy, by which Gold, Silver, and precious Stones are weighed.

24 grains.....	1 pennyweight.
20 pennyweights.....	1 ounce.
12 ounces.....	1 pound.

Avoirdupois, or the general Measure of Weight.

27.34375 troy grains.....	1 drachm
16 drachms.....	1 ounce.
16 ounces.....	1 pound.
14 pounds.....	1 stone.
2 stones.....	1 quarter
4 quarters, or 112 lbs.....	1 cwt.
20 cwt.....	1 ton.

COMPARATIVE VALUES BETWEEN THE PRESENT AND FORMER MEASURES OF CAPACITY.

Formerly the wine gallon contained 231 cubic inches, the ale gallon 282, and the corn bushel 2150.42; hence the imperial gallon = 1.20032 old wine gallon, or .9689 old ale gallon; and the imperial bushel = 1.031516 of the former bushels nearly.

The following tables exhibit the quantity, in imperial measure, equivalent to a certain name or given number of gallons, old measure:—

Old measure for wine, spirits, &c.	Imperial measure.
10 gals. = 1 anker	galls. qts. pts. gills.
18 " = 1 rundl.	= 8 1 0 2
42 " = 1 tierce	= 14 3 1 3
63 " = 1 hogsh.	= 34 3 1 3
84 " = 1 punch.	= 52 1 1 3
126 " = 1 pipe or butt	= 69 3 1 3
104 " = 1 tun	= 104 3 1 3
252 " = 1 tun	= 252 3 1 3

Old measure for ale and beer.	Imperial measure.			
gals. = 1 firkin	galls. qts. pts. gills.			
18 = 1 kild.	= 18	1	0	2
36 = 1 barrel	= 36	2	0	3
54 = 1 hogsh.	= 54	3	1	1
72 = 1 pun.	= 73	0	1	3
108 = 1 butt	= 109	3	0	3

Old dry measure.	Imperial measure.			
bush. pks. gal. qts. pts. gills.				
2 bush. = 1 strike	= 1	3	1	2
8 = 1 qr.	= 7	3	0	0
32 = 1 chal.	= 31	0	0	1
36 = 1 coal				
	chal. = 34	3	1	0
40 = 1 wey	= 38	3	0	0
80 = 1 last	= 77	2	0	1

MISCELLANEOUS MEASURES FOR VARIOUS PURPOSES.

A load of unhewn timber	40 cubic ft.
A load of squared timber	50
A load of inch boards	600 sq. ft.
A load of two-inch planks	300 —
A hundred of deals	120 in num.
A hundred of nails	120 —
A thousand of nails	1200 —
A load of bricks	500 —
A load of lime	32 bushels.
A load of sand	36 —
A sack of potatoes, or coals	224 lbs.
A bushel of salt or flour	56 —
A bushel of wheat	60 —
A bushel of barley	50 —
A bushel of oats	40 —

A Spanish and Polish mile is about 3½ English. A Swedish, Danish, and Hungarian mile is from 5 to 6 English miles. A Russian mile or verst is about ½ of an English mile; and the French toise is about 6 feet.

The Dutch mile is	8101 yards.
Roman	1628 "
Arabian	2143 "
Persian Parasang	6086 "

FRENCH MEASURES.

MODERN SYSTEM.

Comparative Table of French Metres
reduced to English feet.

Metre.	Met.	Eng. Meas.	
		Ft.	In.
1 is written	1.000 equals	3	3.4
2 "	2.000	= 6	6.74
3 "	3.000	= 9	10.11
4 "	4.000	= 13	1.46
5 "	5.000	= 16	4.83
6 "	6.000	= 19	8.22
7 "	7.000	= 22	11.50
8 "	8.000	= 26	2.96
9 "	9.000	= 29	6.33
10 "	10.000	= 32	9.70

Metrical Measures.	Eng. Meas.	
Decimetre.	Met.	Ft. In.
1 is written	0.100 equals	0 3.94
2 "	0.200	= 0 7.87
3 "	0.300	= 0 11.81
4 "	0.400	= 1 3.75
5 "	0.500	= 1 7.69
6 "	0.600	= 1 11.62
7 "	0.700	= 2 3.56
8 "	0.800	= 2 7.50
9 "	0.900	= 2 11.43
10 "	1.000	= 3 3.37

Centimetre.	Eng. Meas.	
1 is written	0.010	= 0 0.39
2 "	0.020	= 0 0.79
3 "	0.030	= 0 1.18
4 "	0.040	= 0 1.58
5 "	0.050	= 0 1.97
6 "	0.060	= 0 2.36
7 "	0.070	= 0 2.76
8 "	0.080	= 0 3.15
9 "	0.090	= 0 3.54
10 "	0.100	= 0 3.94

Units of the French Measures compared
with English Imperial Measures.

The are, or unit of superficial measure
= 119 square yards.

The stère, or unit for the sale of wood
= 35.31716 cubic feet.

The litre, or unit of measure for liquids
= 61.028 cubic inches, or 0.2201 of an
imperial gallon.

The gramme, or unit of weight = 15.432
troy grains, or 0.02205 of a pound avoirdupois.

The kilogramme = 2.205 pounds avoirdupois.

MEASURE OF SURFACE.

1 milliare	1196 sq. yds.
10 milliares	1 centiare, or 1 sq. metre.
10 centiares	1 deciare.
10 deciares	1 are.
10 ares	1 decare.
10 decares	1 hectare.
	or 2.473814 imperial acres.
	The are is a square decametre.

MEASURE FOR THE SALE OF WOOD.

1 millistere	0.003317 cubic ft.
10 millistères	1 centistere.
10 centistères	1 decistere.
10 decistères	1 stère.
10 stères	1 decastère.
10 decastères	1 hectostère.
10 hectostères	1 kilostère.
10 kilostères	1 myriastère.

The stère is a cubic metre.

MEASURES OF CAPACITY.

1 millilitre061028 cub. in.
10 millilitres	1 centilitre.
10 centilitres	1 decilitre.
10 decilitres	1 litre.
10 litres	1 decalitre.
10 decalitres	1 hectolitre.
10 hectolitres	1 kilolitre.
10 kilolitres	1 myrialitre.

The litre is a cubic decimetre.

MEASURES OF WEIGHT.

1 milligramme015438 troy gra.
10 milligrammes	1 centigramme.
10 centigrammes	1 decigramme.
10 decigrammes	1 gramme.
10 grammes	1 decagramme.
10 decagrammes	1 hectogramme.
10 hectogrammes	1 kilogramme.
10 kilogrammes	1 myriagramme.

A gramme is the weight of a cubic centimetre of distilled water in vacuo at its maximum density, or at 39° Fahrenheit.

PARALLEL OF FRENCH AND ENGLISH SCALES.




TABLE showing the Cubical Contents of 11-Inch Planks, 9-Inch Deals, and 7-Inch Battens, of 2½ and 3 Inches in thickness.

Length in feet.	Planks, 11 by 2½ in.	Deals, 9 by 2½ in.	Battens, 7 by 2½ in.	Planks, 11 by 3 in.	Deals, 9 by 3 in.	Battens, 7 by 3 in.
	ft. in. pts.	ft. in. pts.	ft. in. pts.	ft. in. pts.	ft. in. pts.	ft. in. pts.
8	1 6 4	1 3 0	0 11 8	1 10 0	1 6 0	1 2 0
10	1 10 11	1 6 9	1 2 7	2 3 6	1 10 6	1 5 6
12	2 3 6	1 10 6	1 5 6	2 9 0	2 3 0	1 9 0
14	2 8 1	2 2 3	1 8 5	3 2 6	2 7 6	2 0 6
16	3 0 8	2 6 0	1 11 4	3 8 0	3 0 0	2 4 0
18	3 5 3	2 9 9	2 2 3	4 1 6	3 4 6	2 7 6
20	3 9 10	3 1 6	2 5 2	4 7 0	3 9 0	2 11 0
Showing the Number of each to equal a Load of 50 cubic feet.						
8	32½	40	51½	27½	33½	43
10	26½	32	41½	22	26½	34½
12	22	26½	34½	18½	22½	28½
14	18½	23	29½	15½	19	24½
16	16½	20	25½	13½	16½	21½
18	14½	17½	23	12½	15	19
20	13	16	20½	11	13½	16½

A TABLE showing the Number of Feet Run of Scantlings of various Sizes, each of which are equal to a Cubic Foot.

Length in feet.	Lateral dimensions in inches.	Length in feet.	Lateral dimensions in inches.	Length in feet.	Lateral dimensions in inches.	Length in feet.	Lateral dimensions in inches.
144	1 by 1	16	3 by 3	16	6 by 1½	4	8 by 4½
90	1½ by 1	14	3½ by 3	12	6 by 2	3	8 by 6
64	1½ by 1½	36	4 by 1	10	6 by 2½	8	9 by 2
72	0 by 1	24	4 by 1½	8	6 by 3	4	9 by 4
48	2 by 1½	18	4 by 2	6	6 by 4	6	10 by 2½
36	2 by 2	15	4 by 2½	6	6 by 5	5	10 by 3
29	2½ by 2½	12	4 by 3	8	7 by 2½	4	10 by 3½
24	2½ by 2½	10	4 by 3½	7	7 by 3	2	11 by 6½
20	2½ by 2½	9	4 by 4	5	7 by 4	6	12 by 2
48	2 by 1	15	5 by 2	4	7 by 5½	4	12 by 3
32	3 by 1½	12	5 by 2½	3	7 by 7	3	12 by 4
24	3 by 2	10	5 by 3	9	8 by 2	2	12 by 6
20	3 by 2½	7	5 by 4	4½	8 by 4	1½	12 by 8

TABLE of Specific Gravity.

METALS.				STONES, EARTHS, ETC.			
Names.	Weight, water being 1000.	Number of cubic inches in a lb.	Weight of a cubic inch in lbs.	Names.	Weight, water being 1000.	Weight of a cubic foot in lbs.	Number of cubic feet in a ton.
Platina	19500	1.417	.7053	Marble, average	2720	170.00	13
Pure gold	19253	1.435	.6965	Granite, ditto	2651	165.68	13½
Mercury	13660	2.638	.4904	Purbeck stone	2601	162.56	13¼
Lead	11352	2.435	.4105	Portland ditto	2570	160.62	14
Pure silver	10474	2.638	.3789	Bristol ditto	2554	159.62	14
Bismuth	9823	2.814	.3552	Millstone	2484	155.25	14½
Copper, cast	8782	3.146	.3178	Paving stone	2415	150.93	14½
— sheet	8910	3.103	.3225	Craigleith ditto	2362	147.62	15
Brass, cast	7894	3.533	.3086	Grindstone	2143	133.93	16½
— sheet	8596	3.256	.3057	Chalk, British	2701	173.81	12½
Iron, cast	7884	3.406	.265	Brick	2000	125.00	17
— bar	7700	3.592	.279	Coal, Scotch	1300	81.15	27½
Steel, soft	7833	3.530	.2833	— Newcastle	1270	79.37	28½
— hard	7816	3.537	.2827	— Staffordshire	1240	77.50	29
Tin, cast	7291	3.790	.2636	— Cannel	1238	77.37	29
Zinc, cast	7190	3.845	.26				
WOODS.				LIQUIDS.			
Names.	Weight, water being 1000.	Weight of a cubic foot in lbs.	Number of cubic feet in a ton.	Names.	Weight, water being 1000.	Weight of an imperial gallon in lbs.	
Lignum vite	1333	83.31	26½	Acid, sulphuric	1850	118.5	
Box, French	1328	83.00	27	— nitric	1271	12.7	
— Dutch	912	56.00	36½	— muriatic	1200	12.0	
Ebony, Indian	1209	75.56	32½	— fluoric	1060	10.6	
— American	1331	83.18	27	— citric	1034	10.3	
Oak, just felled	1113	69.56	32½	— acetic	1062	10.6	
— seasoned	743	46.43	48½	Water from the Baltic	1015	10.2	
Bog oak of Ireland	1046	65.37	34½	— from the Dead Sea	1240	12.4	
Mahogany, Spanish	1063	66.43	33½	— from the Medi- terranean	1029	10.3	
— bay wood	637	39.81	56½	— from the Irish Channel	1028	10.2	
Medlar tree	944	59.00	38	— ice	1001	10.1	
Logwood	913	57.06	39½	— distilled	1000	10.0	
Olive tree	927	57.93	39½	Oils, expressed			
Beech	852	53.25	42	linseed	940	9.4	
Ash	845	52.81	42½	sweet almond	932	9.3	
Alder	800	50.00	44½	— whole	923	9.2	
Apple tree	793	49.56	45½	hempseed	926	9.3	
Plum tree	755	47.18	47½	olive	916	9.2	
Maple	752	47.00	47½	Oils, essential			
Teak	750	46.87	48	cinnamon	1042	10.4	
Cherry tree	715	44.63	50	lavender	894	8.9	
Elm	673	42.06	53½	turpentine	870	8.7	
Walnut	671	41.93	53½	amber	868	8.7	
Red pine	657	40.76	54½	Alcohol of commerce, at 60° Fahrenheit	825	8.2	
Yellow do.	652	40.76	55	Alcohol, absolute	797	7.9	
Pear tree	650	40.62	55	Ether, nitric	906	9.1	
Sycamore, chestnut, and lime tree, each	604	37.75	59½	— muriatic	729	7.2	
Willow	585	36.50	61½	Proof spirit	822	8.2	
Poplar, white Spank	529	33.06	67	Tar	1015	10.1	
— common	383	23.93	93	Vinegar, distilled	1009	10.1	
Cedar	561	33.66	64				
White pine	551	34.43	65				
Larch	530	33.02	68				
Cork	240	15.00	149				

ELASTIC FLUIDS, OR GASES,

Atmospheric air being the standard, or 1000.

Hydriodic acid gas	4340	Carbonic oxide, and carburated hy-	
Chlorine gas	2500	drogen gas, each	972
Carbonic acid, and nitrous oxide gas,		Prussic acid gas	997
each	1267	Ammoniacal gas	880
Cyanogen gas	1808	Hydrogen gas	69
Oxygen gas	1111	Steam of water at 212°	623

TABLE exhibiting the Weight of a Lineal Foot of Square and Round Bar Iron.

Side and diameter, in inches.	Square, in lbs.	Number of lineal feet in 1 cwt.	Round, in lbs.	Number of lineal feet in 1 cwt.	Side and diameter, in inches.	Square, in lbs.	Number of lineal feet in 1 cwt.	Round, in lbs.	Number of lineal feet in 1 cwt.
$\frac{1}{16}$.209	536	.164	683	$3\frac{1}{2}$	32.618	$3\frac{1}{2}$	25.620	$4\frac{1}{2}$
$\frac{1}{8}$.326	343	.256	437	$3\frac{3}{4}$	35.279	3	27.709	4
$\frac{3}{16}$.470	238	.369	303	$3\frac{5}{8}$	38.045	3	29.881	$3\frac{3}{4}$
$\frac{1}{4}$.640	175	.503	224	$3\frac{7}{8}$	40.916	$2\frac{3}{4}$	32.170	$3\frac{1}{2}$
$\frac{5}{16}$.835	134	.656	170	$3\frac{9}{8}$	43.890	$2\frac{1}{2}$	34.472	$3\frac{1}{4}$
$\frac{3}{8}$	1.057	106	.831	134	$3\frac{11}{8}$	46.969	$2\frac{1}{4}$	36.895	3
$\frac{7}{16}$	1.305	86	1.025	109	$3\frac{13}{8}$	50.153	$2\frac{1}{4}$	39.390	$2\frac{3}{4}$
$\frac{1}{2}$	1.579	71	1.241	90	4	53.440	2	41.984	$2\frac{1}{2}$
$\frac{9}{16}$	1.879	59	1.476	76	$4\frac{1}{8}$	56.833	2	44.637	$2\frac{1}{4}$
$\frac{5}{8}$	2.205	51	1.732	64	$4\frac{1}{4}$	60.329	$1\frac{3}{4}$	47.385	$2\frac{1}{4}$
$\frac{11}{16}$	2.558	44	2.011	55	$4\frac{3}{8}$	63.930	$1\frac{3}{4}$	50.211	$2\frac{1}{4}$
$\frac{3}{4}$	2.936	38	2.306	48	$4\frac{5}{8}$	67.637	$1\frac{3}{4}$	53.132	$2\frac{1}{4}$
$\frac{7}{8}$	3.340	33	2.624	42	$4\frac{7}{8}$	71.445	$1\frac{3}{4}$	56.118	2
1	4.228	26	3.321	33	$4\frac{9}{8}$	75.359	$1\frac{3}{4}$	59.187	$1\frac{3}{4}$
$1\frac{1}{8}$	5.219	21	4.099	27	$4\frac{11}{8}$	79.378	$1\frac{3}{4}$	62.344	$1\frac{3}{4}$
$1\frac{1}{4}$	6.315	17	4.961	22	5	83.510	$1\frac{3}{4}$	65.585	$1\frac{3}{4}$
$1\frac{1}{2}$	7.516	15	5.913	19	$5\frac{1}{8}$	92.469	$1\frac{3}{4}$	72.618	$1\frac{3}{4}$
$1\frac{3}{8}$	8.820	12	6.928	16	$5\frac{3}{8}$	101.036	$1\frac{3}{4}$	79.370	$1\frac{3}{4}$
$1\frac{1}{2}$	10.229	11	8.043	14	$5\frac{5}{8}$	110.429	1	86.731	$1\frac{3}{4}$
$1\frac{7}{8}$	11.743	9	9.224	12	6	120.243		94.610	$1\frac{3}{4}$
2	13.360	8	10.496	10					
$2\frac{1}{8}$	15.088	7	11.846	8					
$2\frac{1}{4}$	16.909	6	13.283	7					
$2\frac{3}{8}$	18.840	6	14.797	7					
$2\frac{1}{2}$	20.875	5	16.396	6					
$2\frac{5}{8}$	23.115	5	18.146	6					
$2\frac{3}{4}$	25.259	4	19.842	5					
$2\frac{7}{8}$	27.608	4	21.684	5					
3	30.070	3	23.653	4					

NOTE.—The weight of bar iron being 1;
 The weight of cast iron = .95
 — steel = 1.02
 — copper = 1.16
 — brass = 1.09
 — lead = 1.48

TABLE of the Weight of a Lineal Foot of Flat Bar Iron, in lbs.

Broadth in inches.	Thickness, in parts of an inch.								
	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	1
1	.835	1.044	1.253	1.461	1.670	2.088	2.506	2.923	3.340
1 $\frac{1}{8}$.939	1.174	1.409	1.644	1.878	2.348	2.818	3.287	3.756
1 $\frac{1}{4}$	1.044	1.305	1.566	1.826	2.088	2.609	3.132	3.653	4.176
1 $\frac{3}{8}$	1.148	1.435	1.722	2.009	2.296	2.870	3.444	4.018	4.592
1 $\frac{1}{2}$	1.252	1.566	1.879	2.192	2.504	3.131	3.758	4.384	5.009
1 $\frac{3}{4}$	1.353	1.696	2.035	2.374	2.716	3.392	4.070	4.749	5.428
1 $\frac{7}{8}$	1.452	1.827	2.192	2.557	2.924	3.653	4.384	5.114	5.845
2	1.556	1.957	2.348	2.740	3.132	3.914	4.696	5.479	6.264
2 $\frac{1}{8}$	1.671	2.088	2.505	2.922	3.342	4.175	5.010	5.845	6.684
2 $\frac{1}{4}$	1.775	2.218	2.662	3.105	3.550	4.435	5.324	6.210	7.100
2 $\frac{3}{8}$	1.880	2.348	2.818	3.288	3.760	4.696	5.636	6.575	7.520
2 $\frac{1}{2}$	1.984	2.479	2.975	3.470	3.968	4.957	5.950	6.941	7.936
2 $\frac{3}{4}$	2.088	2.609	3.131	3.653	4.176	5.218	6.262	7.306	8.352
2 $\frac{7}{8}$	2.193	2.740	3.288	3.836	4.386	5.479	6.576	7.671	8.772
3	2.297	2.870	3.444	4.018	4.594	5.740	6.888	8.036	9.188
3 $\frac{1}{8}$	2.402	3.001	3.601	4.201	4.804	6.001	7.202	8.402	9.608
3 $\frac{1}{4}$	2.506	3.131	3.758	4.384	5.012	6.262	7.516	8.767	10.024
3 $\frac{3}{8}$	2.715	3.392	4.071	4.749	5.430	6.784	8.142	9.498	10.860
3 $\frac{1}{2}$	2.923	3.653	4.384	5.114	5.845	7.306	8.768	10.228	11.692
3 $\frac{3}{4}$	3.132	3.914	4.697	5.479	6.264	7.823	9.384	10.945	12.528
4	3.341	4.175	5.010	5.845	6.682	8.350	10.020	11.690	13.364
4 $\frac{1}{8}$	3.549	4.436	5.323	6.210	7.098	8.871	10.646	12.421	14.196
4 $\frac{1}{4}$	3.758	4.697	5.636	6.575	7.516	9.393	11.272	13.151	15.032
4 $\frac{3}{8}$	3.966	4.908	5.949	6.941	7.932	9.915	11.898	13.881	15.864
4 $\frac{1}{2}$	4.175	5.219	6.263	7.306	8.350	10.437	12.526	14.612	16.700
4 $\frac{3}{4}$	4.384	5.479	6.576	7.671	8.768	10.958	13.152	15.343	17.536
5	4.593	5.741	6.889	8.037	9.186	11.480	13.778	16.073	18.372
5 $\frac{1}{8}$	4.801	6.001	7.202	8.402	9.602	12.002	14.404	16.804	19.204
5 $\frac{1}{4}$	5.010	6.262	7.515	8.767	10.020	12.524	15.030	17.535	20.042

TABLE of the Weight of a Superficial Foot of various Metals, in lbs.

Names.	Thickness by the Birmingham Wire Gauge.														
	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15
Iron....	12.50	12.00	11.00	10.00	8.74	8.12	7.50	6.86	6.24	5.62	5.00	4.38	3.75	3.12	2.50
Copper..	14.50	13.90	12.75	11.60	10.10	9.40	8.70	7.90	7.30	6.50	5.80	5.08	4.34	3.60	2.87
Brass...	13.75	13.20	12.10	11.00	9.61	8.93	8.25	7.54	6.86	6.18	5.50	4.81	4.12	3.43	2.74

	Thickness by the Wire Gauge.														
	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30
Iron....	2.50	2.18	1.86	1.70	1.54	1.40	1.25	1.12	1.00	.90	.80	.72	.64	.56	.5
Copper...	2.90	2.52	2.15	1.97	1.78	1.62	1.45	1.30	1.16	1.04	.92	.83	.74	.64	.58
Brass...	2.75	2.40	2.04	1.87	1.69	1.54	1.37	1.23	1.10	.99	.88	.79	.70	.61	.55

	Thickness, in parts of an inch.									
	$\frac{1}{16}$	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	$\frac{7}{16}$	$\frac{1}{2}$	$\frac{5}{8}$	1
Iron....	2.5	5.	7.5	10.	12.5	15.	17.5	20.	25.	30.
Copper...	2.9	5.8	8.7	11.6	14.5	17.4	20.3	23.2	28.9	34.7
Brass...	2.7	5.5	8.3	10.9	13.6	16.3	19.0	21.8	27.1	32.5
Lead...	3.7	7.4	11.1	14.8	18.5	22.2	25.9	29.6	37.0	44.4

NOTE.—The weight of cast iron being 1;
 The weight of bar iron = 1.07
 — steel = 1.08
 — brass = 1.16
 — copper = 1.31
 — lead = 1.56

The weight of dry deal or yellow pine being 1;
 The weight of cast iron = 11.
 — brass = 12.
 — copper = 13.
 — lead = 15.

TABLE of the Weight of a Lineal Foot of Cast Iron Pipes, in lbs.

Diameter of bore, in inches.	Thickness of the Metal, in inches.							
	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	1	1 $\frac{1}{2}$	1 $\frac{3}{4}$
2	8.8	12.3	16.1	20.3				
2 $\frac{1}{2}$	10.6	14.7	19.2	23.9				
3	12.4	17.2	22.2	27.6	33.3	39.3	45.6	
3 $\frac{1}{2}$	14.2	19.6	25.3	31.3	37.6	44.2	51.1	
4	16.1	22.1	28.4	35.0	41.9	49.1	56.6	64.4
4 $\frac{1}{2}$	18.0	24.5	31.4	38.7	46.2	54.0	62.1	70.6
5	19.8	27.0	34.5	42.3	50.5	58.9	67.6	76.7
5 $\frac{1}{2}$	21.6	29.5	37.6	46.0	54.8	63.8	73.2	82.8
6	23.5	31.9	40.7	49.7	59.1	68.7	78.7	88.8
6 $\frac{1}{2}$	25.3	34.4	43.7	53.4	63.4	73.4	84.2	95.1
7	27.2	36.8	46.8	56.8	67.7	78.5	89.7	101.2
7 $\frac{1}{2}$	29.0	39.1	49.9	60.7	72.0	83.5	95.3	107.4
8	30.8	41.7	52.9	64.4	76.2	88.4	100.8	113.5
8 $\frac{1}{2}$	32.9	44.4	56.2	68.3	80.8	93.5	106.5	119.9
9	34.5	46.6	59.1	71.8	84.8	98.2	111.8	125.8
9 $\frac{1}{2}$	36.3	49.1	62.1	75.5	89.1	103.1	117.4	131.9
10	38.2	51.5	65.2	79.2	93.4	108.0	122.8	138.1
10 $\frac{1}{2}$...	54.0	68.2	82.8	97.7	112.9	128.4	144.2
11	...	56.4	71.3	86.5	102.0	117.8	133.9	150.3
11 $\frac{1}{2}$...	58.9	74.3	90.1	106.8	122.7	139.4	156.4
12	...	61.3	77.4	93.6	110.6	127.6	145.0	162.6
13	82.7	101.2	118.2	137.4	154.1	173.5
14	89.3	108.2	126.5	146.2	165.3	185.2
15	95.2	115.7	135.3	156.2	176.2	193.1
16	123.3	143.1	166.1	187.5	211.3
17	130.2	152.5	178.5	198.2	223.4
18	137.0	161.2	185.3	209.1	235.6
19	169.2	195.7	222.3	247.1
20	178.1	205.2	233.2	259.0
21	214.1	243.5	273.2
22	223.0	254.8	285.4
23	233.4	265.5	298.3
24	245.2	277.5	310.6

NOTE.—The weight of the two flanges of a pipe are generally reckoned equal to the weight of one foot in length.

Weight, in lbs., required to crush 1 $\frac{1}{2}$ Inch Cubes of Stone and other Bodies.

	lbs.		lbs.
Chalk	1,127	Bromley Fell sandstone	13,630
Red brick	1,817	Cornish granite	14,302
Derby grit	7,070	Dundee sandstone	14,918
Portland stone	10,284	Compact limestone	17,354
Craigleith stone	12,346	Purbeck stone	20,610
Yorkshire paving stone	12,856	Black Brabant marble	20,742
White statuary marble	13,632	Very hard freestone	21,254

CAST-IRON COLUMNS.

TABLE showing the diameter of a solid Column or Cylinder of CAST IRON required, according to its length or height to support a given extent of flooring, &c., or a given weight.

1.—Diameter of column 2 inches.

Length or height in feet.	6	8	10	12	14	16
Load in cwts.	61	50	40	32	26	22
Extent of floor, &c., in sup. ft. at $1\frac{1}{2}$ cwt. per sup. foot	40 $\frac{1}{2}$	33 $\frac{1}{2}$	26 $\frac{1}{2}$	21 $\frac{1}{2}$	17 $\frac{1}{2}$	14 $\frac{1}{2}$
Do. do. at 2 cwt. per sup. foot	30 $\frac{1}{2}$	25	20	16	13	11
Do. do. at 3 cwt. per sup. foot	20 $\frac{1}{2}$	16 $\frac{1}{2}$	13 $\frac{1}{2}$	10 $\frac{1}{2}$	8 $\frac{1}{2}$	7 $\frac{1}{2}$

2.—Diameter of column 2 $\frac{1}{2}$ inches.

Length or height in feet.	6	8	10	12	14	16
Load in cwts.	105	91	77	65	55	47
Extent of floor, &c., in sup. ft. at $1\frac{1}{2}$ cwt. per sup. foot	70	60 $\frac{1}{2}$	51 $\frac{1}{2}$	43 $\frac{1}{2}$	36 $\frac{1}{2}$	31 $\frac{1}{2}$
Do. do. at 2 cwt. per sup. foot	52 $\frac{1}{2}$	45 $\frac{1}{2}$	38 $\frac{1}{2}$	32 $\frac{1}{2}$	27 $\frac{1}{2}$	23 $\frac{1}{2}$
Do. do. at 3 cwt. per sup. foot	36	30 $\frac{1}{2}$	25 $\frac{1}{2}$	21 $\frac{1}{2}$	18 $\frac{1}{2}$	15 $\frac{1}{2}$

3.—Diameter of column 3 inches.

Length or height in feet.	6	8	10	12	14	16
Load in cwts. . . .	163	145	128	111	97	84
Extent of floor, &c., in sup. ft. at $1\frac{1}{2}$ cwt. per sup. foot	106 $\frac{1}{2}$	96 $\frac{1}{2}$	85 $\frac{1}{2}$	74	64 $\frac{1}{2}$	56
Do. do. at 2 cwt. per sup. foot	81 $\frac{1}{2}$	72 $\frac{1}{2}$	64	55 $\frac{1}{2}$	48 $\frac{1}{2}$	42
Do. do. at 3 cwt. per sup. foot	54 $\frac{1}{2}$	48 $\frac{1}{2}$	42 $\frac{1}{2}$	37	32 $\frac{1}{2}$	28

4.—Diameter of column $3\frac{1}{2}$ inches.

Length or height in feet.	6	8	10	12	14	16
Load in cwts. . . .	232	214	191	172	156	135
Extent of floor, &c., in sup. ft. at $1\frac{1}{2}$ cwt. per sup. foot	154 $\frac{1}{2}$	142 $\frac{1}{2}$	127 $\frac{1}{2}$	114 $\frac{1}{2}$	104	90
Do. do. at 2 cwt. per sup. foot	116	107	95 $\frac{1}{2}$	86	78	67 $\frac{1}{2}$
Do. do. at 3 cwt. per sup. foot	77 $\frac{1}{2}$	71 $\frac{1}{2}$	63 $\frac{1}{2}$	57 $\frac{1}{2}$	52	45

5.—Diameter of column 4 inches.

Length or height in feet.	6	8	10	12	14	16
Load in cwts. . . .	310	288	266	242	220	198
Extent of floor, &c., in sup. ft. at $1\frac{1}{2}$ cwt. per sup. foot	206 $\frac{1}{2}$	192	177 $\frac{1}{2}$	161 $\frac{1}{2}$	146 $\frac{1}{2}$	132
Do. do. at 2 cwt. per sup. foot	155	144	133	121	110	99
Do. do. at 3 cwt. per sup. foot	103 $\frac{1}{2}$	96	88 $\frac{1}{2}$	80 $\frac{1}{2}$	73 $\frac{1}{2}$	66

6.—Diameter of column $4\frac{1}{2}$ inches.

Length or height in feet.	6	8	10	12	14	16
Load in cwts. . . .	400	379	354	327	301	275
Extent of floor, &c., in sup. ft. at $1\frac{1}{2}$ cwt. per sup. foot	266 $\frac{3}{4}$	252 $\frac{3}{4}$	236	218	200 $\frac{3}{4}$	183 $\frac{1}{2}$
Do. do. at 2 cwt. per sup. foot	200	189 $\frac{1}{2}$	177	163 $\frac{1}{2}$	150 $\frac{1}{2}$	137 $\frac{1}{2}$
Do. do. at 3 cwt. per sup. foot	133 $\frac{1}{2}$	126 $\frac{1}{2}$	118	109	100 $\frac{1}{2}$	91 $\frac{1}{2}$

7.—Diameter of column 5 inches.

Length or height in feet.	6	8	10	12	14	16
Load in cwts. . . .	501	479	452	427	394	365
Extent of floor, &c., in sup. ft. at $1\frac{1}{2}$ cwt. per sup. foot	334	319 $\frac{1}{2}$	301 $\frac{1}{2}$	284 $\frac{3}{4}$	262 $\frac{3}{4}$	243 $\frac{1}{2}$
Do. do. at 2 cwt. per sup. foot	250 $\frac{1}{2}$	239 $\frac{1}{2}$	226	213 $\frac{1}{2}$	197	182 $\frac{1}{2}$
Do. do. at 3 cwt. per sup. foot	167	159 $\frac{3}{4}$	150 $\frac{3}{4}$	142 $\frac{1}{2}$	131 $\frac{1}{2}$	121 $\frac{3}{4}$

8.—Diameter of column 6 inches.

Length or height in feet.	6	8	10	12	14	16
Load in cwts. . . .	592	578	550	525	497	469
Extent of floor, &c., in sup. ft. at $1\frac{1}{2}$ cwt. per sup. foot	394 $\frac{3}{4}$	382	366 $\frac{3}{4}$	350	331 $\frac{1}{2}$	312 $\frac{3}{4}$
Do. do. at 2 cwt. per sup. foot	296	286 $\frac{1}{2}$	275	262 $\frac{1}{2}$	248 $\frac{1}{2}$	234 $\frac{1}{2}$
Do. do. at 3 cwt. per sup. foot	197 $\frac{1}{2}$	191	183 $\frac{1}{2}$	175	165 $\frac{3}{4}$	156 $\frac{3}{4}$

9.—Diameter of column 7 inches.

Length or height in feet.	6	8	10	12	14	16
Load in cwts. . . .	1013	989	959	924	887	848
Extent of floor, &c., in sup. ft. at 1½ cwt. per sup. foot	675½	659½	639½	616	591½	564½
Do. do. at 2 cwt. per sup. foot	506½	494½	479½	462	443½	424
Do. do. at 3 cwt. per sup. foot	337½	329½	319½	308	295½	282½

10.—Diameter of column 8 inches.

Length or height in feet.	6	8	10	12	14	16
Load in cwts. . . .	1315	1289	1259	1224	1185	1142
Extent of floor, &c., in sup. ft. at 1½ cwt. per sup. foot	876½	859½	839½	816	790	761½
Do. do. at 2 cwt. per sup. foot	657½	644½	629½	612	592½	571
Do. do. at 3 cwt. per sup. foot	438½	429½	419½	408	395	380½

LIST OF GAUGES AND WEIGHTS OF GALVANIZED TINNED IRON SHEETS,
In London or Liverpool.

Size.	No. Wire Gauge.	Weight per square ft.	Price of Galvanized Tinned Iron, per Ton.	Price of "Best" Galvanized Tinned Iron, per Ton.
6 ft. × 2 ft.	12	about 72 oz.	£ s. d. 22 10 0	£ s. d. 26 0 0
"	14	" 56 "	22 10 0	26 0 0
"	16	" 40 "	22 10 0	26 0 0
"	18	" 34 "	24 0 0	27 10 0
"	20	" 26 "	25 10 0	29 0 0
"	22	" 21 "	29 0 0	32 10 0
"	24	" 17 "	29 0 0	32 10 0
"	26	" 15 "	32 10 0	36 0 0
"	28	" 12 "	35 10 0	39 0 0
4 ft. × 20 in.	30	" 10 "	...	48 0 0
"	32	" 9 "	...	53 0 0

TABLE showing approximately the Diameter and Thickness of Metal of Hollow Columns of Cast Iron which will support given weights, and given extent of Flooring, &c.

The height of column for which these dimensions are calculated is 10 ft.; but they may be safely adopted up to 12 ft., above which an allowance should be made.

Outside diameter of column.	Thick-ness of metal.	Weight supported.	Extent of flooring, &c., in sup. feet.		
			1½ cwt. to a foot.	2 cwt. to a foot.	3 cwt. to a foot.
Inches.	Inches.	Tons. cwt.			
3	$\frac{1}{2}$	3 0	40	30	20
	$\frac{3}{4}$	4 10	60	45	30
	1	6 0	80	60	40
3½	$\frac{1}{2}$	3 15	50	37	25
	$\frac{3}{4}$	6 0	80	60	40
	1	7 15	103	77	52
4	$\frac{1}{2}$	4 5	51	42	28
	$\frac{3}{4}$	7 0	98	70	47
	1	9 10	127	95	63
4½	$\frac{1}{2}$	6 0	80	60	40
	$\frac{3}{4}$	8 15	117	87	58
	1	11 5	150	112	75
5	$\frac{1}{2}$	6 10	87	65	43
	$\frac{3}{4}$	9 15	130	97	65
	1	13 0	173	130	87
5½	$\frac{1}{2}$	7 0	93	70	47
	$\frac{3}{4}$	11 5	150	112	75
	1	15 10	207	155	103
6	$\frac{1}{2}$	8 10	113	85	57
	$\frac{3}{4}$	13 0	173	130	87
	1	17 10	233	175	117
6½	$\frac{1}{2}$	9 10	127	95	63
	$\frac{3}{4}$	14 15	197	147	98
	1	20 0	267	200	133
7	$\frac{1}{2}$	10 5	137	102	68
	$\frac{3}{4}$	16 0	213	160	107
	1	21 10	287	215	143
8	$\frac{1}{2}$	13 10	187	147	98
	$\frac{3}{4}$	23 15	290	237	145
	1	27 10	367	275	183

TABLE of Cast-Iron Columns—continued.

Outside diameter of column.	Thickness of metal.	Weight supposed.	Extent of flooring, &c., in sup. feet.		
			1½ cwt. to a foot.	2 cwt. to a foot.	3 cwt. to a foot.
Inches.	Inches.	Tons. cwt.			
9	1	22 10	300	225	150
	1	26 10	353	265	177
	1½	35 0	467	350	233½
10	1	27 10	367	275	183
	1½	51 0	680	510	340
11	1	32 10	433	325	217
	1½	55 0	733	550	367
12	1	38 0	507	380	253
	1½	62 10	833	625	417
13	1	47 10	633	475	317
	1½	70 0	933	700	467
14	1	52 10	700	525	350
	1½	78 0	1040	780	520
15	1	56 10	753	565	377
	1½	85 0	1133	850	567
16	1	61 0	813	610	407
	1½	90 0	1200	900	600
17	1	65 10	873	655	437
	1½	95 0	1267	950	633
18	1	72 0	960	720	480
	1½	100 0	1333	1000	667

On the following page is a Table of stanchions of the same material. The form of stanchion which has been selected is shown in Figs. 20 and 21, and is one which is worthy of recommendation wherever a stanchion is preferred to a column. The flanges which are shown as dividing the length of the stanchion into three equal parts are found to add considerably to the strength of the casting, in resisting the tendency of its load to produce deflection from the vertical position.

The three tables of solid columns, hollow columns, and stanchions (all of cast iron), are calculated to support loads to the same extent as hereinafter assumed for girders; viz., allowing 1½ cwt. per superficial foot of flooring for one class of buildings, and 2½ cwt. for another class. To this load is added in each case ½ cwt. for the load of the columns and stanchions, so as to allow amply for the weight of the girders themselves.

In reference to these tables, and the formula upon which they are founded, it must, however, be remarked, that they are probably, to some extent im-

perfect. We believe that the strength diminishes in proportion as the length or height of the column is increased in a more rapid ratio than here assumed. And although, within the limits adopted in the tables, the error, if any, does not amount to much, and therefore the results may be safely accepted; yet, beyond the limits of proportion here stated, a different formula would be required.

TABLE showing the Dimensions for Cast-Iron Stanchions 10 ft. in Height or Length, and adapted to sustain Loads of $1\frac{1}{2}$ cwt., 2 cwt., and 3 cwt. per Superficial Foot.

Dimensions of Stanchions.		Load in cwt.	Extent of Flooring.		
Thickness of ribs or flanges.	Diameter of circle which will circumscribe the sectional area.		Allowing $1\frac{1}{2}$ cwt. per superficial foot.	Allowing 2 cwt. per superficial foot.	Allowing 3 cwt. per superficial foot.
Inches.	Inches.		Super. feet.	Super. feet.	Super. feet.
$\frac{3}{4}$	4	40	26 $\frac{1}{2}$	20	13 $\frac{1}{2}$
$\frac{1}{2}$	5	77	51 $\frac{1}{2}$	38 $\frac{1}{2}$	25 $\frac{1}{2}$
$\frac{1}{2}$	6	128	85 $\frac{1}{2}$	64	42 $\frac{1}{2}$
$\frac{1}{2}$	7	191	127 $\frac{1}{2}$	95 $\frac{1}{2}$	63 $\frac{1}{2}$
13-16ths	8	266	177 $\frac{1}{2}$	133	88 $\frac{1}{2}$
1	8	354	236	177	118
$1\frac{1}{4}$	9	452	301 $\frac{1}{2}$	226	150 $\frac{1}{2}$
$1\frac{1}{2}$	10	550	368 $\frac{1}{2}$	275	183 $\frac{1}{2}$
$1\frac{3}{4}$	12	959	639 $\frac{1}{2}$	479 $\frac{1}{2}$	319 $\frac{1}{2}$
$1\frac{1}{2}$	13	1259	839 $\frac{1}{2}$	629 $\frac{1}{2}$	419 $\frac{1}{2}$

TABLE I.

CAST-IRON MAIN GIRDERS, to support $1\frac{1}{2}$ Cwt. per Superficial Foot.

Extent of floor, &c., to be supported.			Permanent load distributed over surface.	Multiple of depth and area of bottom flange.	Dimensions of Girder.									
Length of girder.	Breadth of surface.	Surface.			Depth.	Bottom flange.				Top flange.			Rib.	
						D	B	b b	b	T	tt	t	R R	R
Feet.	Feet.	Sq. ft.	Tons. Cwts.	Sq. in.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
20	20	400	30 0	600	24	16	1 $\frac{1}{2}$	1 $\frac{1}{2}$	5 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$
					21	16	2 $\frac{1}{2}$	1 $\frac{1}{2}$	6 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$
					18	16	2 $\frac{1}{2}$	1 $\frac{1}{2}$	6 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$
					15	18	2 $\frac{1}{2}$	2 $\frac{1}{2}$	6 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$
					12	20	2 $\frac{1}{2}$	2 $\frac{1}{2}$	7	1 $\frac{1}{2}$	1 $\frac{1}{2}$	2	1 $\frac{1}{2}$	1 $\frac{1}{2}$
20	19	380	28 10	570	24	16	1 $\frac{1}{2}$	1 $\frac{1}{2}$	4 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					21	17	1 $\frac{1}{2}$	1 $\frac{1}{2}$	5 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1
					18	18	2 $\frac{1}{2}$	1 $\frac{1}{2}$	6 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$
					15	18	2 $\frac{1}{2}$	1 $\frac{1}{2}$	6 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$
					12	20	2 $\frac{1}{2}$	2 $\frac{1}{2}$	7	1 $\frac{1}{2}$	1 $\frac{1}{2}$	2	1 $\frac{1}{2}$	1 $\frac{1}{2}$
20	18	360	27 0	540	24	15	1 $\frac{1}{2}$	1 $\frac{1}{2}$	4	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					21	16	1 $\frac{1}{2}$	1 $\frac{1}{2}$	4 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					18	17	2	1 $\frac{1}{2}$	5	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					15	18	2 $\frac{1}{2}$	1 $\frac{1}{2}$	6	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$
					12	20	2 $\frac{1}{2}$	2	7	1 $\frac{1}{2}$	1 $\frac{1}{2}$	2	1 $\frac{1}{2}$	1 $\frac{1}{2}$
20	17	340	25 10	510	24	15	1 $\frac{1}{2}$	1 $\frac{1}{2}$	3 $\frac{1}{2}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					21	16	1 $\frac{1}{2}$	1 $\frac{1}{2}$	4	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					18	16	2	1 $\frac{1}{2}$	4 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					15	17	2 $\frac{1}{2}$	1 $\frac{1}{2}$	5 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					12	18	2 $\frac{1}{2}$	2 $\frac{1}{2}$	6	1 $\frac{1}{2}$	1 $\frac{1}{2}$	2	1 $\frac{1}{2}$	1
20	16	320	24 0	480	24	15	1 $\frac{1}{2}$	1	4	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					18	16	1 $\frac{1}{2}$	1 $\frac{1}{2}$	4 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					12	20	2 $\frac{1}{2}$	1 $\frac{1}{2}$	6	1 $\frac{1}{2}$	1 $\frac{1}{2}$	2	1 $\frac{1}{2}$	1
20	15	300	22 1	450	24	15	1 $\frac{1}{2}$	1	4	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					18	16	1 $\frac{1}{2}$	1 $\frac{1}{2}$	4 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					12	20	2 $\frac{1}{2}$	1 $\frac{1}{2}$	6	1 $\frac{1}{2}$	1 $\frac{1}{2}$	2	1 $\frac{1}{2}$	1
20	14	280	21 0	420	24	15	1 $\frac{1}{2}$	1	3 $\frac{1}{2}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					18	16	1 $\frac{1}{2}$	1 $\frac{1}{2}$	4 $\frac{1}{2}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					12	20	2	1 $\frac{1}{2}$	5 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1	1
20	13	260	19 10	390	24	14	1 $\frac{1}{2}$	1 $\frac{1}{2}$	3 $\frac{1}{2}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					18	16	2	1 $\frac{1}{2}$	4	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					12	17	2 $\frac{1}{2}$	1 $\frac{1}{2}$	5	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1	1
20	12	240	18 0	360	24	14	1 $\frac{1}{2}$	1	3	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					18	15	1 $\frac{1}{2}$	1 $\frac{1}{2}$	3 $\frac{1}{2}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					12	16	2 $\frac{1}{2}$	1 $\frac{1}{2}$	5	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1	1
20	11	220	15 10	330	24	14	1 $\frac{1}{2}$	1	3	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					18	15	1 $\frac{1}{2}$	1 $\frac{1}{2}$	3 $\frac{1}{2}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1
					12	16	2 $\frac{1}{2}$	1 $\frac{1}{2}$	4 $\frac{1}{2}$	1	1 $\frac{1}{2}$	1	1	1
20	10	200	15 0	300	24	13	1 $\frac{1}{2}$	1	2 $\frac{1}{2}$	1	1 $\frac{1}{2}$	1	1	1
					18	14	1 $\frac{1}{2}$	1 $\frac{1}{2}$	3	1	1 $\frac{1}{2}$	1	1	1
					12	15	1 $\frac{1}{2}$	1 $\frac{1}{2}$	4	1	1 $\frac{1}{2}$	1	1	1
19	19	361	27 1 $\frac{1}{2}$	513	24	16	1 $\frac{1}{2}$	1 $\frac{1}{2}$	4	1 $\frac{1}{2}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$
					18	17	2 $\frac{1}{2}$	1 $\frac{1}{2}$	5 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$
					12	18	2 $\frac{1}{2}$	2 $\frac{1}{2}$	6 $\frac{1}{2}$	1 $\frac{1}{2}$	1	1 $\frac{1}{2}$	1 $\frac{1}{2}$	1 $\frac{1}{2}$

TABLE I—continued.

Extent of floor, etc., to be sup- ported.			Permanent load dis- tributed over sur- face.	Multiple of depth and area of bot- tom flange.	Dimensions of Girder.									
Length of gir- der.	Breadth of sur- face.	Surface.			Depth.	Bottom flange.				Top flange.			Ribs.	
						D	R	bb	b	T	tt	t	RR	R
Feet.	Feet.	Sq. ft.	Tons. Cwts.	Sq. in.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
19	18	342	25 13	400	18 15 12	16 14 12	18 16 14	18 16 14	3 4 5	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
19	17	323	24 4	460	18 15 12	16 14 12	18 16 14	18 16 14	3 4 6	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
19	16	304	22 16	432	18 15 12	16 14 12	18 17 15	18 16 14	3 4 5	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
19	15	285	21 7	400	18 15 12	16 14 12	18 17 15	18 16 14	4 4 5	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
19	14	266	19 19	360	18 15 12	16 14 12	18 17 15	18 16 14	3 4 5	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
19	13	247	18 10	351	18 15 12	16 14 12	18 17 15	18 16 14	3 4 5	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
19	12	228	17 2	333	18 15 12	16 14 12	18 17 15	18 16 14	3 4 4	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
19	11	209	15 18	300	18 15 12	16 14 12	18 17 15	18 16 14	3 4 4	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
19	10	190	14 5	272	18 15 12	16 14 12	18 17 15	18 16 14	3 4 3	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
18	18	324	24 4	432	18 15 12	16 14 12	18 17 15	18 16 14	4 4 5	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
18	17	306	22 19	414	18 15 12	16 14 12	18 17 15	18 16 14	4 4 4	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
18	16	288	21 12	387	18 15 12	16 14 12	18 17 15	18 16 14	3 4 5	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
18	15	270	20 5	369	18 15 12	16 14 12	18 17 15	18 16 14	3 4 4	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
18	14	252	18 11	342	18 15 12	16 14 12	18 17 15	18 16 14	3 4 4	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
18	13	234	17 10	315	18 15 12	16 14 12	18 17 15	18 16 14	3 4 4	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1

TABLE I.—continued.

Extent of floor, &c., to be sup- ported.			Permanent load dis- tributed over sur- face.	Multiple of depth and area of bot- tom flange.	Dimensions of Girder.									
Length of girder.	Breadth of sur- face.	Surface.			Depth.	Bottom flange.				Top flange.			Rib.	
						D	B	b b	b	T	t t	t	R R	R
Feet.	Feet.	Sq. ft.	Tons. Cwts.	Sq. in.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
18	12	216	16 4	293 {	18 12 15 12	18 12 12 12	18 12 12 12	3 1 1 1	3 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1	1 1 1 1
18	11	198	14 17	270 {	15 12 12	12 12 12	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
18	10	180	13 10	243 {	15 12 12	12 12 12	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
17	17	289	21 13½	370 {	15 12 15	12 12 15	12 12 15	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
17	16	272	20 8	349 {	15 12 12	12 12 14	12 12 14	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
17	15	255	19 9½	323 {	15 12 12	11 12 12	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
17	14	238	17 17	306 {	15 12 12	10 12 12	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
17	13	221	16 11½	281 {	15 12 12	10 12 12	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
17	12	204	15 6	260 {	15 12 12	10 12 11	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
17	11	187	14 0½	238 {	15 12 12	10 12 10	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
17	10	170	12 15	217 {	15 12 12	10 12 12	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
16	16	256	19 15	316 {	15 12 12	10 12 12	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
16	15	240	18 0	288 {	15 12 12	10 12 12	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
16	14	224	16 16	268 {	15 12 12	9 12 11	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
16	13	208	15 12	248 {	15 12 12	9 12 10	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
16	12	192	14 8	232 {	15 12 12	8 12 10	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
16	11	176	13 4	212 {	15 12 12	8 12 9	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
16	10	160	12 0	192 {	15 12 12	8 12 8	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1
15	15	225	16 17½	265 {	15 12 12	9 12 10	12 12 12	3 1 1	3 1 1	1 1 1	1 1 1	1 1 1	1 1 1	1 1 1

TABLE I.—continued.

Extent of floor, &c., to be supported.			Permanent load distributed over surface.	Multiple of depth and area of bottom flange.	Dimensions of Girder.										
Length of girder.	Breadth of surface.	Surface.			Depth.	Bottom flange.				Top flange.			Rib.		
						D	B	b b	b	T	t t	t	R R	R	
Feet.	Feet.	Sq. ft.	Tons. Cwts.	Sq. in.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
15	14	210	15 15	237 {	15 12 12	8 10	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
15	13	195	14 12½	218 {	15 12 12	8 9	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
15	12	180	13 10	203 {	15 12 12	8 9	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
15	11	165	12 7½	188 {	15 12 12	8 8	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
15	10	150	11 5	169 {	15 12 12	8 8	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
14	14	196	14 14	207 {	15 12 12	8 9	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
14	13	182	13 13	193 {	15 12 12	8 8	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
14	12	168	12 12	175 {	15 12 12	8 8	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
14	11	154	11 11	161 {	15 12 12	8 8	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
14	10	140	10 10	147 {	15 12 12	8 8	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
13	13	169	12 13½	166 {	15 12 12	8 8	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
13	12	156	11 14	153 {	15 12 12	8 8	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
13	11	143	10 14½	140 {	15 12 12	7 8	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
13	10	130	9 15	127 {	15 12 12	7 8	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
12	12	144	10 16	129 {	15 12 12	7 8	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
12	11	132	9 18	120 {	15 12 12	7 7	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
12	10	120	9 0	108 {	15 12 12	7 7	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
11	11	121	9 1½	99 {	15 12 12	6 7	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
11	10	110	8 5	94 {	15 12 12	6 7	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	
10	10	100	7 10	75 {	15 12 12	5 6	2 2 2 1 1	2 2 2 1 1	2 2 2 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	1 1 1 1 1	

TABLE II.

CAST-IRON BINDERS OR JOISTS, to support 1½ Cwt. per Superficial Foot.

Extent of floor, &c., to be supported.			Permanent load distributed over surface.	Multiple of depth and area of bottom flange.	Dimensions of Binder.									
Length of binder.	Breadth of surface.				Depth.	Bottom flange.				Top flange.			Rib.	
	Feet.	Sq. ft.				D	B	b b	b	T	t t	t	RR	It
Feet.	Feet.	Sq. ft.	Tons. Cwt.	Sq. in.	In. 18 12	In. 18 20	In. 24 3½	In. 18 2½	In. 6 7	In. 1½ 1½	In. 1½ 1½	In. 1½ 1½	In. 1½ 1½	In. 1½ 1½
30	10	300	22 10	675 {	18 12	18 20	2½ 3½	2½ 2½	6 7	1½ 1½	1½ 1½	1½ 1½	1½ 1½	1½ 1½
30	9	270	20 5	607 {	18 12	16 20	2½ 2½	2½ 2½	6 7	1½ 1½	1½ 1½	1½ 1½	1½ 1½	1½ 1½
30	8	240	18 0	540 {	18 12	17 20	2 2½	1½ 2	5 7	1½ 1½	1 1	1½ 1½	1 1½	1 1½
30	7	210	15 15	472 {	18 12	16 20	1½ 2½	1½ 1½	4½ 6	1½ 1½	1 1½	1½ 1½	1 1½	1 1½
30	6	180	13 10	405 {	18 12	15 17	1½ 2½	1½ 1½	4 5½	1½ 1½	1 1	1½ 1½	1 1	1 1
26	9	234	17 11	456 {	18 15	16 17	1½ 2½	1½ 1½	3½ 4½	1 1½	1 1	1½ 1½	1 1	1 1
26	8	208	15 12	406 {	18 15	15 17	1½ 2½	1½ 1½	4 5½	1½ 1½	1 1	1½ 1½	1 1	1 1
26	7	182	13 13	355 {	18 15	15 16	1½ 1½	1½ 1½	3½ 4	1½ 1½	1 1	1½ 1½	1 1	1 1
26	6	156	11 14	304 {	18 15	12 12	1½ 1½	1½ 1½	3 3½	1 1	1 1	1½ 1½	1 1	1 1
24	9	216	16 4	390 {	15 12	13 16	2½ 2½	1½ 1½	4 5	1½ 1½	1½ 1	1½ 1½	1½ 1½	1½ 1½
24	8	192	14 8	346 {	15 12	13 14	2½ 2½	1½ 1½	3½ 4½	1½ 1½	1½ 1	1½ 1½	1½ 1½	1½ 1½
24	7	168	12 12	302 {	15 12	12 12	1½ 1½	1½ 1½	3½ 4	1 1	1 1	1½ 1½	1½ 1½	1½ 1½
24	6	144	10 16	259 {	15 12	10 11	2 2½	1½ 1½	3 3½	1½ 1	1 1	1½ 1½	1 1	1 1
22	9	198	14 17	328 {	15 12	15 15	1½ 2½	1½ 1½	4 4½	1½ 1	1 1	1½ 1½	1½ 1½	1½ 1½
22	8	176	13 4	290 {	15 12	12 13	1½ 2½	1½ 1½	3½ 4½	1 1½	1 1	1½ 1½	1½ 1½	1½ 1½
22	7	154	11 11	254 {	15 12	9 10	2½ 2½	1½ 1½	3 4	1½ 1½	1 1	1½ 1	1 1	1 1
22	6	132	9 18	218 {	15 12	8 9	2 2½	1½ 1½	2½ 3	1½ 1	1 1	1½ 1	1 1	1 1
20	9	180	13 10	270 {	15 12	9 11	2½ 2½	1½ 1½	3 4	1½ 1	1 1	1½ 1½	1½ 1½	1½ 1½
20	8	160	12 0	240 {	15 12	10 10	1½ 2½	1½ 1½	3 3½	1 1½	1 1	1½ 1	1 1	1 1
20	7	140	10 10	210 {	15 12	8 9	2 2½	1½ 1½	2½ 3	1 1½	1 1	1½ 1	1 1	1 1

TABLE II.—continued.

Extent of floor, &c., to be supported.			Permanent load distributed over surface.	Multiple of depth and area of bottom flange.	Dimensions of Binder.									
Length of binder.	Breadth of surface.	Surface.			Depth.	Bottom flange.				Top flange.			Rib.	
						D	B	b b	b	T	t t	t	R R	R
Feet.	Feet.	Sq. ft.	Tons. Cwts.	Sq. in.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
20	6	120	9 0	180 {	15 12	8 8	1 1/2 2 1/2	1 1/2 1 1/2	2 1/2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
18	9	162	12 3	219 {	15 12	8 9	2 2 1/2	1 1/2 1 1/2	2 1/2 3	1 1/2 1 1/2	1 1	1 1	1 1/2 1 1/2	1 1
18	8	144	10 16	195 {	15 12	8 8	1 1/2 2 1/2	1 1/2 1 1/2	2 1/2 3	1 1	1 1	1 1	1 1/2 1 1/2	1 1
18	7	126	9 9	170 {	15 12	8 8	1 1/2 2	1 1/2 1 1/2	2 1/2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
18	6	108	8 2	146 {	15 12	8 8	1 1/2 1 1/2	1 1/2 1 1/2	2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
16	9	144	10 16	173 {	15 12	8 8	1 1/2 2 1/2	1 1/2 1 1/2	2 1/2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
16	8	128	9 12	154 {	15 12	8 8	1 1/2 1 1/2	1 1/2 1 1/2	2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
16	7	112	8 8	134 {	15 12	7 8	1 1/2 1 1/2	1 1/2 1 1/2	2 1/2 2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
16	6	96	7 4	115 {	15 12	7 7	1 1/2 1 1/2	1 1/2 1 1/2	2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
14	8	112	8 8	118 {	15 12	7 7	1 1/2 1 1/2	1 1/2 1 1/2	2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
14	7	98	7 7	103 {	15 12	7 7	1 1/2 1 1/2	1 1 1/2	2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
14	6	84	6 6	86 {	15 12	6 7	1 1/2 1 1/2	1 1 1/2	2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
12	8	96	7 4	86 {	15 12	6 7	1 1/2 1 1/2	1 1 1/2	2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
12	7	84	6 6	76 {	15 12	5 6	1 1/2 1 1/2	1 1	2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
12	6	72	5 8	65 {	12 9	5 6	1 1/2 1 1/2	1 1 1/2	2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
10	6	60	4 10	45 {	12 9	4 5	1 1/2 1 1/2	1 1 1/2	2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1
10	5	50	3 15	38 {	12 9	4 4 1/2	1 1 1/2	1 1 1/2	2 2 1/2	1 1	1 1	1 1	1 1/2 1 1/2	1 1

TABLE III.

CAST-IRON MAIN GIRDERS, to support 2½ Cwt. per Superficial Feet.

Extent of floor, &c., to be sup- ported.			Permanent load dis- tributed over sur- face.	Multiple of depth and area of bot- tom flange.	Dimensions of Girder.									
Length of girder.	Breadth of sur- face.	Surface.			Depth.	Bottom flange.				Top flange.			Rib.	
						D	B	bb	b	T	t	t	R	R
Feet.	Feet.	Sq. ft.	Tons. Cwts.	Sq. in.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
30	30	900	111 5	3333 {	36 30	24 24	4½ 5	3½ 4	8	2½ 2½	1½ 2	2½ 3	1½ 2	1½ 2
30	28	840	105 0	3150 {	36 30	24 24	4½ 4½	3½ 3½	7½ 8	2½ 2½	1½ 2	2½ 3	1½ 2	1½ 2
30	26	780	97 10	2925 {	36 30	24 25	4 4½	3 3½	7 8	2½ 2½	1½ 1½	2½ 3	1½ 2	1½ 2
30	24	720	90 0	2700 {	36 30	24 24	3½ 4½	2½ 3½	7 7½	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2
30	22	660	82 10	2475 {	36 30	21 21	4 4½	3 3½	6 7	2½ 2½	1½ 1½	2½ 3	1½ 2	1½ 2
30	20	600	75 0	2250 {	36 30	21 21	3½ 4½	2½ 3½	6 6½	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2
28	28	784	98 0	2744 {	36 30	24 24	3½ 4½	3½ 3½	6½ 7½	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2
28	26	728	91 0	2548 {	36 30	24 24	3½ 4	3½ 3	6 7	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2
28	24	672	84 0	2352 {	36 30	22 24	8½ 3½	2½ 3	6 6½	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2
28	22	616	77 0	2178 {	36 30	20 22	3½ 3½	2½ 3	5 6	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2
28	20	560	70 0	1960 {	36 30	18 22	3½ 3½	2½ 2½	5 5½	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2
26	26	676	84 10	2197 {	30 24	20 24	4 4½	3½ 3½	6½ 8	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2
26	22	572	71 10	1859 {	30 24	20 22	3½ 4½	2½ 3½	5½ 6½	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2
26	20	520	65 0	1690 {	30 24	18 20	3½ 4	2½ 3	5 6	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2
24	24	576	72 0	1728 {	30 24	18 18	3½ 4½	2½ 3½	5½ 6	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2
24	22	528	66 0	1584 {	30 24	18 21	3½ 3½	2½ 2½	5 5½	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2
24	20	480	60 0	1440 {	33 24	16 16	3½ 4½	2½ 3½	5½ 5½	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2
22	22	484	60 10	1451 {	30 24	16 16	3½ 4½	2½ 3½	5½ 5½	2½ 2½	1½ 1½	2½ 2½	1½ 2	1½ 2

TABLE III.—continued.

Extent of floor, &c., to be supported.			Permanent load distributed over surface.	Multiple of depth and area of bottom flange.	Dimensions of Girder.									
Length of girder.	Breadth of surface.	Surface.			Depth.	Bottom flange.				Top flange.			Rib.	
						D	B	b b	b	T	t t	t	R R	R
Feet.	Feet.	Sq. ft.	Tons. Cwts.	Sq. in.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
22	20	440	55 0	1210 {	30 24	15 16	2½ 3½	2½ 2½	5½ 5	1½ 1½	1½ 2	2	1½ 1½	1½ 1
20	20	400	50 0	1000 {	30 24	15 15	2½ 2½	1½ 2½	5 5½	1½ 1½	1 1½	2	1½ 1½	1½ 1
20	18	360	45 0	900 {	30 24	15 15	2½ 3	1½ 2½	5 5½	1½ 1½	1 1	2	1½ 1½	1 1½
20	16	320	40 0	800 {	30 24	14 15	2½ 2½	1½ 1½	4½ 5	1½ 1½	1 1	1½ 1½	1½ 1½	1 1
18	18	324	40 8	727 {	24 18	15 15	2½ 3½	1½ 2½	5 5½	1½ 1½	1 1½	2	1½ 1½	1½ 1½
18	16	288	36 0	648 {	24 18	14 15	2 2½	1½ 1½	4½ 5	1½ 1½	1 1	1½ 1½	1½ 1	1
16	16	256	32 0	512 {	24 18	14 14	2 2	1½ 1½	4 4½	1½ 1½	1 1	1½ 1½	1½ 1½	1 1
15	15	225	28 2	422 {	24 18	12 12	2 2½	1½ 1½	3½ 4	1 1½	1 1	1½ 1½	1½ 1½	1 1

TABLE IV.

CAST-IRON BINDERS OR JOISTS, to support 2½ Cwt. per Foot Super.

Extent of floor, &c., to be supported.			Permanent load distributed over surface.	Multiple of depth and area of Bottom flange.	Dimensions of Binder.									
Length of binder.	Breadth of surface.	Surface.			Depth.	Bottom flange.				Top flange.			Rib.	
						D	B	b	b	T	t	t	R	R
Feet.	Feet.	Sq. ft.	Tons. Cwts.	Sq. in.	In.	In.	In.	In.	In.	In.	In.	In.	In.	
30	10	300	37 10	1125	{	24	16	3½	1½	6	1½	1½	2½	1½
						18	18	3½	1½	7	1½	1½	2½	1½
30	9	270	33 15	1012	{	24	15	3½	2½	5½	1½	1½	2	1½
						18	18	3½	2½	7	1½	1½	2½	1½
30	8	240	30 0	900	{	24	15	3	2½	5½	1½	1	2	1½
						18	18	3½	2½	7	1½	1½	2½	1½
30	7	210	26 5	788	{	24	15	2½	1½	5½	1½	1	1½	1½
						18	18	2½	1½	6½	1½	1½	1½	1½
20	6	180	22 10	675	{	24	15	2	1½	5	1½	1	1½	1
						18	18	2½	1½	6	1½	1½	1½	1½

TABLE IV.—continued.

Extent of floor, &c., to be supported.			Permanent load distributed over surface.	Multiple of depth and area of bottom flange.	Dimensions of Binder.										
Length of binder.	Breadth of sur. floor.	Surface.			Depth.	Bottom flange.				Top flange.			Rib.		
						D	B	b b	b	T	t t	t	R R	R	
Feet.	Feet.	Sq. ft.	Tons. Cwts.	Sq. in.	In.	In.	In.	In.	In.	In.	In.	In.	In.		
26	9	234	29 5	761 {	18 18 12	16 34 18	3 1/2 3 1/2 2 1/2	2 1/2 3 1/2 2 1/2	6 7 7	1 1/2 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2	2 1/2 2 1/2 2 1/2	1 1/2 1 1/2 1 1/2		
26	8	208	26 0	676 {	18 18 12	18 20 20	2 1/2 2 1/2 3 1/2	1 1/2 1 1/2 2 1/2	6 7 7	1 1/2 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2	1 1/2 2 1/2 2 1/2	1 1/2 1 1/2 1 1/2		
26	7	182	22 15	592 {	18 18 12	16 20 20	2 1/2 2 1/2 2 1/2	2 1/2 2 1/2 2 1/2	6 7 7	1 1/2 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2		
26	6	156	19 10	507 {	18 18 12	16 18 20	2 2 1/2 2 1/2	1 1/2 2 1/2 2 1/2	4 1/2 6 6	1 1/2 1 1/2 1 1/2	1 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2		
24	9	216	26 4	629 {	18 18 12	18 20 20	2 1/2 2 1/2 3 1/2	1 1/2 1 1/2 2 1/2	5 1/2 6 6	1 1/2 1 1/2 1 1/2	1 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2		
24	8	192	24 0	576 {	18 18 12	18 20 20	2 2 1/2 2 1/2	1 1/2 2 1/2 2 1/2	5 1/2 7 7	1 1/2 1 1/2 1 1/2	1 1 1	1 1/2 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2		
24	7	168	21 0	504 {	18 18 12	16 18 20	2 2 1/2 2 1/2	1 1/2 2 1/2 2 1/2	4 1/2 6 6	1 1/2 1 1/2 1 1/2	1 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2		
24	6	144	18 0	432 {	18 18 12	16 18 20	1 1/2 2 1/2 2 1/2	1 1/2 1 1/2 1 1/2	3 1/2 5 1/2 5 1/2	1 1/2 1 1/2 1 1/2	1 1 1	1 1/2 1 1/2 1 1/2	1 1 1		
22	9	198	24 15	544 {	18 18 12	17 20 20	2 2 1/2 2 1/2	1 1/2 2 1/2 2 1/2	5 7 7	1 1/2 1 1/2 1 1/2	1 1 1	1 1/2 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2		
22	8	176	21 18	482 {	18 18 12	16 20 20	1 1/2 2 1/2 2 1/2	1 1/2 1 1/2 1 1/2	4 1/2 6 6	1 1/2 1 1/2 1 1/2	1 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2		
22	7	154	18 5	424 {	18 18 12	16 20 20	1 1/2 2 1/2 2 1/2	1 1/2 1 1/2 1 1/2	4 1/2 5 1/2 5 1/2	1 1/2 1 1/2 1 1/2	1 1 1	1 1/2 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2		
22	6	132	16 10	363 {	18 18 12	15 16 16	1 1/2 2 1/2 2 1/2	1 1/2 1 1/2 1 1/2	3 1/2 5 5	1 1 1	1 1 1	1 1/2 1 1/2 1 1/2	1 1 1/2 1 1/2		
20	9	180	22 10	450 {	18 18 12	16 20 20	1 1/2 2 1/2 2 1/2	1 1/2 1 1/2 1 1/2	4 1/2 6 6	1 1 1/2 1 1/2	1 1 1	1 1/2 1 1/2 1 1/2	1 1/2 1 1/2 1 1/2		
20	8	160	20 0	400 {	18 18 12	15 17 18	1 1/2 2 1/2 2 1/2	1 1/2 1 1/2 1 1/2	4 5 1/2 5 1/2	1 1/2 1 1/2 1 1/2	1 1 1	1 1/2 1 1/2 1 1/2	1 1 1/2 1 1/2		
20	7	140	17 10	350 {	18 18 12	15 16 16	1 1/2 2 2 1/2	1 1/2 1 1/2 1 1/2	3 1/2 5 5	1 1/2 1 1/2 1 1/2	1 1 1	1 1/2 1 1/2 1 1/2	1 1 1/2 1 1/2		
20	6	120	15 0	300 {	18 18 12	12 12 12	1 1/2 2 1/2 2 1/2	1 1/2 1 1/2 1 1/2	3 4 4	1 1 1	1 1 1	1 1/2 1 1/2 1 1/2	1 1 1/2 1 1/2		
18	9	162	20 5	365 {	18 18 12	13 15 15	1 1/2 2 1/2 2 1/2	1 1/2 1 1/2 1 1/2	3 1/2 4 1/2 4 1/2	1 1/2 1 1/2 1 1/2	1 1 1	1 1/2 1 1/2 1 1/2	1 1 1/2 1 1/2		
18	8	144	18 0	284 {	18 18 12	14 15 15	1 1/2 2 1/2 2 1/2	1 1/2 1 1/2 1 1/2	3 1/2 4 1/2 4 1/2	1 1/2 1 1/2 1 1/2	1 1 1	1 1/2 1 1/2 1 1/2	1 1 1/2 1 1/2		
18	7	126	15 15	264 {	18 18 12	12 12 12	1 1/2 2 1/2 2 1/2	1 1/2 1 1/2 1 1/2	3 4 4	1 1/2 1 1/2 1 1/2	1 1 1	1 1/2 1 1/2 1 1/2	1 1 1/2 1 1/2		
18	6	108	15 10	243 {	18 18 12	12 12 12	1 1/2 2 1/2 2 1/2	1 1/2 1 1/2 1 1/2	2 1/2 3 1/2 3 1/2	1 1/2 1 1/2 1 1/2	1 1 1	1 1/2 1 1/2 1 1/2	1 1 1/2 1 1/2		

TABLE IV.—continued.

Extent of floor, &c., to be supported.			Permanent load distributed over surface.	Multiple of depth and area of bottom flange.	Dimensions of Binder.									
Length of binder.	Breadth of sur- face.	Surface.			Depth.	Bottom flange.				Top flange.			Rib.	
						D	B	bb	b	T	t t	t	RR	R
Feet.	Feet.	Sq. ft.	Tons. Cwts.	Sq. in.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
15	9	144	18 0	268 {	15 15 12	10 12 2½	2½ 1½ 1½	1½ 3½ 4	1½ 1½ 1	1 1 1	1½ 1½ 1½	1½ 1½ 1½	1½ 1½ 1½	
16	8	128	16 0	256 {	15 15 12	9 9 2½	2½ 1½ 1½	3 1½ 4	1 1 1	¾ ¾ ¾	1½ 1½ 1½	1½ 1½ 1½	1 1 1½	
16	7	112	14 0	224 {	15 15 12	8 9 2½	1½ 1½ 1½	2½ 3 2½	1½ 1½ 1	1 1 ¾	1½ 1½ 1½	1½ 1½ 1½	1 1 1	
16	6	96	12 0	192 {	15 15 12	8 8 2½	1½ 1½ 1½	2½ 3 2½	1 1 1	¾ ¾ ¾	1½ 1½ 1½	1½ 1½ 1½	1 1 1	
14	8	112	14 0	196 {	15 12 8	8 8 2½	1½ 1½ 1½	2½ 1½ 3½	1 1 1	¾ ¾ ¾	1½ 1½ 1½	1½ 1½ 1½	1 1 1	
14	7	98	12 5	172 {	15 15 12	8 8 2½	1½ 1½ 1½	2½ 1½ 2½	1 1 1	¾ ¾ ¾	1½ 1½ 1½	1½ 1½ 1½	1 1 1	
14	6	84	10 10	147 {	15 15 12	8 8 1½	1½ 1½ 1½	2 1½ 2½	1 1 1	¾ ¾ ¾	1½ 1½ 1½	1½ 1½ 1½	1 1 1	
12	8	96	12 0	144 {	15 15 12	8 8 1½	1½ 1½ 1½	2 1½ 2½	1 1 1	¾ ¾ ¾	1½ 1½ 1½	1½ 1½ 1½	1 1 1	
12	7	84	10 10	126 {	15 15 12	7 8 1½	1½ 1½ 1½	1½ 1½ 2½	1 1 1	¾ ¾ ¾	1½ 1½ 1½	1½ 1½ 1½	1 1 1	
12	6	72	9 0	108 {	15 15 12	7 7 1½	1½ 1½ 1	1½ 1½ 2	¾ ¾ ¾	¾ ¾ ¾	1½ 1½ 1½	1½ 1½ 1½	¾ ¾ ¾	
10	6	60	7 10	75 {	15 15 12	5 6 1½	1½ 1½ 1	1½ 1½ 1½	¾ ¾ ¾	¾ ¾ ¾	1½ 1½ 1½	1½ 1½ 1½	¾ ¾ ¾	
10	5	50	6 5	65 {	12 12 9	5 6 1½	1½ 1½ 1½	1½ 1½ 1½	¾ ¾ ¾	¾ ¾ ¾	1½ 1½ 1½	1½ 1½ 1½	¾ ¾ ¾	

COPPER.—Weight of a Lineal Foot of Round and Square.

Diameter.	Weight of round.	Weight of square.	Diameter.	Weight of round.	Weight of square.
Inches.	lbs.	lbs.	Inches.	lbs.	lbs.
$\frac{1}{8}$.188	.24	$1\frac{1}{8}$	9.21	11.77
$\frac{1}{4}$.424	.54	$1\frac{1}{4}$	10.61	13.52
$\frac{3}{8}$.755	.96	2	12.08	15.38
$\frac{1}{2}$	1.17	1.50	$2\frac{1}{8}$	13.64	17.36
$\frac{5}{8}$	1.69	2.16	$2\frac{1}{4}$	15.29	19.47
$\frac{3}{4}$	2.31	2.94	$2\frac{3}{8}$	17.03	21.69
1	3.02	3.84	$2\frac{1}{2}$	18.87	24.03
$1\frac{1}{8}$	3.82	4.86	$2\frac{3}{4}$	20.81	26.50
$1\frac{1}{4}$	4.71	6.00	$2\frac{7}{8}$	22.84	29.08
$1\frac{3}{8}$	5.71	7.27	3	24.92	31.79
$1\frac{1}{2}$	6.79	8.65		27.18	34.61
$1\frac{3}{4}$	7.94	10.15			

BRASS.—Weight of a Lineal Foot of Round and Square.

Diameter.	Weight of round.	Weight of square.	Diameter.	Weight of round.	Weight of square.
Inches.	lbs.	lbs.	Inches.	lbs.	lbs.
$\frac{1}{8}$.17	.22	$1\frac{1}{8}$	8.66	11.03
$\frac{1}{4}$.39	.50	$1\frac{1}{4}$	9.95	12.66
$\frac{3}{8}$.70	.90	2	11.32	14.41
$\frac{1}{2}$	1.10	1.40	$2\frac{1}{8}$	12.78	16.27
$\frac{5}{8}$	1.59	2.02	$2\frac{1}{4}$	14.32	18.24
$\frac{3}{4}$	2.16	2.75	$2\frac{3}{8}$	15.96	20.32
1	2.83	3.60	$2\frac{1}{2}$	17.68	22.53
$1\frac{1}{8}$	3.58	4.56	$2\frac{3}{4}$	19.50	24.83
$1\frac{1}{4}$	4.42	5.63	$2\frac{7}{8}$	21.40	27.25
$1\frac{3}{8}$	5.35	6.81	3	23.39	29.78
$1\frac{1}{2}$	6.36	8.10		25.47	32.43
$1\frac{3}{4}$	7.47	9.51			

STEEL.—Weight of One Foot of Round Steel.

Diameter in inches and parts.	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	$1\frac{3}{4}$	2
Weight in lbs. and decimal parts.	.167	.376	.609	1.04	1.5	2.05	2.67	3.38	4.18	5.06	6.02	7.07	8.2	9.41 11.71

HOOP IRON.—Weight of Ten Lineal Feet.

Width in inches and parts.....	$\frac{5}{8}$	$\frac{3}{4}$	$\frac{7}{8}$	1	1 $\frac{1}{8}$	1 $\frac{1}{4}$	1 $\frac{3}{8}$	1 $\frac{1}{2}$	1 $\frac{5}{8}$	2
No. of Gauge	21	20	19	18	17	16	15	14	13	12
Weight in lbs. and decimal parts	.685	.885	1.24	1.60	2.05	2.73	3.40	3.72	4.72	6.06

Weight of Cast-Iron Balls.

Diameter in inches and parts.	Weight in lbs. and decimal parts.	Diameter in inches and parts.	Weight in lbs. and decimal parts.	Diameter in inches and parts.	Weight in lbs. and decimal parts.
1	.136	5	17.04	9	99.40
1 $\frac{1}{8}$.461	5 $\frac{1}{8}$	22.68	9 $\frac{1}{8}$	116.90
2	1.09	6	29.45	10	136.35
2 $\frac{1}{8}$	2.13	6 $\frac{1}{8}$	37.44	10 $\frac{1}{8}$	157.84
3	3.68	7	46.76	11	181.48
3 $\frac{1}{8}$	5.84	7 $\frac{1}{8}$	57.52	11 $\frac{1}{8}$	207.37
4	8.72	8	69.81	12	235.65
4 $\frac{1}{8}$	12.42	8 $\frac{1}{8}$	83.73		

TABLES of the WEIGHTS of ROLLED IRON per lineal foot, of various sections, illustrated in the accompanying cuts, viz., Parallel Angle Iron, equal and unequal sides; Taper Angle Iron; Parallel T Iron, equal and unequal depth and width; Taper T Iron; Sash Iron; and permanent and temporary Rails.

TABLE I.—FIG. 1.

Parallel Angle Iron, of equal sides.

Length of sides A B, in inches.	Uniform thickness throughout.	Weight of one lineal foot in lbs. and decimal parts.
in.	in.	
3		8.0
2 $\frac{1}{2}$		7.0
2 $\frac{1}{4}$		5.75
2 $\frac{1}{8}$	5-16ths	4.5
2	full	3.75
1 $\frac{1}{2}$		3.0
1 $\frac{1}{4}$		2.5
1 $\frac{1}{8}$	No. 6 wire gauge	1.75
1 $\frac{1}{2}$	8	1.5
1 $\frac{1}{4}$	9	1.25
1 $\frac{1}{8}$	10	1.0
1	10	.875
	11	.625
	11	.563
	12	.5

Fig. 1.




TABLE II.—FIG. 2.
Parallel Angle Iron, of unequal sides.

Length of side A, in inches.	Length of side B, in inches.	Uniform thickness throughout.	Weight of one lineal foot in lbs. and decimal parts.
in. 3½	in. 5	in. 5-16ths	9.75
3	5	5-16ths	8.75
3	4	5-16ths	7.5
2½	4	5-16ths	6.75
2½	4	5-16ths	5.75
2	4	5-16ths	5.5
2½	3	5-16ths	4.75
2	2½	5-16ths	3.875
1½	2	5-16ths	2.875
1½	2	3-16ths	2.25

Fig. 2.




Fig. 3.




TABLE III.—FIG. 3.
Taper Angle Iron, of equal sides.

Length of sides A A, in inches.	Thickness of edges at B.	Thickness of root at C.	Weight of one lineal foot in lbs. and decimal parts.
in. 4	in. ½	in. ½	14.0
3	½	½	10.375
2½	7-16ths	9-16ths	8.25
2½	½	½	6.5
2½	5-16ths, full	7-16ths	5.0
2	½ full	5-16ths, full	3.875
1½	½	5-16ths	3.25
1½	¼ bare	5-16ths, bare	2.625

TABLE IV.—FIG. 4.

Parallel T Iron, of unequal width and depth.

Width of top table A, in inches.	Total depth B, in inches.	Uniform thickness of top table C.	Uniform thickness of rib D.	Weight of one lineal foot in lbs. and decimal parts.
in. 5	in. 6	in. $\frac{1}{2}$	in. $\frac{1}{2}$	15.75
$4\frac{1}{2}$	$5\frac{1}{2}$	$\frac{1}{2}$	9-16ths	13.25
4	5	$\frac{1}{2}$	$\frac{1}{2}$	8.875
$3\frac{1}{2}$	4	$\frac{1}{2}$	$\frac{1}{2}$	8.25
$2\frac{1}{2}$	4	$\frac{1}{2}$	$\frac{1}{2}$	12.5
$2\frac{1}{2}$	3	$\frac{1}{2}$	$\frac{1}{2}$	7.0
$2\frac{1}{2}$	2	5-16ths	$\frac{1}{2}$ full	4.5
2	$1\frac{1}{2}$	5-16ths	5-16ths	4.0
$1\frac{1}{2}$	2	$\frac{1}{2}$	$\frac{1}{2}$	3.125
$1\frac{1}{2}$	2	$\frac{1}{2}$	$\frac{1}{2}$	2.875
$1\frac{1}{2}$	$1\frac{1}{2}$	$\frac{1}{2}$	$\frac{1}{2}$	2.375
1	$1\frac{1}{2}$	3-16ths	3-16ths	1.5
$\frac{1}{2}$	1	3-16ths	3-16ths	1.125

TABLE V.—FIG. 5.

Parallel T Iron, of equal depth and width.

Width of top table, and total depth A A.	Uniform thickness throughout.	Weight of one lineal foot in lbs. and decimal parts.
in. 6	in. $\frac{1}{2}$	
5	7-16ths	13.75
4	$\frac{1}{2}$	9.75
$3\frac{1}{2}$	$\frac{1}{2}$	8.5
3	$\frac{1}{2}$	7.5
$2\frac{1}{2}$	5-16ths	4.625
$2\frac{1}{2}$	5-16ths	4.5
2	5-16ths	3.75
$1\frac{1}{2}$	$\frac{1}{2}$	3.0
$1\frac{1}{2}$	$\frac{1}{2}$	2.25
$1\frac{1}{2}$	$\frac{1}{2}$	1.75
1	3-16ths	1.0
$\frac{1}{2}$	$\frac{1}{2}$.725
$\frac{1}{2}$	$\frac{1}{2}$.625




FIG. 5.





Fig. 6.

TABLE VI.—FIG. 6. *Taper T Iron.*


Width of top table A, in inches.	Total depth B, in inches.	Thickness of top table at root C.	Thickness of top table at edges D.	Uniform thickness of rib E.	Weight of one lineal foot in lbs. and decimal parts.
in.	in.	in.	in.	in.	
3	3½	½	⅝	7-16ths	8.0
3	2¾	7-16ths	⅝	⅝	8.0
2	3	7-16ths	5-16ths	5-16ths	5.25
2½	2½	¾	½	½ full	6.5
2	1¾	full	5-16ths	⅝	3.5
2	1½	5-16ths	¼	¼	2.875

Fig. 7.

TABLE VII.—FIG. 7. *Sash Iron.*


Total depth A.	Depth of rebate B.	Width at edge C.	Greatest width D.	Weight of one lineal foot in lbs. and decimal parts.
in.	in.		in.	
2	1	No. 9 wire gauge	5-8ths	1.75
1½	¾	7	9-16ths	1.625
1½	¾	6	9-16ths	1.25
1½	¾	10	9-16ths	1.125
1½	¾	10	9-16ths	1.0
1	¾	½ in.	½	.75

Fig. 8.

TABLE VIII.—FIG. 8. *Rails, equal top and bottom Tables.*

Depth A, in inches.	Width across top and bottom B, in inches	Thickness of rib C.	Weight of one lineal foot in lbs. and decimal parts.
in. 5	in. $2\frac{1}{2}$	in. $\frac{3}{4}$	25.0
$4\frac{1}{2}$	$2\frac{1}{4}$	$\frac{3}{8}$	23.33
$4\frac{1}{8}$	$2\frac{1}{8}$	$\frac{3}{8}$	21.66

Fig. 9.

TABLE IX.—FIG. 9. *Temporary Rails.*

Top width. A, in inches.	Rib width B, in inches.	Bed width C, in inches.	Total depth D, in inches.	Thickness of bed E.	Weight of one lineal foot in lbs. and de- cimal parts.
in. $1\frac{1}{2}$	in. $\frac{3}{8}$	in. 3	in. 2	in. 7-16ths	9.0
$1\frac{1}{4}$	$\frac{3}{8}$	3	$2\frac{1}{2}$	$\frac{1}{2}$	12.0
$1\frac{1}{8}$	$\frac{3}{8}$	4	3	$\frac{1}{2}$	16.0
2	$\frac{3}{8}$	4	3	$\frac{1}{2}$	17.33

TABLE showing the Dimensions and Weight of Coppers, the Dimensions being taken from Lag to Brim.

Lag to Brim in Inches.	Number of Gallons.	Weight in Lbs.	Lag to Brim in Inches.	Number of Gallons.	Weight in Lbs.	Lag to Brim in Inches.	Number of Gallons.	Weight in Lbs.
9½	1	1½	22	12	18	27½	23	34½
12½	2	3	22½	13	19½	27½	24	36
14	3	4½	23½	14	21	27½	25	37½
15½	4	6	24	15	22½	28	26	39
16½	5	7½	24½	16	24	28½	27	40½
17½	6	9	25	17	25½	29	28	42
18½	7	10½	25½	18	27	29½	29	43½
19½	8	12	26	19	28½	30	30	45
20½	9	13½	26½	20	30	32	36	54
21	10	15	26½	21	31½	34½	45	65½
21½	11	16½	27	22	33	35½	50	76

TABLE of the Weight of Tin Plates as manufactured in England.

Brand Mark.		Number of Sheets per Box.	Length and Breadth.		Weight per Box.
			In.	In.	cwt. qrs. lbs.
One Box of	1 C or 1 Com.	225	13½	by 10	1 0 0
	2 C.	225	13½	" 9½	0 3 21
	3 C.	225	12½	" 9½	0 3 14
	H C.	225	13½	" 10	1 0 7
	H X.	225	13½	" 10	1 1 7
	1 X.	225	13½	" 10	1 1 0
	2 X.	225	13½	" 9½	1 0 21
	3 X.	225	12½	" 9½	1 0 14
	1 XX	225	13½	" 10	1 1 21
	1 XXX	225	13½	" 10	1 2 14
	1 XXXX	225	13½	" 10	1 3 7
	D C.	100	16½	" 12½	0 3 21
	D X.	100	16½	" 12½	1 0 14
	DXX	100	16½	" 12½	1 1 7
	DXXX	100	16½	" 12½	1 2 0
	DXXXX	100	16½	" 12½	1 2 21
	SDC.	200	15	" 11	1 2 0
	SDX	200	15	" 11	1 2 21
	SDXX	200	15	" 11	1 3 14
	SDXXX	200	15	" 11	2 0 7
	SDXXXX	200	15	" 11	2 1 0
	Wasters or Wc & X mixed	225	13½	" 10	1 0 14
	TT	450	13½	" 10	1 0 0
	XTT	450	13½	" 10	1 0 14

TABLE of the Weight of Copper Pipes, 12 Inches in Length, and from $\frac{1}{8}$ Incl to 3 Inches in Diameter, and $\frac{1}{8}$ of an inch in Thickness.

Diameter of Bore.	Weight in Lbs.	Diameter of Bore.	Weight in Lbs.	Diameter of Bore.	Weight in Lbs.	Diameter of Bore.	Weight in Lbs.
$\frac{1}{8}$ in.	.94	$1\frac{1}{8}$ in.	2.08	$1\frac{1}{2}$ in.	3.08	$2\frac{1}{8}$ in.	3.97
$\frac{1}{4}$ in.	1.33	$1\frac{1}{4}$ in.	2.23	2	3.21	$2\frac{1}{4}$ in.	4.12
$\frac{3}{8}$ in.	1.51	$1\frac{3}{8}$ in.	2.42	$2\frac{1}{4}$ in.	3.39	$2\frac{3}{8}$ in.	4.34
1	1.69	$1\frac{1}{2}$ in.	2.67	$2\frac{3}{8}$ in.	3.58	$2\frac{1}{2}$ in.	4.56
$1\frac{1}{8}$	1.89	$1\frac{3}{4}$ in.	2.87	$2\frac{1}{2}$ in.	3.78	3	4.78

TABLE of the Bore and Weight of Cocks for Coppers, &c., of given Dimensions.

Content of Copper in Gallons.	Diameter of Bore in Inches.	Weight of Cock in Lbs.	Content of Copper in Gallons.	Diameter of Bore in Inches.	Weight of Cock in Lbs.
30	$1\frac{1}{8}$	7	200	$2\frac{3}{8}$	30
50	$1\frac{1}{4}$	8	260	3	34
80	2	12	340	$3\frac{1}{8}$	44
120	$2\frac{1}{8}$	19	420	$3\frac{1}{4}$	56
150	$2\frac{1}{4}$	26	430	$3\frac{1}{2}$	70

TABLE showing the Weight of Lead Pipes, and the lengths they are usually manufactured.

Bore in Inches.	Length in Feet.	Weight of each Length in Lbs.		
		Common.	Middling.	Strong.
$\frac{1}{8}$	15	16		
$\frac{1}{4}$	15	24	27	30
1	15	30	40	43
$1\frac{1}{8}$	12	36	44	53
$1\frac{1}{4}$	12	48	56	67
2	10	56	70	83
$2\frac{1}{8}$	10	70	86	100

MEMORANDA

things that are required to be known for the different Trades mentioned.

EXCAVATOR AND WELL-DIGGER'S MEMORANDA.

ls, 3 feet clear diameter, and $\frac{1}{2}$ brick thick will require the net excavation, per foot in depth of about				12 cubic feet.
to, 3 feet 6 inches, diameter, ditto				15 do.
to, 4 feet ditto ditto				19 do.
to, 4 feet 6 inches, ditto ditto				23 do.
to, 5 feet ditto ditto				28 do.
to, 5 feet 6 inches, ditto ditto				33 do.
to, 6 feet ditto ditto				38 do.
to, 6 feet 6 inches, and one brick thick				52 do.
to, 7 feet ditto ditto				58 do.
to, 7 feet 6 inches, ditto ditto				65 do.
to, 8 feet ditto ditto				72 do.
to, 8 feet 6 inches, ditto ditto				79 do.
to, 9 feet ditto ditto				87 do.
to, 10 feet ditto ditto				104 do.
to, 10 feet 6 inches, ditto ditto				114 do.
to, 11 feet ditto ditto				124 do.
to, 11 feet 6 inches, ditto ditto				134 do.
to, 12 feet ditto ditto				145 do.
to, 14 to 17 cubic feet of chalk			} One ton weight.	
to, 17 to 19 ditto ditto, clay				
to, 18 to 24 ditto ditto, earth				
to, 18 to 20 ditto ditto, gravel				
to, 19 to 23 ditto ditto, sand				

an average for general calculations, may be taken as follows :—

15 $\frac{1}{2}$ cubic feet of chalk, weigh one ton.
18 ditto ditto, clay, ditto.
21 ditto ditto, earth, ditto.
19 ditto ditto, gravel, ditto.
21 ditto ditto, sand, ditto.

ubic yard of earth in original position, will occupy from 1 $\frac{1}{2}$
to 1 $\frac{3}{4}$ cubic yards when dug.

BRICKLAYER'S MEMORANDA.

Quantity of Brickwork in Barrel Drains and Wells.

Diameter in clear. ft. in.	Thickness of brickwork. ft. in.	Super. feet of $1\frac{1}{2}$ brickwork, in one yard run.	Number of bricks required or one yard run.	Length of work contained in one reduced rod.	
				Yards.	Feet.
1 0	0 $4\frac{1}{2}$	$4\frac{1}{2}$	70	63	0
1 6	0 $4\frac{1}{2}$	6	96	46	0
2 0	0 $4\frac{1}{2}$	$7\frac{1}{2}$	121	36	0
2 0	0 9	$17\frac{1}{2}$	280	15	1
2 6	0 9	$20\frac{1}{2}$	330	13	0
2 6	1 $1\frac{1}{2}$	35	560	7	4
3 0	0 9	$23\frac{3}{4}$	380	11	1
3 0	1 $1\frac{1}{2}$	$39\frac{1}{2}$	630	6	1
3 6	0 9	$26\frac{1}{4}$	430	10	0
3 6	1 $1\frac{1}{2}$	44	706	6	0
4 0	0 9	30	480	9	0
4 0	1 $1\frac{1}{2}$	49	780	5	1
5 0	1 $1\frac{1}{2}$	58	930	4	1
5 0	1 6	82	1310	3	0
6 0	1 $1\frac{1}{2}$	68	1085	4	0
6 0	1 6	$94\frac{1}{2}$	1510	2	2
7 0	1 $1\frac{1}{2}$	77	1235	3	1
7 0	1 6	107	1710	2	1

ONE ROD OF BRICKWORK contains

272 feet superficial reduced to thickness of one and a half brick,
or 1 foot $1\frac{1}{2}$ inches.

Or 11 cubic yards, and 9 cubic feet.

Or 306 cubic feet.

Or 408 feet super. of one brick, or 9 inches in thickness.

Or 4300 stock bricks in mortar.

Or 4750 ditto laid dry.

Or 4500 place bricks in mortar.

Or 5000 ditto laid dry.

And requires 3 loads or 3 yards cube of drift, and 27 bushels
of chalk lime.

Or $3\frac{1}{2}$ loads of sand, and 18 bushels of stone lime.

Or 36 bushels of sharp sand, and 36 bushels of cement.

load of mortar measures 1 cubic yard, or 27 cubic feet ;
requires 1 cubic yard of sand, and 9 bushels of lime ;
and will fill 30 hods.

bricklayer's hod, measuring 1 foot 4 inches \times 9 inches \times 9 inches ; equals 1296 cubic inches in capacity ; and contains 20 bricks.

single load of sand and other materials, equals one cubic yard or 27 cubic feet.

a double load equals twice that quantity.

measure of lime is a single load or a cubic yard.

a thousand bricks, closely stacked, occupy about 56 cubic feet.

a thousand old bricks, cleaned and loosely stacked, occupy about 72 cubic feet.

a foot super. of reduced work (1 foot $1\frac{1}{2}$ inches thick) requires 16 bricks.

a foot super. of gauged arches requires 10 bricks.

a foot super. of facings requires 7 bricks.

a yard of brick-nogging requires 45 bricks laid flat, or 30 bricks on edge.

a yard of paving requires 36 stock bricks laid flat, or 52 on edge.

stock or place bricks commonly measure $8\frac{1}{2}$ inches, by $4\frac{1}{4}$ inches by $2\frac{3}{4}$ inches, and weigh from 5 to 6 lb. *each*.

paving bricks measure 9 in. by $4\frac{1}{2}$ in. by $1\frac{3}{4}$ in., and weigh from 4 to $4\frac{1}{2}$ lb. *each*.

a yard of paving requires 36 paving bricks laid flat, or 82 on edge.

antiles measure 1 ft. $1\frac{1}{2}$ in. by $9\frac{1}{2}$ in. by $\frac{1}{2}$ inch, and weigh about $5\frac{1}{4}$ lb. *each*.

win tiles measures $10\frac{1}{2}$ in. by $6\frac{1}{2}$ in. by $\frac{5}{8}$ in., and weigh about $2\frac{1}{2}$ lb. *each*.

foot tiles measure about 12 in. by 12 in. by $1\frac{1}{2}$ in., and weigh about $12\frac{1}{2}$ lb. *each*.

small ditto measure about 10 in. by 10 in. by 1 in., and weigh about $8\frac{1}{2}$ lb. *each*.

a yard of paving requires 9 foot tiles, or 13 small ditto.

pitch clinkers measure $6\frac{1}{4}$ in. by 3 in. by $1\frac{1}{2}$ in., and weigh about $1\frac{1}{2}$ lb. *each*.

a yard of paving requires about 140 Dutch clinkers on edge.

a bundle of plain tile laths contains 500 feet of stuff, $1\frac{1}{4}$ in. wide, and $\frac{1}{4}$ in. thick ; or 167 laths, if 3 feet long, 125 laths, if 4 feet long ; 100 laths, if 5 feet long.

One square, or 100 superficial feet of plain tiling, requires 1 bundle of laths.

One load of plain tile laths contains 30 bundles.

One bundle of pantile laths contains 120 feet of stuff, or 12 laths, each 10 feet long, $1\frac{1}{2}$ in. wide, and 1 in. thick.

One square of pantiling requires 1 bundle of laths.

One square of plain tiling, on pitched roof, each tile showing 4 in., will require about 600 tiles, 1 bundle of laths with nails, 3 hods of mortar, and 1 peck of tile-pins.

If showing 3 in., 800 tiles will be required for same surface.

One square of pantiling, the tiles laid to a gauge of 10 in., will require 180 tiles, or 150 if a 12 in. gauge; and 1 bundle of laths.

The materials of mortars and cements lose one-third of their original bulk by being mixed.

The solid materials of mortars and cements require of water about one-third of their original bulk.

IN MEASURING BRICKWORK, all flues are to be measured as solid work, and the spaces occupied by timbers built in are not to be deducted from quantity of brickwork.

Brickwork in very thick solid walls, piers, abutments, counterforts, foundations, and other similar large masses, may be brought into cube yards or feet as agreed; but ordinary walls for houses, warehouses, and other buildings, are to be reduced to the standard rod of $5\frac{1}{2}$ yards square, or 272 feet superficial of the thickness of $1\frac{1}{2}$ brick, or $13\frac{1}{2}$ inches.

Facings and cuttings to be charged at *per foot super.*

Prices charged as "*Labour only*" are understood to include the erection of necessary scaffolding, but not *providing* it; "*Lime and Labour*," or "*Labour and Mortar*," includes scaffolding and other materials, except bricks.

Doorways and other openings are to be deducted.

Centering for arches, &c., to be charged extra, unless otherwise particularly specified.

In facings, at *per foot super.*, half of the depths of reveals is to be allowed, if not to be stuccoed.

Arches to be measured *per foot super.*, charging face and soffit.

All moulds, templates, and centres for drains, and similar works, to be charged extra.

measuring plain tiling, 4 in. are to be allowed for eaves and 6 in. for dripping eaves; 1 foot in width for each valley, and 3 in. for all cuttings.

Inting old walls, includes the erection of scaffolding, if needed, raking out the rotten mortar, and washing the walls.

SLATER'S NOTES AND MEMORANDA.

One cubic foot of slate weighs about 180 lb., or $12\frac{1}{2}$

cubic feet equal one ton; hence, slabs, $\frac{1}{2}$ in.

thick, weigh, per foot super.	11 $\frac{1}{2}$ lb.
Ditto ditto 1 in.	15 do.
Ditto ditto 1 $\frac{1}{4}$ do.	18 $\frac{1}{2}$ do.
Ditto ditto 1 $\frac{1}{2}$ do.	22 $\frac{1}{2}$ do.
Ditto ditto 2 do.	30 do.

Singles, 13 by 6 ins., 500 will cover one square

Doubles, 16 by 8 do., 222 ditto

Counters, 20 by 10 do., 143 ditto

Quarries, 24 by 12 do., 100 ditto

				Den.	Cwt.
Singles, 1000 will cover 2 squares and weigh about .	0	15			
Doubles, ditto 4 $\frac{1}{2}$ do.	ditto .	1	6		
Counters, ditto 7 do.	ditto .	2	2		
Quarries, ditto 10 do.	ditto .	3	1		

		Squares.	Feet super.
Singles, one ton will cover about .	.	2	67
Doubles, ditto .	.	3	46
Counters, ditto .	.	3	34
Quarries, ditto .	.	3	5
Imperial (30 by 24 ins.) ditto .	.	2	50
Kings and Queens (36 by 24 ins.) ditto .	.	2	25
Estmoreland .	.	2	0

In measuring slating, the width of the eaves is to be al
measured at widest part. Hips, valleys, and cuttin
to be run, and allowed 6 ins. throughout. For c
plans, one-third of the superficial dimension is to be al
extra.

CARPENTER AND JOINER'S NOTES AND MEMORANDA.

From 27 to 30	cubic feet of ebony	} 1 ton we
About 34	ditto of mahogany	
" 32	ditto of oak, just felled	
" 48	ditto ditto, seasoned	
" 42	ditto of beech	
" 42½	ditto of ash	
" 48	ditto of maple or teak	
" 50	ditto of Baltic Fir	
" 53	ditto of elm or walnut	
" 55	ditto of pine	
" 59	ditto of sycamore, chestnut, or lime	
" 68	ditto of poplar	
" 65	ditto of fir (Scotch)	

Of Deals, 120 are called 100.

One load of timber contains—

50	cubic feet of square timber.
100	feet run of timber, 12 by 6 ins.
200	ditto, 6 by 6 ins.
150	ditto, of 4 in. planking.
200	ditto, of 3 in. ditto.
300	ditto, of 2 in. ditto.
400	ditto, of 1½ in. ditto.
600	ditto, of 1 in. ditto.
17	3 in. deals, each 21 feet.
18	ditto, 20 do.
23	ditto, 16 do.
26	ditto, 14 do.
30	ditto, 12 do.
14	3 in. planks, each 21 do.
15	ditto, 20 do.
18	ditto, 16 do.
21	ditto, 14 do.
25	ditto, 12 do.

One square of flooring requires of 12 feet boards—

If rough	No. 12
edges shot	12½
wrought and laid folding	13
straight jointed	14
If battens, rough	16
ditto, edges shot	16½
ditto, white, laid folding	17
ditto, yellow, straight jointed	18

“*Labour only*” includes none of the materials employed.

“*Labour and Nails*” includes glue, nails, and sand-paper.

“*From the Bench*” signifies the preparation of the work at the shop, the fixing being performed by other workmen, or charged separately.

“*Fixed,*” or “*fitted and hung,*” includes all labour.

IN MEASURING *Carpenter and Joiner's Work,*

Girders and binders of bridged and ceiling floors are to be measured, and allowed as framed. Trusses, including binders and tie-beams, are measured as framed; also gutter plates, dragging pieces, and wind braces. Wall plates are taken as bond timber. Halving, scarfing, and dovetailing in bond timbers do not constitute them framed timber.

All cuttings and waste to hips are to be allowed. One side of king-posts between the shoulders is to be deducted, also half a side of the queens; and half a length of bond timbers where openings occur.

In measuring for labour only, or for labour and nails, the bearings one way only are allowed.

Returned beads are double price. Sunk grooves or beads three times. Circular timbers, flat sweep, are once and a half the price of straight; quick sweep, twice; elliptical, twice and a half; and circular circular, three times.

In measuring gutters and bearers, add one half of the width

of the *lier boards* as gutters and bearers : ramed gutters are taken as cube timber framed for the sides, and the bottom as gutter with framed bearers, at per foot super.

In naked framed floors, irregular lines on plan are to be paid for extra as per value, and labour in raising large timbers to difficult places to be charged extra.

Carpenter's work in new oak or elm to be charged one third more than in fir. Ties for nogging to be charged, at per foot super., as rough deal fixed. In rough boarding, *per square*, 3 inches are allowed for cutting to hips, splays, and irregular angles.

In floors—deduct slabs, allow 3 inches by the length of all cuttings to rakes, and allow mitred and glued borders and margins, at per foot run. In measuring framed back linings, allow 2 inches more than length of shutter and full width, including tongues. Framed grounds are to be allowed the whole length of the two sides and the head, by the width of the ground. Framed fronts are measured with the doors ; and, if less than 3 feet super., are allowed for, one fourth extra on ordinary prices.

In partitions, doorways and other openings are deducted, and doors, rebates, stops, fillets, &c., taken separately.

Partitions to spandrils of stairs are measured net, and allowed one fifth more than ordinary price for framed partitions.

In measuring stairs, one step and riser are taken the extreme width by the length for each step. The whole space covered by winders is taken, one inch being added for each nosing. Housings, brackets, nosings, turnings, &c., are numbered and taken separately. Hand-rails are measured along the centre of the top. Frieze and cradling are taken separately from the soffit and plancier, which are taken as deal, wrought and framed, according to the thickness and working.

Mouldings more than 4 inches girt are taken as superficial ; the whole external profile, including the back edge, being measured by a fine string closely fitted into the sinking.

Water trunks are measured the whole height or length, and 3 inches allowed for each joint.

PLASTERER'S NOTES AND MEMORANDA.

	$\frac{1}{2}$ in. thick		$\frac{3}{4}$ in. thick		$1\frac{1}{2}$ in. thick		$2\frac{1}{2}$ in. thick		1 in. thick	
	yds.	ft.	yds.	ft.	yds.	ft.	yds.	ft.	yds.	ft.
One bushel of cement laid	2	2	1	$8\frac{1}{2}$	1	6	1	$3\frac{1}{2}$	1	1
One bushel of cement and one of sand, will cover	4	4	3	8	3	3	2	7	2	2
One bushel of cement and two of sand, will cover	6	6	5	$7\frac{1}{2}$	5	0	4	$1\frac{1}{2}$	3	3
One bushel of cement and three of sand, will cover	8	8	7	7	6	6	5	5	4	4

And so on in proportion.

One cubic yard of chalk lime, 2 yards of sand or drift, and 3 bushels of hair, will cover 75 yards, render and set on brick; or 70 yards on lath.

The same quantity of materials will cover 65 yards, plaster, or render 2 coats and set on brick; or 60 yards on lath.

Floated work requires nearly the same as 2 coats, and set.

About $4\frac{1}{2}$ super yards may be covered with a bundle of laths, and 500 nails.

In MEASURING PLASTERER'S WORK, the ceilings are to be taken from wall to wall, deducting one cornice in each direction. For the cornices, the length taken in the middle of the width of the cornice is to be measured, and the girt measured on the profile of the mould or from the wall to the ceiling. All angles more than eight in each ceiling are to be allowed for extra, at the rate of 1 foot 6 inches run of the cornice each. Enrichments to be numbered and charged separately, according to Schedule. On brick, plastering is measured from upper edge of grounds to

TABLE IV.—continued.

Extent of floor, &c., to be sup- ported.			Permanent load dis- tributed over sur- face.	Multiple of depth and area of bot- tom flange.	Dimensions of Binder.										
Length of binder.	Breadth of sur- face.	Surface.			Depth.	Bottom flange.				Top flange.			Rib.		
						D	B	b b	b	T	t t	t	R R	R	
Feet.	Feet.	Sq. ft.	Tons. Cwts.	Sq. in.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.	In.
15	9	144	18 0	288 {	15 12	10 12	2½ 2½	1½ 1½	3½ 4	1½ 1½	1 1	1 1	1½ 1½	1½ 1½	1½ 1½
16	8	128	16 0	256 {	15 12	9 10	2½ 2½	1½ 1½	3 4	1 1	¾ ¾	¾ ¾	1½ 1½	1½ 1½	1½ 1½
16	7	112	14 0	224 {	15 12	8 9	2 2½	1½ 1½	2½ 3	1½ 1½	1 1	1 1	1½ 1½	1½ 1½	1½ 1½
16	6	96	12 0	192 {	15 12	8 8	1½ 2½	1½ 1½	2½ 3	1 1	¾ ¾	¾ ¾	1½ 1½	1½ 1½	1½ 1½
14	8	112	14 0	196 {	15 12	8 8	1½ 2½	1½ 1½	2½ 3½	1 1	¾ ¾	¾ ¾	1½ 1½	1½ 1½	1½ 1½
14	7	98	12 5	172 {	15 12	8 8	1½ 2½	1½ 1½	2½ 3½	1 1	¾ ¾	¾ ¾	1½ 1½	1½ 1½	1½ 1½
14	6	84	10 10	147 {	15 12	8 8	1½ 2½	1½ 1½	2 2½	1 1	¾ ¾	¾ ¾	1½ 1½	1½ 1½	1½ 1½
12	8	96	12 0	144 {	15 12	8 8	1½ 2½	1½ 1½	2 2½	1 1	¾ ¾	¾ ¾	1½ 1½	1½ 1½	1½ 1½
12	7	84	10 10	126 {	15 12	7 8	1½ 1½	1½ 1½	1½ 2½	1 1	¾ ¾	¾ ¾	1½ 1½	1½ 1½	1½ 1½
12	6	72	9 0	108 {	15 12	7 7	1½ 1½	1½ 1½	1½ 2	¾ ¾	¾ ¾	¾ ¾	1½ 1½	1½ 1½	1½ 1½
10	6	60	7 10	75 {	15 12	5 6	1½ 1½	1 1	1½ 1½	¾ ¾	¾ ¾	¾ ¾	1½ 1½	1½ 1½	1½ 1½
10	5	50	6 5	65 {	12 9	5 6	1½ 1½	1 1	1½ 1½	¾ ¾	¾ ¾	¾ ¾	1½ 1½	1½ 1½	1½ 1½

COPPER.—Weight of a Linear Foot of Round and Square.

Diameter.	Weight of round.	Weight of square.	Diameter.	Weight of round.	Weight of square.
Inches.	lbs.	lbs.	Inches.	lbs.	lbs.
$\frac{1}{8}$.188	.24	$1\frac{1}{8}$	9.21	11.77
$\frac{1}{4}$.424	.54	$1\frac{1}{4}$	10.61	13.52
$\frac{3}{8}$.755	.96	2	12.08	15.38
$\frac{1}{2}$	1.17	1.50	$2\frac{1}{8}$	13.64	17.36
$\frac{5}{8}$	1.69	2.16	$2\frac{1}{4}$	15.29	19.47
$\frac{3}{4}$	2.31	2.94	$2\frac{3}{8}$	17.03	21.69
1	3.02	3.84	$2\frac{1}{2}$	18.87	24.03
$1\frac{1}{8}$	3.82	4.86	$2\frac{3}{4}$	20.81	26.50
$1\frac{1}{4}$	4.71	6.00	$2\frac{7}{8}$	22.84	29.08
$1\frac{3}{8}$	5.71	7.27	3	24.92	31.79
$1\frac{1}{2}$	6.79	8.65		27.18	34.61
$1\frac{3}{4}$	7.94	10.15			

BRASS.—Weight of a Linear Foot of Round and Square.

Diameter.	Weight of round.	Weight of square.	Diameter.	Weight of round.	Weight of square.
Inches.	lbs.	lbs.	Inches.	lbs.	lbs.
$\frac{1}{8}$.17	.22	$1\frac{1}{8}$	8.66	11.03
$\frac{1}{4}$.39	.50	$1\frac{1}{4}$	9.95	12.66
$\frac{3}{8}$.70	.90	2	11.32	14.41
$\frac{1}{2}$	1.10	1.40	$2\frac{1}{8}$	12.78	16.27
$\frac{5}{8}$	1.59	2.02	$2\frac{1}{4}$	14.32	18.24
$\frac{3}{4}$	2.16	2.75	$2\frac{3}{8}$	15.96	20.32
1	2.83	3.60	$2\frac{1}{2}$	17.68	22.53
$1\frac{1}{8}$	3.58	4.56	$2\frac{3}{4}$	19.50	24.83
$1\frac{1}{4}$	4.42	5.63	$2\frac{7}{8}$	21.40	27.25
$1\frac{3}{8}$	5.35	6.81	3	23.39	29.78
$1\frac{1}{2}$	6.36	8.10		25.47	32.43
$1\frac{3}{4}$	7.47	9.51			

STEEL.—Weight of One Foot of Round Steel.

Diameter in inches and parts.	$\frac{1}{8}$	$\frac{1}{4}$	$\frac{3}{8}$	$\frac{1}{2}$	$\frac{5}{8}$	$\frac{3}{4}$	1	$1\frac{1}{8}$	$1\frac{1}{4}$	$1\frac{3}{8}$	$1\frac{1}{2}$	$1\frac{5}{8}$	2	$2\frac{1}{8}$	3
Weight in lbs. and decimal parts.	.167	.376	.609	1.04	1.5	2.05	2.67	3.38	4.18	5.06	6.02	7.07	8.3	9.41	11.71

ceiling or roof, if plain, allowing 3 inches extra height; if cornice, measure halfway up the cornice, and allow this in addition to net height. Moulds, and all tools are included in the prices. Scaffolding must be allowed for extra, if the plaster cannot be served from the ground or floor.

MASON'S NOTES AND MEMORANDA.

Average Number of Cubic Feet of Various Stones, equal to One Ton in Weight.

Marble	13
Granite	13½
Purbeck Stone	13½
Portland ditto	16
Bath ditto	16
Bramley Fall	14½
Yorkshire ditto	15½
Craigleith ditto	16
Grindstone ditto	16½

Of 2 inches York paving,	about	84	<i>feet super.</i>
3 ditto ditto		56	do.
4 ditto landing		42	do.
6 ditto ditto		28	do.
Of 1 in. marble slab,	about	156	do.
1½ do. „		117	do.
2 do. „		78	do.
Of 3 do. granite,	about	54	do.
4 do. „		39	do.
6 do. „		27	do.
Of 2 do. Purbeck paving,	about	80	do.
2½ do. „		67	do.
3 do. „		54	do.

In **MEASURING MASON'S WORK**, all stone above 4 inches in thickness is commonly measured cubically. If 4 in. or less in thickness, to be charged super. Cube quantities are to be allowed for as the stone leaves the saw. Spandril steps are measured on extreme width, and winders extreme length, including, of course, the tailing into the wall. Beds are not usually allowed for curbs, or for solid stone steps on brickwork ; if on stone, half a bed should be allowed. Landings are charged as plain work all over, and half the soffit allowed also as plain, if worked fair. Hoisting to be charged extra for all work above 40 feet from the ground.

For **SMITH'S NOTES AND MEMORANDA** refer to the Tables, &c., in the first part of the Appendix, where tables of the weights of metals, and of the proper dimensions to be given to cast-iron columns, girders, and binders, are given in a most convenient manner for ready reference.

PAINTER, GLAZIER, AND PLUMBER'S NOTES AND MEMORANDA.

Superficial quantity of painting to be measured, and all sinkings and edges to be allowed in superficial dimensions.

Mouldings and all work cut, both edges to be charged per foot run, as per Schedule.

Railings and open work are to be allowed as flat work, both sides over the surface painted, and the intermediate spaces. Small ornamental work to be charged twice for each side all over.

Ladder work and all external cornices or other parts of difficult access, are to be allowed for extra.

In **GLAZING**, the net quantity of glass is to be measured between the rebates ; if sashes glazed per foot super., the entire surface between external rebates to be allowed. Circular and irregular shaped panes to be measured over extreme sides or angles.

All scaffolding required to be allowed for extra.

See previous part of **APPENDIX** for Tables of lead pipe, &c. &c.

In GILDING, a *book* of gold contains 25 leaves, each $3\frac{1}{2}$ by $3\frac{1}{4}$ in., and one book is usually considered sufficient to cover one square foot of plain work.

In PAPERHANGING, a "piece" of common or English paper is 12 yards long, 1 foot 9 inches wide, and contains 7 yards or 63 feet super. One piece in eight is allowed for waste. French papers contain about $4\frac{1}{2}$ yards super. per piece, being of various width.

Borders are 12 yards, or 36 feet, in each length, each being technically called a dozen.

Any part of a piece required is allowed for as a whole piece, except in repairing.

THE END.

INDEX.

- RAPS, with Brass Bell Grates,
 —iron, Weight of, 269.
 Index, 241.
 s, Gauged and Rough, 5.
 uted Felt, 228.
 lting Paving, 226.
 —FLAP Hinges, 128.
 inings, Elbows, &c., 73.
 Bib, and Stop Cocks, 197.
 Weights of Cast Iron, 268.
 bers, Newels, &c., 43.
 on, Table of Weights, 247.
 l Drains, 6.
 Stone, 134.
 , Slate, 157.
 1 Floors, 27.
 ing for Walls and for
 ing, 21.
 is, Deals, &c., 120.
 s, Fillets, &c., 35.
 ig Frames, &c., 8.
 anger's Work, 210.
 ng Glass, 185.
 id Stop Cocks, 197.
 s' Tables of Cast Iron, 264,
 Stained Mouldings, 223.
 rs, Gwynne's Fan, 239.
 ias Stone, 142.
 ng Deal, 17.
 — Louvre, 19.
 — Sound, 17.
 — Wall, 18.
 — Weather, 18.
 and Planks, 120.
 — String, 39.
 er Stone, 142.
 124.
 , 2.
 7, 76.
 Bracketing and Plugging, 19.
 Brackets, Iron, with Screws, 132.
 Brass Bolts, 125.
 — Hinges, 125.
 — Knobs, 132.
 Brass, Copper, and Steel, Table of
 Weights of, 267.
 Brick Nogging, 4.
 — Paving, 6.
 Bricklayer's Day Prices, 11.
 — Materials, 12.
 — Memoranda, 276.
 — Work, 3.
 Brickwork, Measuring, 278.
 Butt-hinges, 125.
 CAEN Stone, 135.
 Carpenter's Day Work, 117.
 — and Joiner's Notes and
 Memoranda, 280.
 — and Joiner's Work, 15.
 Casement Frames, 56.
 — and Frames, 67.
 Cast Iron Balls, Weight of, 268.
 — Columns, Tables of, 250,
 258.
 — Girders, Tables of, 259—
 268.
 — Hinges, 125.
 — Pipes and Gutters, 201.
 — Tables of Weights of,
 248, 249.
 Cast Rough Plate Glass, 182.
 Castle Hill Stone Paving, 144.
 Cement, Lime, &c., 12.
 Cement Work, 165.
 Centering, 24.
 Centrifugal Pumps, 288.
 Chimney Pots, 9.
 Cisterns, Slate, 151.
 Claridge's Asphalte, 226.
 Closet Fronts, 85.

- Coach House and Ledge Doors, 102.
 Cocks, Ball, Bib, &c., 198.
 ——— Weight of, 274.
 Columns and Pilasters, 45.
 Columns, Tables of Cast Iron, 250—
 256.
 Collinge's Spherical Hinges, 126.
 Concrete, 2.
 Conduit and Drain Pipes, 10.
 Contents of Planks and Deals,
 Table of, 244.
 Contractor's Tools, 236.
 Coping, Sills, &c., 136.
 Copper, Brass, and Steel, Tables of
 Weights of, 267.
 Copper Pipes, Weight of, 274.
 ——— Sash Line, 232.
 Coppers, Weights of, 275.
 Cornices, in Plastering, 162.
 Corrugated Iron, 204.
 Counters, 103.
 Coving's Enamelled Slate, 155.
 Crabs, 236.
 Cradling and Frieze, 46.
 Craigleith Stone, 141.
 Cramps for Mason's Work, 147.
 Cranes, 236.
 Cross Garnet Hinges, 125.
 Crown Glass, Glazed, 185.
 ——— Prices of, 173.
 Culverts, Drains, &c., 5.
 Cupboard Locks, 129.
 Curbs, Yorkshire, 140.
 Cuttings, Splays, 8.

 DADO, 71.
 Day Work, Bricklayer's, 11.
 ——— Carpenter's and Joiner's,
 117.
 ——— Gas Fitter's, 220.
 ——— Mason's, 148.
 ——— Painter's, 192.
 ——— Paperhanger's, 224.
 ——— Paviour's, 225.
 ——— Plasterer's, 170.
 ——— Plumber's, 198.
 ——— Slater's, 159.
 ——— Smith's, 209.
 Dead Locks, 129.
 Deal Boarding, 17.
 Deal Doors, 88.
 ——— Sashes, 58.
 Deals and Battens, 126.
 Detector Locks, 129.
 Diamond Rough Plate Glass, 178.
 Dimensions and Weights of Coppers,
 273.
 Distemping, 223.
 Door Fastenings, 130.
 ——— Furniture, 128.
 ——— Slate, 158.
 Doors, Deal, 88.
 ——— Dwarf, 86.
 ——— Ledge, 102.
 ——— Mahogany, 94.
 ——— Outside or Street, 96.
 ——— Sash, 98.
 ——— Wainscot, 93.
 Drain or Conduit Pipes, 10.
 Drains and Culverts, 5.
 Dwarf Doors, 86.

 ELBOWS, Soffites, &c., 73.
 Electrical Bells, 211.
 ——— Batteries, 212.
 ——— Wires, 213.
 Enamelled Slate Chimney Pieces,
 153.
 ——— Covings, 155.
 ——— Oxford Fronts, 154.
 ——— Slabs, 152.
 Engines, Portable Steam, 240.
 Enrichments in Plastering, 163.
 Excavator and Well-digger, 1.
 ——— Memoranda, 277.

 FACINGS, 3.
 Fan-blowers, Gwynne's, 239.
 Fanlight, 71.
 Felt, 228.
 Fences, 26.
 Fencing, Wire Strand for, 230.
 Ferules, 195.
 Fillets, Bearers, &c., 35.
 Fir, Framed and Wrought, 15.
 — in Scantlings, 15.
 Fire Bricks, 13.
 — Lumps and Tiles, 14.
 — Stone, 141.
 Flat Wire Ropes, 232.
 Flattened Glass, Prices of, 173.
 Floor Plastering, 161.
 Floors, 26.
 ——— Naked, 22.
 Fluted Sheet Glass, 174.
 Foot Valves, Gwynne's, 239.

ler's Work, Smith's and, 200.
 ad Grounds, 82.
 — and Wrought Fir, 15.
 as, Casement, 56.
 — Casements and, 57.
 — Sash, 54.
 — Sashes and, 63.
 — Venetian, 57.
 h and English Scales, parallel
 of, 243.
 — Measures, 242.
 — Plaster, 164.
 and Cradling, 46.
 s, Closet, 85.
 ice Work, Iron, 205.
 ture, Door, 128.

ANISED Iron, 207.
 ——— Cramps for Masons,
 147.
 'ubing, 215.
 ocks, Couplings, 216.
 'ittings, 218.
 , Specific Gravity of, 247.
 g, 192.
 rs, &c., Tables of Cast Iron,
 , Prices of, 173.
 d Stoneware Pipes, 10.
 ar's Work and Materials, 173.
 — Notes and Memoranda,
 285.
 te, 141.
 ties, Table of Specific, 246.
 y-traps, Stoneware, 11.
 rs and Bearers, 21.
 — and Pipes, Cast Iron, 201.
 ——— Zinc, 214.
 — and Water Trunks, 52.
 ne's Pumps, 238.

MEBS, Picks, &c., 236.
 -rails, 41, 44.
 ey's Perforated Glass, 179.
 — Rough Plate Glass, 177.
 as, 125.
 Iron, Weights of, 268.

—RUBBER Pipes, 234.
 onger's Prices, 123.
 Brackets, 132.
 Columns, Tables of Cast, 250—
 255.

Iron Cramps for Mason's Work, 147.
 ——— Rails, Weight of, 272.
 ——— Roofing, 207.
 ——— Sundries, 208.
 ——— Tables of Weight of, 247.
 ——— Weight of Rolled, 267.

JAMB Linings, 82.
 Joiner's Day Work, 117.
 ——— Notes and Memoranda,
 Carpenter's and, 280.
 ——— Work, 54.

KENTISH Rag Stone, 142.
 Knobs, Brass, 132.

LABOUR and Nails only, 16.
 ——— on Marble, 145.
 Lathing, Rendering, 159.
 Lava, Metallic, 227.
 Lead, Prices of, 192.
 ——— Pipes, 193.
 ——— Weight of, 276.
 Ledge Doors, 102.
 Lime, Cement, &c., 12.
 ——— Whiting, &c., 169.
 Locks, 129.
 London-made Straps, 229.
 Louvre Boarding, 19.
 Lumps, Tiles and Fire, 14.

MACHINERY, Sawing, 116.
 Mahogany Doors, 94.
 ——— Sashes, 58.
 ——— and Wainscot in Thick-
 nesses, 110.
 Malleable Iron Work, 206.
 Mangers, Slate, 152.
 Marble in Block, 144.
 ——— Cement Work, 167.
 ——— Slabs, 145.
 Marbling, Painting, &c., 190.
 Margins in Plastering, 162.
 Martin's Cement work, 168.
 Mason's Day Work, 148.
 ——— Notes and Memoranda,
 284.
 ——— Work, 134.
 Mastio Work, 169.
 Measures, Weights and, 241.
 Measuring Brickwork, 278.
 ——— Carpenter's and Joiner's
 Work, 281.

Measuring Mason's Work, 285.
 — Plasterer's Work, 283.
 Metallic Cement, 169.
 — Lava, 227.
 — Sash Line, 132.
 Monuments, Slate, 158.
 Mortice Locks, 129.
 Mouldings, 47.
 — in Plastering, 162.
 — Black Stained, 228.

NAILS and Screws, 123.
 Naked Floors, 22.
 Newels, 42.
 Niches, 5.
 Nogging, 4.
 Non-conducting Felt, 228.

OAK Boards and Planking, 36.
 Outside Doors, 94.
 — Work, Plasterer's, 164.
 Oxford Fronts, Enamelled Slate,
 154.

PAINT Cement Work, 166.
 Painter's Day Work, 192.
 — Work, 186.
 — Glazier and Plumber's
 Memoranda, 285.

Palings, Posts, &c., 25.
 Palladian Sashes and Frames, 67.
 Pantiling, 9.
 Paper-hanger's Day Work, 225.
 — Prices, 221.

Paper-hanging, 286.
 Parallel of French and English
 Scales, 243.

— T Iron, Weights of, 270.
 Parian Cement Work, 168.
 Partitions, Quarter, 23.

— Wainscoting, &c., 106.
 Patent Detector Locks, 129.

— Gate Hinges, 127.
 — Plate Glass, 180.
 — Quarry and Diamond Rough
 Plate Glass, 178.

Paving, Asphalting, &c., 224.
 — Brick, 6.
 — Castle Hill Stone, 143.
 — Tiles, 14.

Paviour's Day Work, 225.
 Perforated Glass, 179.
 Picks, Hammers, &c., 236.

Pilasters and Columns, 45.
 Pipes and Gutters, Cast Iron, 201.
 — Zinc, 214.
 — India-rubber, 234.
 — Weight of Lead, 274.
 — of Copper, 274.

Plain Tiling, 9.
 Planing, Sawing, &c., 116.
 Planking, Oak Boards, &c., 36.
 Planks, Boards, &c., 120.
 Plasterer's Day Work, 170.
 — Notes and Memoranda,
 283.
 — Work, 159.

Plate Glass, Patent, 180.
 — British, polished, 181.
 Plates, Tables of Weights, 250.
 Plugging and Bracketing, 19.
 Plumber's Day Work, 198.
 — Notes and Memoranda,
 285.
 — work, 192.

Pointing, 4.
 Polished Plate Glass, 181.
 Portable Steam Engine, 240.
 Portland Cement Work, 166.
 — Stone, 134.

Pozzolana, 228.
 — Work, 165.

Pumps, Gwynne's, 238.
 — Lead, 194.

Purifiers, 147.

QUARRY and Diamond Rough
 Plate Glass, 178.
 Quarter Partitions, 23.

RAILS, Hand, 41, 44.
 — Weight of Iron, 272.
 Railway Turntables, 236.
 Ransome's Patent Silicious Stone,
 148.

— Purifiers, 148.
 Redmund's, Collinge's, and Imray's
 Patent Gate-hinges, 127.

Relaying Slating, 149.
 Rendering Lathing, &c., 159.
 Revolving Shutters, 82, 121.
 Ridges and Hips, 159.

Rising Skew-butt Hinges, 124.
 Rolled Iron, Weight of, 268.
 Roman Cement Work, 165.
 Roofing, 20.

g Felt, 228.
 — Iron, 207.
 Slating, 149.
 , Wire, 230.
 Arches, 4.
 - Plate Glass, Hartley's, 177,
 179.
 - Timber, 15.
 ing Articles in Carpenter's
 Work, 49.
 — in Mason's Work, 187.
 — in Painter's Work, 187.

NCRAS Iron Work Company's
 es, 203.

Doors, 98.
 Fastenings, 130.
 Frames, 54.
 ——— and Squares,
 Painting, 188.

Iron, Weight of, 271.
 Line, 131, 132.
 ——— Copper, 232.

s, 58.
 - and Frames, 61.
 ing and Planing, 116.
 ling, Fir in, 15.
 ——— Timber in, 119.
 ed Tubes, 229.
 s and Nails, 124.
 djusting Spindles, 128.
 al Asphalte, 226.
 Glass, Prices of, 176.
 Fronts, Sashes for, 61.
 ls, 236.

er Fastenings, 130.
 ers, 79.
 e Mouldings, 47.
 Traps, 11.
 , Slate, 151.
 ings, 29.
 ghts, 71.
 , Marble, 145.
 . Slate in, 150.
 Baths, 157.
 Chimney Pieces, 153.
 's Day Work, 159.
 -- Notes and Memoranda, 279.
 — Work, 149.
 , Glass, 185.
 ig, Battening for, 21.
 — Roofs, 149.
 's Day Work, 209.

Smith's Notes and Memoranda, 285.
 ——— and Founder's Work, 200.
 Snoxell's Shutters, 121.
 Socket Pipes, 10.
 Soffites and Elbows, 73.
 Sound Boarding, 17.
 Specific Gravity, Tables of, 246.
 Spherical Hinges, 126.
 Spindles, Self-adjusting, 128.
 ——— Valves, 195.
 Splays, Cuttings, &c., 8.
 Spring Hinges, 126.
 Stained Mouldings, Black, 223.
 Staircases, 37.
 Stanchions, 258.
 Steam Engines, 240.
 ——— Tubes, 229.
 Steel, Brass, and Copper, Table of
 Weights of, 267.
 Steps, Slate, 152.
 ——— Yorkshire, 139.
 Stock Locks, 129.
 Stone in Blocks, 134.
 ——— Weights to Crush, 249.
 Stoneware Pipes, 10.
 Stop Cocks, 197.
 Straps, 229.
 Street Doors, 96.
 String Boards, 39.
 Stripping Slating, 149.
 Strips, Bearers, 35.
 Stucco, 161.
 Sundries in Iron Work, 208.
 ——— in Mason's Work, 137.

TABLE of Scantlings, 244.
 Table Tops of Slate, 156.
 Taper, T Iron, Weight of, 271.
 Telekophonon for Speaking
 Pipes, 133.
 Tiles, 14.
 ——— Glass, 184.
 Tiling, Plain, 9.
 Timber, 15.
 ——— in Scantling, 119.
 Tin Plates, Weight of, 273.
 Traps, Sink, 11.
 Trunks and Gutters, Water, 52.
 Tubes, Wrought Iron, 215, 229.
 Tubular Drain Pipes, 10.
 Tuck Pointing, 4.
 Turntables, Railway, 236.
 Turret Clocks, 199.

URINALS, Enamelled Slate, 156.

VALENTIA Slate, 151.

Valves, Spindle, 196.

Varnishing, 191.

Veneer Hand-rails, 44.

Venetian Frames, 57.

———— Sashes and Frames, 67.

Wainscot and Mahogany in Thick-
nesses, 110.

———— Doors, 98.

———— Sashes, 58.

Wainscoting, Partitions, &c., 106.

Wall Bordering, 18.

Washers and Wastes, 196.

Water Trunks and Gutters, 52.

Weather Boarding, 18.

Weights and Measures, 241.

———— of Bar Iron, Table of, 247.

Well-digger, Excavator, 1.

———— Memoranda, 275.

Whitewashing, 169.

Window-blind Maker's Prices,
121.

Wire Strand, 238.

Writing, 191.

Wrought, Fir, and Framed, 15.

———— Iron Gutters and Pipes,
211.

———— Hinges, 125.

———— Tubes, 215, 229.

———— Work, 206.

YORKSHIRE Coping, Sills, &c., 139.

———— Steps, 140.

———— Stone, 139.

ZINC Gutters and Pipes, 214.

———— Worker's Prices, 213.

ADVERTISEMENTS.

BUNNETT & CO.

BUNNETT & CO.
PATENTEE'S OF
REVOLVING
IRON & WOOD SHUTTERS.

IRON From 3/6 to 6/- Per Ft Supr Inclusive of Gearing	WOOD From 2/- to 3/9 Per Ft Supr Inclusive of Gearing
--	--

Works. DEPT FORD, Kent.

BUNNETT & CO.

BUNNETT & CO.

ORNAMENTAL BRASS OR CAST IRON SHOP FRONTS BRASS OR COPPER SASHES & CASEMENTS BRASS OR ZINC STALL PLATES	HOISTS AND LIFTS, FOR WAREHOUSES, BANKS HOTELS HOSPITALS, &c. BY HAND OR STEAM POWER.
--	---

LONDON & GLASGOW.

ADVERTISEMENTS.



WILLIAM BISSELL, Wholesale Ironmonger, UNION STREET, WOLVERHAMPTON.

Proprietor of the Patent EQUI-ACTION RIM and MORTISE LOCKS; patees of the FLOORING CRAMPS; and Sole Agent for HAIGH'S PATENT MORTISING, BORING, and DRILLING MACHINES.

The most POWERFUL, SIMPLE, EASY, and DURABLE in the Market; combining the best Mechanical Principles of ECCENTRIC and LEVER MOTIONS.


Testimonials of the highest class can be shown from Builders in almost every part of the United Kingdom.

A The Boring and Drilling Apparatus, which can be removed at pleasure.

Price £14 10s. complete, with a set of Eight Chisels, Core-driver, and Boring Apparatus.
£13 10s. Do. do. without the Boring Apparatus.

HAIGH'S NEW PATENT VERTICAL EQUILIBRIUM SAW FRAME

No. 1 Size, complete with one 7-inch Cylinder, 12-inch stroke, Fly Wheel, Crank Shaft, and Connecting Rods, twelve Saws and Buckles, four Loose Frames for Saws, so as to give two for changing, to prepare while working, twelve Pillars and Rollers for carrying Timber, Feed Rollers to




Front and Back, and Grooved Silent Feed Motion, Stop Tap for Steam, Grease Cup, and two Taps for letting the Water out of the Cylinder. Price £88. Extra for Counter Shaft for driving Circular Saw.

AND HIS NEW

PATENT CIRCULAR SWING SAW BENCH.

4ft. 6in. long, 2ft. 6in. wide, 2ft. 5in. high, complete with one 24-inch and 16-inch Circular Saws, Moveable Fence, Driving Pulleys, Pedestal and Foot-screw Carrier, Tightening Pulley for Band, and one



and Screw for Raising and Lowering the Saw to required height or depth, for Cutting Tenons, Grooves, Rebates, &c. Price £27. Extra for Fence for Cross-cutting, 18s. 6d.; also for Cutting Mitres.

ADVERTISEMENTS.

TUPPER & CO.,
MANUFACTURERS OF
GALVANIZED IRON,
AND
GALVANIZED TINNED IRON,
IN
Sheets, Patent Tiles, Iron Roofs, Churches,
Schools, Houses, Rifle Sheds, Cisterns,
Tanks, Iron Fences, Telegraph
Wire, and Stores, &c. &c.

T. and Co. Design and Contract to Erect and Fix complete, in any part
of the Country,

ROOFS; ALSO, CHURCHES, STORES, OR OTHER BUILDINGS,
BOTH OF GALVANIZED AND OF PAINTED IRON.

OFFICES:

61A, MOORGATE STREET, LONDON, E.C.

WORKS:

LIMEHOUSE, LONDON,
AND
BERKELEY STREET, BIRMINGHAM.

MERCHANTS AND SHIPPERS SUPPLIED.
IRON OF EVERY DESCRIPTION GALVANIZED.

FOR DESCRIPTIVE CIRCULARS APPLY AS ABOVE.

ADVERTISEMENTS.

**TO ENGINEERS, BUILDERS, CONTRACTORS,
IRONFOUNDERS, &c.**

**JOHN NEWTON & Co.,
HONDURAS WHARF, 74, & FALCON WHARF, 80,
BANKSIDE, SOUTHWARK, LONDON, S.E.**

**Stourbridge, Newcastle, and Welsh Fire Brick and
Tile Merchants.**

WHOLESALE AND FOR EXPORTATION.

**DEPOT FOR RAMSAY'S NEWCASTLE FIRE BRICKS, CLAYS, &c., &c.
RAMSAY'S GARESFIELD FOUNDRY COKE.**


**N.B. Goods made to Pattern on the shortest notice and most reasonable terms.
Shipping Orders executed with dispatch. Roman and Portland Cements, Plaster of
Paris, and all kinds of Building Materials. (Please be particular in addressing in full.)**

**EVANS, SON, AND COMPANY,
33 and 34, KING WILLIAM STREET,**

AND

**ARTHUR STREET WEST (FACING THE MONUMENT),
LONDON BRIDGE, E.C.**

WHOLESALE, RETAIL, AND FOR EXPORTATION.



**Manufacturers of STOVE
GRATES, KITCHEN
RANGES, and COOKING
APPARATUS of all descrip-
tions. Stoves for Churches,
Halls, Shops, Ships' Cabins,
and all other purposes.**

**BATHS, GAS FITTINGS
and LAMPS of all kinds,
and with the latest im-
provements.**

**A splendid Stock of
TABLE CUTLERY and
ELECTRO-PLATED
WARES, PAPIER MACHE
and Japanned Goods, TEA
and COFFEE URNS, DISH
COVERS, and**


**EVERY ARTICLE OF FURNISHING IRONMONGERY.
EVANS' PRIZE MEDAL KITCHENER**

Is the Best Cooking Apparatus yet introduced. The Trade Supplied.

**ASPHALTE FOR BASEMENT FLOORS.—Per $\frac{1}{2}$ in. 5d.;
1 in. 6 $\frac{1}{2}$ d.; 1 $\frac{1}{2}$ in. 10d.; 2 in. 1s. per foot super. Every description of Pavement
laid down, and the work guaranteed.**

**TAR PAVEMENT, 2 $\frac{1}{2}$ in. thick, 2s. 8d. per yard super.; 3 in. 2s. 9d.; 4 in. 3s. 6d.;
and 6 in. 4s. 6d. Apply to Mr. WILLIAM WRIGHT, 32, Bucklersbury, London.**

ARCHITECTURAL METAL WORKS,
64, CLEMENT STREET, BIRMINGHAM.



PRIZE MEDAL TO MAW AND CO.,
INTERNATIONAL EXHIBITION, 1862.

IMPERISHABLE TESSELATED PAVEMENTS, combining
a highly Decorative and Economical substitute for ordinary floors or their perishable coverings. MAW & Co.'s Pattern-book, designed By M. DIOBY WYATT, Esq., together with a special design and estimate of cost, adapted to any given dimensions of hall, passage, conservatory, verandah, frieze, &c., will be sent on application to Benthall Works, Broseley, Salop, or to the London Agents, W. B. SIMPSON and SONS, 456, West Strand, who have on view a great variety of specimens of the pavement.

ADVERTISEMENTS.

**CLAUDET & HOUGHTON,
WINDOW GLASS MERCHANTS,
89, HIGH HOLBORN, LONDON.**

**Plate Glass, Patent Plate, Sheet and Crown Glass, and every
kind of Plain and Ornamental Window Glass.**

LIST OF PRICES OR ESTIMATES SENT FREE ON APPLICATION.

WINDOW GLASS.

JAMES HETLEY & CO.,

**British and Patent Plate Glass, Crown, Sheet, and Ornamental
Window Glass Merchants,**

35, SOHO SQUARE, LONDON.

Lists of Prices and Estimates sent on receipt of particulars.

CAUTION TO ARCHITECTS AND BUILDERS.

IN consequence of complaints arising from the substitution
of **INFERIOR** and **SPURIOUS ARTICLES** instead of

SMITH'S PATENT DOUBLE-ACTION DOOR SPRINGS,



SMITH'S PATENT WEATHER-TIGHT WATER BAR, AND

**SMITH'S PATENT WEATHER-TIGHT CASEMENT FASTENINGS FOR
FRENCH WINDOWS,**

The above are most respectfully requested to observe that all *Genuine Articles* are
stamped with the *Name and Address*—

SMITH, PATENTEE,

**69, Princes Street, Leicester Square, London,
AND ONLY SUCH ARE WARRANTED.**



JOHN ARCHBUTT & SONS,

201, Westminster Bridge Road, Lambeth,
near Astley's Theatre. Revised List of Prices
for present Season: Best 10-inch Dumpy Level,
with solid centre, complete, £8 10s.; ditto with
compass, £9 9s.; 14-inch ditto, £10 10s. and
£11 11s.; with Burleigh's improved rotatory
adjustment and diaphragm, £1 1s. extra. The-
odolites equally low. An inspection will prove
their instruments cannot be surpassed in quality,
accuracy, or price. Illustrated
Catalogues post free. N.B.—
Levels and Theodolites on hire.
Established 1796. A large stock
of every kind of Instruments,
Scales, Tapes, &c., used by Civil
Engineers, Surveyors, and Archi-
tects.

**A. A. ROBINSON,
SLATE MERCHANT, AND SLATER;
MANUFACTURER OF ROBINSON'S ROLL RIBBING,**

And every description of Plain and Enamelled Slate Work.

**137, FENCHURCH STREET, LONDON, E.C.
MANUFACTORY,
BOW BRIDGE SLATE WORKS, STRATFORD, E.
WHARF,
VICTORIA LONDON DOCKS.**

PEAKE'S TERRO-METALLIC PAVING AND RIDGE TILES.
Earthenware Urinals and Lavatories, and Plumbers' Brass Work.

ADVERTISEMENTS.

TARPAULINS for **COVERING ROOFS** during Repairs, **SCAFFOLD CORD**, and every description of **ROPE** used by Builders upon the **Lowest Terms**. Marquee and Temporary Awnings on Sale or Hire. Orders per post receive the most prompt attention.

H. PIGGOTT,

59, Bishopsgate Street Without, E.C., Manufacturer by appointment to Her Majesty's Honourable Board of Ordnance.

FINE BRICKS—Best Red and White Facing Bricks; White, Red, and Black Cutters; Fancy Moulded Bricks of many designs; Ridge Tiles, plain and ornamental; Red and White Roofing Tiles of many designs; Red and Black Ornamental Paving Designs; Hard White Paving Bricks, and many other manufactures.

Lithographed pattern sheets forwarded on application to

RICHARD LANGLEY,

Agent on the East Cowes Park Estate, Isle of Wight.

Paper Hangings (British and Foreign), Decorations, &c.

WILLIAM SHIERS & Co., Manufacturers, Importers, and Exporters of Paper Hangings; general Painters, Decorators, and Ornamentists, Sign and Glass Writers; Glue, Gum, Varnish, Paint and Colour, and Gold Mouldings Merchants, and general Repairers of Property. Largest Stock and Variety in the Kingdom, Newest Designs, Lowest Prices. The Nobility, Gentry, Large Buyers, and the Trade, are respectfully invited to an early inspection of the New Stock for 1865, far surpassing anything in Paper Hangings hitherto offered. Patterns sent to any address on receipt of Six Stamps.

3 and 5, DEANSGATE, MANCHESTER.

GARDEN WALLS.

FOXLEY'S PATENT CORRUGATED BRICKS are Ornamental, Cheap, and Durable, and the most complete remedy against all the evils attending the present system of training Fruit Trees. Particulars on application to the Patentee,

J. FOXLEY, Stony Stratford, Bucks.

Agents for LONDON—Messrs. EASTWOOD, Lambeth.

REDMUND'S PATENT HINGE MANUFACTORY and WAREHOUSE, Wellington Foundry, No. 68, Charles-street, City Road, E.C., near the Canal Bridge.

BENJAMIN SLATER,

(Late E. GOLLOP), SOLE PROPRIETOR.

A LARGE STOCK of the PATENT HINGES kept ready for delivery, consisting of Floor Springs, Gate Hinges, Rising Hinges, Rising Spring Hinges, Not-rising Spring Hinges, Double-acting Spring Hinges, Rising and Not-rising Door Back Springs, &c.

Price List and Drawings on application as above.

ADVERTISEMENTS.

ST. PANCRAS IRON WORK COMPANY,

Old Saint Pancras Road, opposite Old Saint Pancras Church, London, N.W.



ENGINEERS, IRONFOUNDERS, AND SMITHS.

WROUGHT IRON,

AND OTHER

STABLE FITTINGS.

STABLE FITTINGS.
ENAMELLED MANGERS.
PATENT RACKS.
GIRDERS, CAST AND
WROUGHT.
COLUMNS, SOLID AND
HOLLOW.
IRON DOORS.
IRON ROOFS.
IRON HOUSES.
JOISTS.
FLITCHES.
RAILING.
ORNAMENTAL RAILING.

BALCONIES.
STAIRCASES.
CIRCULAR STAIRCASES.
TOMB RAILING.
SKYLIGHTS.
SASHES, CAST AND
WROUGHT.
ENTRANCE GATES.
ROOFING SHEETS.
PUMPS.
TANKS, CAST AND
WROUGHT.
VERANDAHS.
CONSERVATORIES.

HOT-WATER WORK.
HOT-HOUSES.
ORCHARD-HOUSES.
PINE AND MELON PITS.
VINERIES.
FIRE-PROOF SAFES.
CAST IRON SAFES.
BRIDGES.
GATES, OF EVERY DE-
SCRIPTION.
CORRUGATED IRON.
GALVANIZED IRON.
HURDLES.

EVERY KIND OF IRON WORK

FOR BUILDING AND OTHER PURPOSES,

PLAIN, AND IN ORNAMENTAL WROUGHT OR CAST IRON.

SCOTT'S GLASS WALLS (PATENT).

LISTS FREE, ON APPLICATION.

ADVERTISEMENTS.




H O W A R D ' S P A T E N T
REGULATING CLOSET and WATER-WASTE PREVENTOR, manufactured by HAYWARD TYLER & CO., 84 and 85, Upper Whitecross-street, St. Luke's, E.C., has been fixed in all situations, and proved to be the most efficient Closet made. It is free from leakage, and delivers only a given quantity of water at each action into the basin, which can be adjusted when required.

H. T. & Co. invite attention to those fixed at the Factory. Also Manufacturers of Underhay's (Botten's) Patent Closets, and of the Patent (known as Lambert's) Equilibrium Ball Cocks, and Diaphragm Bib and Stop Cocks. Sole Makers in London of Hansbrow's Patent Californian Pump.

HAYWARD TYLER & CO., 84 & 85, Upper Whitecross Street, St. Luke's, London, E.C., ENGINEERS and BRASS FOUNDERS, Manufacturers of High Pressure Steam Engines, Hydraulic Presses, Soda-water Machines, Well Engines, and Pumps for Railways and all other purposes; Proving-Pumps for Boilers, Iron Pipes, &c.; Hydraulic Machines for proving Iron Girders, with Rams of all sizes on Iron Carriage, with Gun-metal Proving Pump, the lever graduated to prove to any required pressure with the greatest accuracy. These Machines are used at several of the most eminent Ironworks and Building Establishments in town and country.


Manufacturers of Steam Cocks, Water Gauges, Whistles, Lubricators, Safety Valves, &c. All kinds of Steam Fittings made to Pattern or Working Drawings.



The Continental Marble Company.
A R C H I T E C T S a n d B U I L D E R S
will find a considerable reduction in the price of MARBLE CHIMNEY PIECES, SLABS, &c., at the Company's Showrooms,
NO. 3, NEW BROAD STREET COURT, NEW BROAD STREET.

MARBLE CHIMNEY PIECES from 16s. 6d. to £100.

A Liberal Commission allowed to the Trade.



ROLLED MALLEABLE IRON JOISTS AND GIRDERS,

Of various sizes up to 12 inches deep, with top and bottom Flanges, 5 inches wide, rolled up to 30 feet long.

Can be produced 18 inches deep, if required.

Angle, Tee, and all other forms of Rolled Iron of extraordinary sizes and lengths.

For SECTIONS, PRICES, and other particulars, apply to

**MATHER, LEDWARD, & CO.,
LIVERPOOL.**

HAWKINS'S REGISTERED SASH CHAIN.—This Article has been carrying Sashes of all weights up to 1 cwt. for many years past, and has never failed.

Particulars sent free, upon application to

THOMAS P. HAWKINS, 27, Dale End, Birmingham.

ADVERTISEMENTS.

F. G. UNDERHAY,
ENGINEER, HYDRAULIC BRASS FOUNDER, &c.


MANUFACTURER OF HIS PATENT

Regulator Water Closets, Gas Meters and Valves,
CRAWFORD PASSAGE, CLERKENWELL,
LONDON, E.C.

*International Exhibition of 1882, Class 10, Honourable Mention for
"Ingenious Construction of Water Closets."*

UNDERHAY'S PATENT REGULATOR CLOSETS may be fixed direct to Main, or supplied from a Cistern, in any situation. They require neither Service Boxes, Valves, Cranks, nor Wires; all the fixing necessary is to attach a Service Pipe as to a common Bib Tap. They are very noiseless. A perfect flush of water is obtained, no matter how carelessly used; and absence of smell thus ensured.


REGULATOR VALVE CLOSET.



REGULATOR VALVE CLOSET,

As fixed at the International Exhibition of 1882, Houses of Parliament, Windsor Castle, Tower, St. James's Palace, The Royal Pavilion, Aldershot, Mint, Hampton Court Palace, Somerset House, Crystal Palace, Cleveland and Goldsmid Estates, Stock Exchange, General Post Office and Branches, Queen's Bench; House of Correction, Coldbath Fields; Penitentiary, Millbank; Horsemonger Lane Gaol, Barracks; Aldershot, Plymouth, Devonport, Woolwich. Workhouses: Clerkenwell, Wigan, Whitehaven. Zoological Gardens; Infant School, Covent Garden; Sessions House, Westminster; Police Courts; New Consulate Hospital and Prison, Constantinople; Colleges and Ratcliffe Infirmary, Oxford; Hotels, Club Houses, Baths, Mansions, &c. These closets (Underhay's make) are in use at the Horticultural Gardens, Kensington, and ninety-seven of them have been fixed at the Grosvenor Hotel, Fimlico.

REGULATOR PAN CLOSET.



THE

REGULATOR PAN CLOSET.

Some thousands of these Closets are now in use; and the largely increasing demand for them is proof of their durability and efficiency.

ADVERTISEMENTS.

MINTON & CO. have removed from Albion Place, Blackfriars, to 50, CONDUIT STREET, REGENT STREET.

ENCAUSTIC AND OTHER PAVEMENTS.

EARTHENWARE AND PLAIN TILES.

DESIGNS AND ESTIMATES PREPARED.

Manufactory—STOKE-UPON-TRENT.

SLATES.—JONES & Co. have a STOCK of SLATES of different sorts from the best Quarries in Wales.
SLABS and CISTERNS delivered at any station in quantities of not less than five tons, from their depots, Bangor, Garston, Saltney, Chester, and Gloucester.
Prices forwarded, and Estimates given, on application.

1, BOLD TERRACE, CHESTER.

DAY AND GAS LIGHT REFLECTOR MANUFACTURER.

THOMAS FOX, 90, HATTON GARDEN, and 38½, CHARLES STREET, HATTON GARDEN, LONDON, E.C.
These Reflectors never tarnish, require no cleaning, and are the most effective and durable yet presented to the public.

N.B.—The usual Discount to Builders and the Trade.

THE CHRONO-THERMAL OR ECONOMIC STOVE.

THE smallest will warm a Room Twenty feet square with Anthracite Coal for less than 2d. for ten hours. The fire, once ignited, requires no further attention.

Can be seen in operation at LUCK, KENT & CUMMING'S, Carpet Manufacturers, 4, Regent Street, Waterloo Place, and their Agents, the FANLISANON COMPANY, Baker Street, Portman Square.

WARMING, VENTILATING, & DESICCATING APPARATUS,

PRIZE MEDAL INTERNATIONAL EXHIBITION, 1862.

S. EGAN ROSSER,

**WARMING AND VENTILATING ENGINEER AND
HEATING APPARATUS MANUFACTURER,**

118, DORSET STREET, FLEET STREET, E.C.

Churches uniformly Heated by the Improved Low Temperature Air Warmer.
BUILDERS' DRYING ROOMS, SEASONING SHEDS, &c. &c.

ADVERTISEMENTS.


BY ROYAL LETTERS PATENT.

ELECTRIC BELLS FOR DOMESTIC USES.

BREGUET'S SYSTEM,
WITH A SMALL DIAL, WHICH SHOWS WHEN
THE BELL IS RINGING.

Every person Building a New House, or Repairing an Old one, should first inquire into the merits of this system before giving orders to the Bell-hanger.

It is now universally adopted in all New Buildings in Paris.



Dial $2\frac{1}{4}$ ins. diameter.

WILLIAM S. ADAMS & SON,
SOLE AGENTS AND PATENTEES,

N^o. 57, HAYMARKET, LONDON, S.W.

* * *Illustrated Catalogues, with Prices, forwarded on application.*

WINDOW BLINDS.

E. ADKINS,

HIGH STREET, ST. JOHN'S WOOD, REGENT'S PARK, N.W.

Outside Sun-Shade, & Spring Roller Maker

TO THE TRADE.

Much approved Patent Self-adjusting Venetian Blinds, requiring no Fastenings for the Cords. Illustrated List of Prices on receipt of One Postage Stamp.



W. WILLIAMS,
BROAD STREET,
BIRMINGHAM,

MANUFACTURER OF
REVOLVING IRON SHUTTERS.

Made in the Best Manner and Warranted to keep in Order. The above are suitable for Shop Fronts, Banks, Warehouses, &c.

N.B.—Sun Blinds with Spring Rollers for Shop Fronts.



ADVERTISEMENTS.

ROOFING METAL (WETTERSTEDT'S PATENT OF MARINE),

In sheets 2lb. and 3lb. per square foot, 9 feet long by 3 feet wide.
The most durable and economical metal for roofing.
Does not rust or decay under the action of the atmosphere or acids.
For Price, Particulars, &c., apply to the Manufacturers,

W. W. & R. JOHNSON AND SONS,
WHITE LEAD WORKS, LIMEHOUSE, LONDON, E.

ELECTRIC HOUSE BELLS, ELECTRIC INDICATORS AND ALARMS.

See the operation of the System, and obtain an Estimate for Fixing in any Building.

JOHN MOSELEY AND SON,

17 & 18, KING STREET, AND 27, BEDFORD STREET, COVENT
GARDEN, LONDON.

N.B.—See article on "Household Bells" in the BUILDING NEWS, April 29, 1864.

WOOD PAVING.—MESSRS. THORN AND
CO. CONTRACT to MANUFACTURE and LAY WOOD PAVING of every
description.

STEAM SAW-MILLS, CREMORNE WHARF, CHELSEA.

PEAKE'S TERRO-METALLIC TILES, PIPES, &c.—

Notice is hereby most respectfully given, that the LONDON DEPOT for this
WARE IS REMOVED to No. 21 WHARF, MACCLESFIELD STREET NORTH,
CITY ROAD BASIN, N.—2ndly, That the Trade Term "TERRO-METALLIC" is
the Exclusive Right of the Proprietor; and 3rdly, That the "Reports of the Juris,
page 581, of the Great Exhibition, 1851," note the grant of a First-Class Medal, and
rank the Manufacturers, known so long as "THE TILERIES," TUNSTALL,
STAFFORDSHIRE, as the First of the Kind in the World.

REMOVED TO LARGER PREMISES.

SUFFELL, MATHEMATICAL INSTRUMENT

MAKER, 11, BRIDGE STREET, opposite to Westminster Hall, S.W. Cases
of Drawing Instruments, 8s. 6d. to 12s. 6d.; Architects' Pocket Sets, 21s. to 36s.;
Engineers' ditto, finest finished, Improved Needle Sockets, 30s. to 65s. Second-hand
Instruments, if required, at reduced prices. Standard Measures of all Nations;
Chains, &c. Orders forwarded on London reference or remittance. Price Lists free.

STAINING DEAL TO IMITATE ALL KINDS OF

WOOD. It requires no sizing, and will stand the exposure to the weather.

Light Oak 4s. per gallon.	Mahogany 8s. per gallon.
Middle Tint 6s. "	Rosewood 8s. "
Dark Oak 6s. "	Walnut 8s. "

Varnishes for NAYLOR'S Stains may be had at the Factory, 4A, James-street,
Oxford-street; also Manufacturer of Improved Knotting and Decorative Varnishes.

WILLIAM S. LAWRENCE, PENNANT STONE

MERCHANT, STAPLETON. OFFICE: 10, MERCHANT STREET,
BRISTOL. All descriptions of Steps, Landings, Troughs, Blocks, Tombs, Curb
Ashlar, Paving, &c., always on sale at his celebrated Stone Quarries, Stapleton; and
at Conham, on the banks of the river Avon, near Bristol.

ADVERTISEMENTS.

GARROD & CO.
VARNISH, WHITE LEAD, & COLOR
MANUFACTURERS,
OIL MERCHANTS, DRY-SALTERS, &c.,
56, UPPER THAMES STREET, LONDON, E.C.

GARROD & CO. beg to call the attention of PAINTERS, BUILDERS, and
the TRADE generally to their

WHITE LEAD,

Which they guarantee to be perfectly GENUINE—a great desideratum in all cases where exposed to the influence of the Atmosphere, as well as for Internal Decoration, presenting an even surface, as well as a Protecting Covering, otherwise unattainable.

Their VARNISH has stood the test of time, and for BODY,
BRILLIANCY, and CHEAPNESS, cannot be excelled.

PAINTS, COLORS, VARNISHES, &c.,

PACKED FOR EXPORTATION.


N.B.—GARROD & CO. are the SOLE PROPRIETORS
of the celebrated

ENGLISH TURPENTINE,

EQUAL IN EVERY RESPECT TO THE AMERICAN, AND AT
ONE-THIRD THE PRICE.

ADVERTISEMENTS.

WHISHAW'S REGISTERED IMPROVED TELEKOUPHONON FOR SPEAKING PIPES.



BY means of this invention Speaking-Pipes may be rendered more generally available for Public Buildings, Club Houses, Noblemen's Mansions, City Warehouses, Offices, &c. It consists of a Whistle-mouthpiece of Ivory, Wood, or Metal, with an Indicator attached, by means of which, in case of two or more speaking-tubes being carried into one room, the mouth-piece from which a whistle proceeds is readily ascertained.

ALSO, ZINC AND COPPER SPEAKING PIPES OF ALL SIZES.

Manufactured solely by

BENHAM AND FROUD,

GENERAL METAL WORKERS,

40, 41, AND 42, CHANDOS STREET, CHARING CROSS,

And to be had Retail of all respectable Ironmongers.

THE PATENT UNIVERSAL CHIMNEY HEAD.



This Chimney Head has been designed for the Prevention of Smoky Chimneys and down Draughts. The top is open, and the numerous side apertures are so placed as to guide the wind upwards, as it strikes the head from any quarter, thus creating a strong current, and assisting the exit of the smoke through the top. The same apertures give ready egress to the wind on all sides in case of its striking downwards from above, and thus greatly diminish the danger of its passing down the chimney.

Price, in Zinc 25s. Kitchen size 32s.
 " Galvanized Iron 25s. " " " " " 35s.

A LIBERAL ALLOWANCE TO THE TRADE.

Manufactured solely by BENHAM & FROUD,

GENERAL METAL WORKERS,

40, 41, & 42, CHANDOS ST., CHARING CROSS, LONDON, W.C.,

And to be obtained of all respectable Ironmongers in London and Country.

ESTABLISHED 1744.

AUSTIN'S IMPERIAL PATENT SASH AND BLIND LINES.—To BUILDERS, CARPENTERS, and BLIND MAKERS.—J. AUSTIN, Manufacturer of the above articles, particularly wishes to direct the attention of the Trade to his

IMPERIAL PATENT FLAX SASH LINES,

and for which he obtained the PRIZE MEDAL at the International Exhibition of 1882, of which he is now making Three Qualities; and he strongly recommends that in all cases they should be purchased in preference to the PATENT LINES made from Jute, which article has neither the STRENGTH nor DURABILITY of Flax, consequently cannot give so much satisfaction to the Consumer.

They can be obtained of all Rope-makers, Ironmongers, Merchants, Factors, and Wholesale Houses in Town and Country.

ADVERTISEMENTS.

MOREWOOD & CO.

Manufacture and supply the Trade with

**GALVANIZED TINNED IRON AND
GALVANIZED IRON,**

Of the Best Quality, in SHEETS, either Corrugated or Flat.

Galvanized Wire and Wire Strand for Fencing; Telegraph Wire, Galvanized or Black Wire Netting. Galvanized or Painted Garden Seats and Chairs. Galvanized or Painted Iron Hurdles. Galvanized or Black Welded Tubes for Water or Gas. Galvanized Wrought Iron Cisterns and Tanks. Galvanized Iron Builders' Pails, Riddles, Skeps, &c. Also Corrugated Black Sheet Iron, Sheet Zinc, and Perforated Zinc. All kept in Stock.

M. & Co. also supply the Trade with *Cast Gutters* and *Pipes*, both Black and Galvanized, on the very lowest terms. All sizes kept in Stock.

M. & Co. design, and contract to erect and fix complete, in any part of the country, *Roofs*, both of *Galvanized* and of *Black Iron*, either *plain* or *painted*. Also Churches, Stores, or other Buildings, for Exportation.

Galvanizing Work Executed with Care and Despatch.

EXPORT AND COUNTRY ORDERS EXECUTED PROMPTLY.

CHEAPER THAN FELT

WHEN FIXED COMPLETE,

**MOREWOOD & CO.'S PATENT
CONTINUOUS ROOFING SHEETS OF
GALVANIZED IRON.**

In lengths of from 50 to 500 feet and upwards. Width, 2 feet.

Price 3d. per Foot Superficial in 31 gauge; 4d. in 28 gauge. A liberal Discount to the Trade.

The principal advantages by which this material is distinguished are as follow:—

1. By its total cost, fixed complete, being less than that of common asphalted felt.
2. By the ease with which it can be applied by unskilled labour.
3. By the rapidity with which roofs and buildings can be covered by it.
4. By the important fact, that sheets can be made of any length required, and are not liable to take fire.

For instructions as to Fixing, and explanation of the mode of Manufacture, and all other particulars, apply to

MOREWOOD & CO.,

Dowgate Dock, Upper Thames Street, London, E.C.;
Lion Works, Birmingham Heath, Birmingham;
and Ettingshall Iron Works, Bilston.

Sheds, of Morewood and Co.'s Patent Continuous Sheets, have been erected at Chatham Dockyard, East and West India Docks, &c. &c.

ADVERTISEMENTS.

FRENCH CASEMENTS.

TO ARCHITECTS, &c.—DAMP and DRAUGHT effectually excluded from the BOTTOMS of FRENCH CASEMENTS by

T. Smith's Improved Self-acting Water Bar.

A Working Model can be seen at the Manufactory, 14, Queen-street, Oxford-street, W.; or a Sketch will be sent, on application.

N.B. Brass and Iron Espagnolette Bolts of a Superior Quality at Reduced Prices.

Prize Medal awarded at the International Exhibition, 1862.

THE ARCHITECTURAL POTTERY COMPANY,
POOLE, Dorset, Manufacturers of BAILEY'S PATENT INLAID MOSAIC TILES; also superior TESSELATED TILES, 6 inches and 4 inches square, hexagonal and octagonal &c.; white, red, buff, black, blue, grey, &c., for churches, entrance-halls, corridors, conservatories, lobbies, vestibules, porticoes, verandahs, plinths, friezes, string courses, pilasters, &c.; also, white glazed tiles for baths, dairies, &c. They also beg to call attention to their

NEW MANUFACTURE OF METALLINE TILES,

6 inches by 1 inch thick, in truck loads of 4,000, from 63s. per 1,000, delivered to Nine Elms. Also malt-kiln, ridge, gutter and hip tiles; 9 inch red and buff, patent glazed buff stone bricks, and fire bricks.—Specimens may be seen, and every information obtained, at the offices, No. 86, Parliament-street, S.W.; also at the Architectural Exhibition, 9, Conduit-street, Regent-street; Kensington Museum; the Fine Arts' Academy; and the Crystal Palace, Sydenham.—Address, the Architectural Pottery Company, 86, Parliament-street, S.W.; or Poole, Dorset.

COLLINGS'S PATENT SPHERICAL HINGES AND IMRAY'S PATENT CUP AND BALL HINGES.

MANUFACTURED SOLELY AT THE ORIGINAL MANUFACTORY, BY

JOHN IMRAY,

(LATE CHARLES COLLINGS & CO.,)

**190 (FORMERLY 65), WESTMINSTER BRIDGE ROAD,
LAMBETH.**

GATE OR STRAP HINGES, BRASS BUTTS, IRON BUTTS, RISING HINGES.
SPRING HINGES TO SWING BOTH WAYS.

**CAST AND WROUGHT IRON GATES FOR PARKS AND TURN-
PIKE ROADS.**

SUPERIOR LEVER BOLTS, GATE FASTENINGS, &c.

ADVERTISEMENTS.

TRACING AND DRAWING PAPER.

Waterlow's Transparent Tracing Papers.

Leon's French Tracing Papers.

Patent Tracing Linen and Cloth.

Waterlow's Drawing Paper and Cartridge.

Continuous Drawing Cartridges 54 and 60 inches wide.

Mounted Drawing Papers.

Williamson's Sectional Lines for Engineers.

WATERLOW AND SONS,
MANUFACTURING AND EXPORT STATIONERS,

(Contractors with Her Majesty's Stationery Office, and the principal
Railway Companies in England),

London Wall, Birchin Lane, and Parliament St., London.

SAMPLES SENT FREE.

NEW PATENT CONCRETE STONE

(RANSOME'S PATENT),

MADE WITHOUT BURNING,

FOR

**SHARPNESS OF OUTLINE, BEAUTY OF APPEARANCE,
DURABILITY AND CHEAPNESS,**

STANDS UNRIVALLED.

Manufactured in Blocks of any Dimensions, suitable for the CONSTRUCTION OF BUILDINGS generally. It surpasses most other materials in its applicability to every description of ARCHITECTURAL EMBELLISHMENTS, CAPITALS FOR COLUMNS AND PILASTERS, CHIMNEY PIECES, TRUSSES, BALUSTRADES FOR TERRACES, GATE-PIERS, CAPS AND TERMINALS, MONUMENTS, TOMBS, and all kinds of Cemetery Requirements, &c., &c.

RANSOME'S PATENTED PROCESS

For Preserving Stone, Bricks, Cement, Stucco, &c.,

By which the softest and most friable Stone, &c., can be rendered impervious and imperishable, decay at once arrested and prevented.

. FOR PRICES, SPECIMENS, ILLUSTRATIONS, AND LICENCES, APPLY TO
THE SECRETARY,

CONCRETE STONE COMPANY (LIMITED),

36, PARLIAMENT STREET, WESTMINSTER.

ADVERTISEMENTS.

**MARTIN'S CEMENT,
THE MOST APPROVED AND HARDEST INTERNAL
STUCCO.**

CAN BE PAINTED IN TWELVE HOURS.

PRIZE MEDAL, 1851; HONOURABLE MENTION, 1862;
"For the Good Quality of Martin's Cement and Plaster of Paris."

**J. C. PART, MANUFACTURER,
181, DRURY LANE, LONDON; and at DERBY.**
The Best Plaster of Paris. Established 1784.

TIMBER, DEALS, AND FLOORING.

JOSEPH & ALFRED ROSLING

Have in Stock at their WHARF, and SAWING, PLANING, AND MOULDING MILLS,

SOUTHWARK BRIDGE WHARF, BANKSIDE,

A large and well-seasoned stock of Wood Goods, comprising
**Yellow, White, and Pine Deals and Battens and
Flooring,**
OF VARIOUS THICKNESSES.

BLUE LIAS STONE.

LYME REGIS, DORSET.

MESSRS. J. & T. HARVEY, CEMENT MANUFACTURERS,
of Plymouth, are prepared to supply any quantity of the **BEST HYDRAULIC
LIMESTONE** in the Kingdom, on very advantageous terms.
Orders promptly executed. Apply as above, or to their Agent, **WILLIAM PORTER,**
Lyme Regis.

PRIZE MEDAL, 1862.

PAINTING AND GRAINING BRUSHES.


HAMILTON & CO.,

SOLE MANUFACTURERS of **C. A. Watkin's Patent**
Painting Brushes. All the Goods bearing our Brand are Warranted of the Best
Materials and Workmanship, and are supplied at the Lowest Prices.
Price Lists forwarded on application.

Manufactory: 10, GREEK STREET, SOHO SQUARE, LONDON, W.

ADVERTISEMENTS.

**WROUGHT-IRON TANKS, CISTERNS, GIRDERS,
FUNNELS, &c.,**



PLAIN OR GALVANIZED;
**CATTLE TROUGHS,
Iron Cart Bodies,
&c.**

BURNEY & COMPANY,
Millwall, London. E.

BEART'S PATENT BRICK COMPANY,
MANUFACTURERS OF
PLAIN AND MOULDED WHITE BUILDING BRICKS,
AND
**AGRICULTURAL DRAIN PIPES,
ARLSEY, BEDFORDSHIRE.**
(On the Line of the Great Northern Railway, near Hitchin.)

London Depot—**GREAT NORTHERN RAILWAY YARD, KING'S CROSS, N.**
GEORGE BOLTON PHIPPS, Agents.

An Illustrated Sheet of the different Makes can be had on application.

Draughts and Dust round Doors and Windows effectually prevented by


GREENWOOD'S

PATENT INDIA-RUBBER MOULDINGS

(Can be had any Length or Pattern).

The neatest, most simple, and effectual method of making air-tight joints to joiners' or cabinet work OLD or NEW. Self-acting Spring Slides for the bottom of doors. The most imperfect door can be made air-tight without re-hanging. The Trade supplied on liberal terms.

JOHN GREENWOOD, PATENTEE,
10, Arthur-street West, London Bridge.



LLOYD'S MARBLE AND GENERAL LANDING WHARF,
GROSVENOR ROAD, PIMLICO, S.W.,
ADJOINING VAUXHALL BRIDGE.

Statuary, Vein, Sicilian, Dove, Bardilla, Purple, Vein Black and Gold, Emperor's
ted, Campan, Vert Vert, Melange, and other Marbles, comprising a large and well-
selected stock in blocks, &c., of almost every size and quality that may be required.
Marble and other Goods Landed, Shipped, &c., by Powerful Travelling Crane.

ADVERTISEMENTS.

Prize Medal, International Exhibition,
1862,

For Lubricating Compounds, Railway Grease, Oils, &c.



Honourable Mention

for

Colours, Paints,

&c., &c.

WILLIAM A. ROSE,
WHITE LEAD, COLOUR, VARNISH, AND
RAILWAY GREASE MANUFACTURER,
Oil, Tallow, and Cotton Waste Merchant,
66, UPPER THAMES STREET, LONDON, E.C

LEAD.
Ground White Lead
Best Ground ditto
Ditto Nos. 2, 3, 4
Litharge
Red Lead, &c.

ZINC.
Pure White Oxide,
dry
Ditto ground

**COLOURS GROUND
IN OIL.**
Brunswick Green,
dark, middle, and
pale
Invisible ditto
Native Ox. Ochre
Stone ditto
Spruce ditto
Prussian Blue
Blue Paint
Venetian Red
Raw & Burnt Umber
Terra de Sienna
Black Paint
Anti-Corrosive ditto
Anti-Oxide ditto, all
Colours, &c.

DRYERS.
Sugar Lead
Forn. White Cop-
pers
Patent Dryers
&c., &c.

GREENS.
Brunswick Greens,
all shades

Quaker Green
Emerald ditto, &c.

PINKS.
Dutch Pink
English Ditto
Rose ditto, &c.

YELLOWS.
Chromes, all shades
Gamboge, ditto
Ochres, &c. &c.

BLUES.
Prussian Blue
Chinese ditto
Celestial ditto
Ultramarine
Damp Blue, &c.

REDS.
Chinese Vermilion
Vermilion, pale and
deep
Vermilion Tint
Indian Red
Crimson Lake
Persian Red
Red Ochre & Chalk
Venetian Red, &c.

BROWNS.
Vandyke Brown
Purple Brown
Spanish Brown
Terra de Sienna
Turkey Umber
&c. &c.

BLACKS.
Imp. Drop. Black
Ivory, Blue, Vege-
table, and Lamp
Black, &c. &c.

WHITES.
Flake White
Paris ditto, &c. &c.

VARNISHES.
Super. Body Varnish
Quick Drying Copal
Super. Carriage
Quick Drying Oak
Super. Black Japan
Japan Gold Size
White Paper
Black Lacquer,
&c. &c.

OILS.
Linseed Oil
Boiled ditto
Sperm, Solar, Colza,
Engine, Gallipoli,
Rape, and Neat's-
foot Oils
Spirits Turpentine
Paraffin Oil
Torch Oil
Kerosine, &c. &c.

BRUSHES.
Dusters
Ground Brushes
Sash Tools, 1 to 12
Stock or Plasterers'
Brushes
Distemper Brushes
Sable Hair Pencils

Camel Hair Pencils
Tar Brushes, &c.

GREASES.
Railway Carriage
Grease
Black Grease
Anti-friction
Liquid ditto
Y. C. Tallow
Soft Soap
Hard ditto
Candles, &c. &c.

COTTON WASTE
White
Coloured

TAR.
Stockholm
Archangel
Refined Coal
Swedish Pitch
British ditto
Coal ditto
Rosin, &c. &c.

SUNDRIES.
Linseed Oil Putty
Picked Pumice
Emery Cloth
Glass Paper & Cloth
Best Town Soots
and Foreign Glue
Pine Varnish
Black ditto
French Chalk
Asphalte
Naphtha
Chemicals

W. A. Rose's Warranted Genuine White Zinc Paint.

OILS, COLOURS, PAINTS, and VARNISHES, in neat Packages for Exportation.

**W. A. Rose's Infusible Railway Grease for Hot and Cold Climates—infusible
in any temperature below boiling water heat.**

ADVERTISEMENTS.

BY ROYAL
METALLIC
TO THE



COMMAND.
PEN MAKER
QUEEN.

JOSEPH GILLOTT

Respectfully invites the attention of the Public to the following Numbers of his

PATENT METALLIC PENS,

Which, for **QUALITY OF MATERIAL, EASY ACTION, and GREAT DURABILITY,** will ensure universal preference.

FOR LADIES' USE.

For fine neat writing, especially on thick and highly-finished paper.
Nos. 1, 173, 303, 604. In **EXTRA-FINE POINTS.**

FOR GENERAL USE.

Nos. 2, 164, 166, 168, 604. In **FINE POINTS.**

FOR BOLD FREE WRITING.

Nos. 3, 164, 166, 168, 604. In **MEDIUM POINTS.**

FOR GENTLEMEN'S USE.

FOR LARGE, FREE, BOLD WRITING.

The Black Swan Quill, Large Barrel Pen, No. 808.
The Patent Magnum Bonum, No. 203. In **MEDIUM and BROAD POINTS.**

FOR GENERAL WRITING.

No. 263. In **EXTRA-FINE** and **FINE POINTS.** No. 810. New Bank Pen.
No. 262. In **FINE POINTS;** Small Barrel. No. 840. The Autograph Pen.

FOR COMMERCIAL PURPOSES.

The celebrated Three-hole Correspondence Pen, No. 332.
" Four-hole " " No. 202.
The Public Pen, No. 292.
" With Bead, No. 404.
Small Barrel Pens, fine and free, Nos. 392, 405, 603.

TO BE HAD OF EVERY RESPECTABLE STATIONER IN THE WORLD.

WHOLESALE AND FOR EXPORTATION—

AT THE

*Manufactory, Victoria Works, Graham Street, and at 96, New Street,
Birmingham; 91, John Street, New York;*

AND OF

WILLIAM DAVIS, at the London Depot, 37, Gracechurch St., E.C.

ADVERTISEMENTS.

Exhibition of all
Nations, 1861,
&c.



Medal, International
Exhibition, 1862,
&c.

TEMPLE ROW

HOUSE,

BIRMINGHAM.

(ESTABLISHED UPWARDS OF A CENTURY.)

AND 72 & 73, GREAT RUSSELL STREET, BLOOMSBURY SQUARE, LONDON

JONES AND WILLIS,

MANUFACTURERS OF

CLOTHS, SILKS, VELVETS, AND FRINGES,

OF A SUPERIOR QUALITY,

FOR ALTAR CLOTHS.

RICH SILK LACES, SATIN DAMASKS,

SILKS IN ALL COLOURS, AND EVERY REQUISITE ARTICLE FOR

VESTMENTS, ETC.

EMBROIDERY IN EVERY DESCRIPTION OF ANCIENT AND MODERN WORK

ECCLIASTICAL CARPETS, FEDE MATS, &c.

Hangings in Silk and Wool, for Sanctuary Walls, Screens, Doors, &c.

Pair Linen Communion Cloths.

HAPKINS, VEILS, CORPORALS, MANIPLES, &c.

CHURCH CUSHIONS AND HASSOCKS,

Door Mats, COCOA NUT MATTING in every Width.

ROBES, SURPLICES, AND EVERY DESCRIPTION OF CLERICAL CLOTHING.

Medieval and other Devices of Hangings, Carpets, Cloths, Tapestry, &c.

FOR PARSONAGE HOUSES.

WOOD CARVING

IN ALTARS, PRAYER DESKS, ALMSBOXES, PULPITSTOOLS, LETTERNS, &c.

METAL WORK.

EXHIBITION OF ALL NATIONS, 1861.

"Church Carpets, Hangings, Episcopal Robes, &c."

The only AWARD for Church Decorations collectively.

INTERNATIONAL EXHIBITION, 1862.

"Church Furniture and Decoration, for Excellency of Workmanship,"

The only PRIZE MEDAL for Church Furniture in general.

A Catalogue, containing near 400 Woodcuts, and Estimates free upon application.

* * PARCELS FREE OF CARRIAGE,

To any town situated on the various Lines of Railway, and forwarded from thence as requested.

ADVERTISEMENTS.

Adopted very largely by Her Majesty's Government
**CROGGON'S PATENT
ASPHALTE ROOFING FELT**

Price 1d. per Square Foot.

INODOROUS FELT,
For Damp Walls, and for Damp Floors under Carpets and Floor Cloths,
also for Lining Iron Houses to equalise the temperature.

Price 1d. per Square Foot.

PATENT FELTED SHEATHING,

For Covering Ships' Bottoms, &c.

DRY HAIR FELT,
For Deadening Sound and Covering Steam Boilers, Pipes, &c., Preventing
the Radiation of Heat, thereby *saving 25 per cent. in Fuel.*

CROGGON & CO.,
ZINC MERCHANTS AND PERFORATORS,
GALVANIZED TINNED IRON,
And every description of Galvanized Iron Work.

CROGGON & CO.'S
NOISELESS ELASTIC KAMPTULICON,
OR INDIA RUBBER FLOOR CLOTH.
Impervious to Wet, Indestructible by Damp, Soft to the Tread, and Warm
to the Feet, well adapted for Aisles of Churches, Public Offices, Rooms,
Shops, &c., as well for its comfort as its extreme durability.

BEST PORTLAND CEMENT,
WEIGHING 108 lb. PER BUSHEL.

Samples, Testimonials, and Full Particulars Free on Application to
2, GOREE PIAZZA, LIVERPOOL; OR
2, DOWSON, E.C.

